


Key Features

- myViewBoard™ suite with whiteboard, wireless casting and remote device management
- Front-facing dual speakers for better engagement
- Pen-on-paper writing experience with Ultra Fine Touch Technology
- Quad Core CPU powered by Android 9.0 OS
- · Low blue light certified



Product **Description**

The ViewBoard® 32 series provides a comprehensive solution for schools and teachers looking to deliver more interactive and engaging lessons. The 4K UHD display features bonding technology for clearer colors and less glare. A 20-point touchscreen interface allows users to collaborate naturally either with a finger or one of the ViewBoard styluses. The built-in access to the myViewBoard suite brings together all of the hardware with a seamless software integration. The display also features Ultra Fine Touch Technology that delivers a paper-like writing experience with instant response and high accuracy, while dual-tip pen support allows you to simultaneously write or draw with two different colors. Users will also enjoy additional connectivity via the SmartPort™ USB and multi I/O ports, including HDMI/VGA, when looking to connect other devices for further classroom support. The included myViewBoard digital whiteboarding software combines enterprise-level security with cloud-based portability and annotation tools including simple, wireless casting capability with secure single sign-on, innovative collaboration tools, easy conversion of common files, and much more. Additionally, myViewBoard Manager offers a single-point management system capable of simultaneously controlling multiple displays.



- 1. Smart Port USB™ X 2 2. Camera
- 9. VESA® Wall Mount600 x 400mm 10. VGA

8. Audio Out

4. RS232 5. HDMI X 2 6. USB 2.0 7. Touch

11. Audio In

Visit Us www.viewsonic.com

DISPLAY		BUNDLE SOFTWARE	
Panel Size:	65"	Basic Annotation Software:	myViewBoard Whiteboard
Panel Type:	TFT LCD Module with DLED Backlight		myViewBoard Whiteboard for
Display Area (mm):	1428.48(H) x 803.52 (V) (64.5" diagonal)	Pro Annotation Software:	Windows(Embedded in optional Windows Slot-in PC)
Aspect Ratio:	16:9	Wireless Presentation:	myViewBoard Display
Resolution:	UHD 3840x2160(Pixels)	SPECIAL FEATURES	, , ,
Colors:	1.07B colors (10bit)		(combine slot-in
Brightness:	350 nits (typ.)	All-in-one USB port:	PC/Android/HDMI USB port) Front
Contrast Ratio:	4000:1		"SmartPort™ USB" to all channels.
Response Time:	6.5ms	Simple LAN sharing between IFP	10/100M for Android &
Viewing Angles:	H = 178, V = 178 typ.	and slot-in device:	Slot-in PC
Backlight Life:	30,000 Hours (Min)	Light Sensor:	Yes
Surface Treatment:	Hardness: 9H Anti- glare coating	POWER Voltage:	162-240VAC +/- 10%
Orientation:	Landscape	Consumption:	On: 175W (typ.) / Off:
PLATFORM			<0.5W
Processor:	ARM quad-core	ERGONOMICS	
	Cortex-A55	Wall Mount (VESA®):	600x400
RAM:	2GB DDR4	OPERATING CONDITIONS	0°C to 40°C
Storage:	16GB	Temperature (° C):	10% ~ 90% RH non-
TOUCH	Illiana Fina Tawah	Humidity:	condensing
Type/ Tech:	Ultra Fine Touch Technology	DIMENSIONS (W X H X D)	1490v907v97 mm /
Touch Point:	20 points touch, 2 points writing	Physical (inch / mm):	1489×897×87 mm / 58.6x35.3x3.4 in
INPUT		Packaging (inch / mm):	1628×208×1005 mm / 64x8.2x39.5 in
HDMI:	2.0 x2 (3840x2160 @60Hz)(HDMI2 port support ARC function)	WEIGHT	22.21.72.41
RGB / VGA:	x1	Net (lb / kg):	38.3kg/84.4lb
Audio:	x1 (PC audio in)	Gross (lb / kg):	46.0kg/101.4lb
RS232:	x1	REGULATIONS	
OPS:	x1 (Optional Intel	BIS, CB, CE PACKAGE CONTENTS	
WiFi:	Standard OPS) x1 (Optional VB-Wifi- 002)	1. Power cable (3 meters) / 2. Remote control / 3. USB cable (3 meters) / 4. Touch pen x 2 / 5. Quick start guide / 6. RS232 adapter / 7. Clamp x 5 / 8. Webcam plate / 9. Screw x 8 / 10. HDMI cable (3 meters)	
OUTPUT		COMPATIBLE SLOT-IN PC	ters)
Audio:	x1 (Earphone out)	VPC12-WPO/VPC25/VPC2C/VPC27	
LAN		17 512 W 0/V 025/VF 026/VF0	
RJ45:	x1		
USB	LICEO C Frank C		
Type A:	USB2.0 Front x2 (SmartPort™ USB);Rear x2		
Type B:	x1 for HDMI/VGA touch		
SPEAKERS			
10W x 2 subwoofers			
TOP CAMERA PLATE			
Yes			
EMBEDDED OS			
Android 9			

Copyright © ViewSonic Corporation 2000-2021. All rights reserved.