



Bekafun

NEXT
audiogroup

2023.1

Heilig Hartstraat 23 B-8870 Izegem | info@bekafun.be | 051 31 28 03
Open: ma-vr 9u-18u | za 10u-17u




NEXT AUDIOCOM is het zustermerk van Next Audio Pro. In dit gamma zitten versterkers en klassieke, inbouw en pendel luidsprekers voor vaste installaties. Daarnaast hebben zij ook een reeks draadloze hoofdtelefoons en draagbare luidsprekers, gaande van compacte bluetooth luidsprekers tot grote 12" actieve luidsprekers.

NAC-MX120

€ 295,00

MIXER AMPLIFIER WITH BLUETOOTH, 120W

- Frequency Response (-6dB): 80Hz - 16kHz
- Amplifier Technology: D Class Amplifier
- Amplifier Power: 120W
- Speaker Output: 100V
- THD+N: <0.5%
- SNR (Signal to Noise Ratio): Mic: >74dB | Line-in: >80dB
- Input Sensitivity: Mic: 60mV (±15mV) | Line-in : 300mV(±20mV)
- Mixer: 3 Channels
- Wireless Connection System: BT v5.0
- Wireless Range: 10m (32.8ft)
- Audio Signal Inputs: BT | Microphone | CD Player | USB
- Input Connectors: 1 x Stereo RCA | 1 x MIC (TS) | 1 x MIC or AUX (XLR) | 1 x Line-in (Phoenix Connector) | 1 x 100V IN (Phoenix Connector) | 1 x USB A Type
- Audio Signal Outputs: Line Audio (RCA)





Alle prijzen in deze catalogus zijn inclusief 21% BTW en een momentopname op 15/09/2023. Prijzen kunnen gewijzigd worden. Raadpleeg bekafun.be voor de huidige prijs of uw professionele prijs.

NAC-MX350

€ 737,80

6-ZONE MIXER AMPLIFIER, 350W, USB/SDCARD READER AND FM TUNER

- Frequency Response (-6dB): 80Hz - 16kHz
- Amplifier Technology: AB Class Amplifier
- Amplifier Power: 350W
- Speaker Output: 100V | 4Ω - 16Ω
- THD+N: <1%
- SNR (Signal to Noise Ratio): Mic: >71dB | Line-in: >85dB
- Input Sensitivity: Mic: 3mV (±0.5mV) | Line-in : 300mV(±50mV)
- Mixer: 7 Channels
- Audio Signal Inputs: Microphone | CD Player | USB | SD Card | FM Radio | BT
- Input Connectors: 3 x Stereo RCA | 4 x MIC (TS) | USB | SD Card Slot | FM Antenna (75Ω)
- Audio Signal Outputs: Line Audio (RCA)
- Speakers Output Connectors: Low Impedance: Binding Posts | 100V: Screw Connector
- Fittings: 2U 19" Rack



CEILING SPEAKERS

- 100V ceiling speakers
- Nominal Impedance: 8Ω
- For indoor use
- Also available with built-in Bluetooth module, packed per pair (C6BPRO)
- Black grill separate available



Prod Code	Transformer Taps 100V	RMS power (8Ω)	Drivers	Cutout Diameter	Price
NAC-C6WHITE	1.5W 3W 6W	6W	6.5" Dual Cone Woofer	170mm	€ 22,57
NAC-C5PROWHITE	2.5W 5W 10W	40W	LF: 5.25"+ HF: 0.75" Pivoting (±10°)	179mm	€ 71,33
NAC-C6PROWHITE	7.5W 15W 30W	60W	LF: 6.5"+ HF: 0.75" Pivoting (±10°)	210mm	€ 82,52

NAC-C6BPROWHITE(PAIR) € 280,30

6.5" PREMIUM BLUETOOTH CEILING SPEAKERS (PAIR)



The C6B Pro stereo pack, with the built-in amplifier and BT, is a complete wireless audio solution. Just connect the "Slave" speaker, add power from your mains and stream your music from any BT device.

- Frequency Response (-6dB): 62Hz - 20kHz
- RMS Power: 60W (8Ω)
- Amplifier Power: 30W + 30W (C6B PRO Slave Speaker Output)
- LF Driver: 6.5" | HF Driver: 0.75"



NAC-BLACKGRILLC6PRO € 7,38

BLACK GRILL FOR C6 PRO



P SERIES

- 100V speakers
- Nominal Impedance: 8Ω
- IP Rating: IP66 (Only with Back Cover Supplied with Wall Bracket or Garden Accessory)
- 4" or 6"/black or white



P4 Wall



P4 Pendant



P4 Garden



Prod Code	Type	Transformator Taps 100V	RMS power (8Ω)	Drivers	Frequency Response	Price
NAC-P4BLACK	Pendant	2.5W 5W 10W 20W	20W	LF: 4"+ HF: 0.75"	120Hz - 20kHz	€ 99,34
NAC-P4WHITE	Pendant	2.5W 5W 10W 20W	20W	LF: 4"+ HF: 0.75"	120Hz - 20kHz	€ 99,34
NAC-P6BLACK	Pendant	5W 10W 20W 40W	40W	LF: 6.5"+ HF: 1"	90Hz - 20kHz	€ 147,50
NAC-P6WHITE	Pendant	5W 10W 20W 40W	40W	LF: 6.5"+ HF: 1"	90Hz - 20kHz	€ 147,50
NAC-P4WBLACK	Wall	2.5W 5W 10W 20W	20W	LF: 4"+ HF: 0.75"	120Hz - 20kHz	€ 122,88
NAC-P4WWHITE	Wall	2.5W 5W 10W 20W	20W	LF: 4"+ HF: 0.75"	120Hz - 20kHz	€ 122,88
NAC-P6WBLACK	Wall	5W 10W 20W 40W	40W	LF: 6.5"+ HF: 1"	90Hz - 20kHz	€ 167,46
NAC-P4GBLACK	Garden	2.5W 5W 10W 20W	20W	LF: 4"+ HF: 0.75"	120Hz - 20kHz	€ 128,74
NAC-P6GBLACK	Garden	5W 10W 20W 40W	40W	LF: 6.5"+ HF: 1"	90Hz - 20kHz	€ 178,48



P6 GARDEN



P6 PENDANT



P6 WALL



IP66


DETACHABLE LOGO

EASY INSTALL

ACCESSORIES P SERIES



NAC-WALLACCESSORYP4BLACK



NAC-WALLACCESSORYP6BLACK



NAC-WALLACCESSORYP4WHITE



NAC-WALLACCESSORYP6WHITE



NAC-GARDENACCESSORYP4BLACK

Prod Code	Type	Price
NAC-WALLACCESSORYP4BLACK	Wall Accessory for P4, Black	€ 19,97
NAC-WALLACCESSORYP4WHITE	Wall Accessory for P4, White	€ 19,97
NAC-WALLACCESSORYP6BLACK	Wall Accessory for P6, Black	€ 19,97
NAC-WALLACCESSORYP6WHITE	Wall Accessory for P6, White	€ 19,97
NAC-GARDENACCESSORYP4BLACK	Garden Accessory for P4, Black	€ 29,40
NAC-GARDENACCESSORYP6BLACK	Garden Accessory for P6, Black	€ 30,98



Alle prijzen in deze catalogus zijn inclusief 21% BTW en een momentopname op 15/09/2023. Prijzen kunnen gewijzigd worden. Raadpleeg bekafun.be voor de huidige prijs of uw professionele prijs.

NAC-W3BLACK(PAIR)

€ 56,57

3" MINI SATELLITE SPEAKER (PAIR)

- Frequency Response (-6dB): 150Hz - 20kHz
- RMS Power: 15W
- Nominal Impedance: 8Ω
- Full-Range Driver: 2.75" Full-Range Loudspeaker
- IP Rating: Indoor Use
- Dimensions (WxHxD): 95 x 93 x 108mm (3.7" x 3.7" x 4.3")
- Fixation: Ball-Joint Wall Bracket (included)
- Set of 2 units



NAC-W5FBLACK(PAIR)

€ 78,65

5" ULTRA SLIM WALL FULL RANGE SPEAKER (PAIR)

- Frequency Response (-6dB): 100Hz - 20kHz
- RMS Power: 25W
- Nominal Impedance: 8Ω
- Low Frequency Driver: 5.25" Inverted Magnet Woofer
- High Frequency Driver: 0.5" Mylar Dome Tweeter
- IP Rating: Indoor Use
- Dimensions (WxHxD): 183 x 271 x 38mm (7.2" x 10.67" x 1.5")
- Set of 2 units
- Also available in white (NAC-W5FWHITE(PAIR))



Alle prijzen in deze catalogus zijn inclusief 21% BTW en een momentopname op 15/09/2023. Prijzen kunnen gewijzigd worden. Raadpleeg bekafun.be voor de huidige prijs of uw professionele prijs.

OTHER W SERIES

PASSIVE SPEAKERS

- 100V speakers
- Nominal Impedance: 8Ω
- Integrated transformer
- IP Rating: W4 & W6 indoor use, W8 IP55
- Fixation: Wall U-Bracket (included)
- Set of 2 units
- Also available in white




Prod Code	Transformer Taps 100V	RMS power (8Ω)	Drivers	Frequency Response	Price
NAC-W4BLACK(PAIR)	1.25W 2.5W 5W 10W	20W	LF: 4"+ HF: 0.5"	90Hz - 18kHz	€ 82,16
NAC-W4WHITE(PAIR)	1.25W 2.5W 5W 10W	20W	LF: 4"+ HF: 0.5"	90Hz - 18kHz	€ 82,16
NAC-W6BLACK(PAIR)	3.75W 7.5W 15W 30W	40W	LF: 6.5"+ HF: 1"	70Hz - 18kHz	€ 327,53
NAC-W6WHITE(PAIR)	3.75W 7.5W 15W 30W	40W	LF: 6.5"+ HF: 1"	70Hz - 18kHz	€ 154,94
NAC-W8BLACK(PAIR)	10W 20W 30W 40W	60W	LF: 8"+ HF: 1"	60Hz - 20kHz	€ 293,18
NAC-W8WHITE(PAIR)	10W 20W 30W 40W	60W	LF: 8"+ HF: 1"	60Hz - 20kHz	€ 293,18



T SERIES

IP65 PASSIVE SPEAKERS

- 100V speakers
- Nominal Impedance: 16Ω
- Fixation: Wall U-Bracket (included)
- T4 & T6: set of 2 units
- T8: single unit
- Also available in white



Prod Code	Transformer Taps 100V	RMS power (8Ω)	Drivers	Frequency Response	Price
NAC-T4BLACK(PAIR)	10W 20W 40W	40W	LF: 4"+ HF: 0.8"	75Hz - 20kHz	€ 241,52
NAC-T4WWHITE(PAIR)	10W 20W 40W	40W	LF: 4"+ HF: 0.8"	75Hz - 20kHz	€ 241,52
NAC-T6BLACK(PAIR)	20W 40W 80W	80W	LF: 6.5"+ HF: 1"	60Hz - 18kHz	€ 436,81
NAC-T6WWHITE(PAIR)	20W 40W 80W	80W	LF: 6.5"+ HF: 1"	60Hz - 18kHz	€ 436,81
NAC-T8BLACK	37.5W 75W 150W	150W	LF: 8"+ HF: 1"	60Hz - 18kHz	€ 298,08
NAC-T8WWHITE	37.5W 75W 150W	150W	LF: 8"+ HF: 1"	60Hz - 18kHz	€ 298,08



NAC-SB3

€ 88,45

CONVERTIBLE SOUNDBAR WITH BLUETOOTH

- Frequency Response (-6dB): 100Hz - 18kHz
- RMS Power: 15W + 15W
- Amplifier Technology: Class D Amplifier with DSP
- Full-Range Driver: 4 x 2" Full-Range Loudspeaker
- Audio Signal Inputs: Stereo BT | AUX | Optical | USB | Micro SD Card
- Audio Signal Outputs: Subwoofer or Other System Output (Unfiltered, Full-Range)



NAC-S10BLACK

€ 216,35

10" ACTIVE SUBWOOFER, BLACK

- Product Type: Active Down-Firing Subwoofer
- Frequency Response (-6dB): 32Hz - 200Hz
- RMS Power: 100W
- Audio Signal Inputs: Stereo Line-in | High Level Input
- Also available in white



MIXER

NAC-M1

€ 122,94

NEXT AUDIOCOM M1 DIGITAL STEREO MIXER 4 CHANNELS WITH BLUETOOTH

- Mixer: 4 Channels (2 x Mono | 1 x Stereo)
- Effects
- Audio Signal Inputs: BT | Microphone (+48V) | Instrument (HI-Z) | USB | AUX | CD Player | PC (2 Channels)
- Special Features: HI-Z, Low Cut, EQ (LOW, MID, HIGH), Phantom Power (+48V), Effects, USB Stick Recording, PC Recording



PORTABLE SPEAKERS

NAC-MODUS2BLACK € 49,13

BATTERY-POWERED BLUETOOTH PORTABLE SPEAKER

- Frequency Response (-6dB): 100Hz - 20kHz
- RMS Power: 20W (2x10W)
- Full-Range Driver: 2 x 2" Full-Range Loudspeakers
- Subwoofer Driver: 2 x Passive Radiators
- Audio Signal Inputs: BT | AUX | Micro SD | USB | FM Radio
- Battery Type: Rechargeable - 4000mAh (Lithium-ion)
- Bat. Playback Time: 6 Hours
- Bat. Charging Time: 3 to 4 Hours
- Also available in white (NAC-MODUS2WHITE)



NAC-X4BLACK € 47,19

WIRELESS HEADPHONES

- Frequency Response (-6dB): 20Hz - 20kHz
- Full-Range Driver: 40mm Full-Range Driver
- Audio Signal Inputs: Stereo BT | AUX | Micro SD Card | FM Radio
- Battery Type: Rechargeable - 400mAh (Lithium-ion)
- Bat. Playback Time: Up to 18 Hours
- Bat. Charging Time: 2.5 Hours
- Also available in white (NAC-X4WHITE)



NAC-IPX6 € 88,45

BATTERY-POWERED BLUETOOTH PORTABLE SPEAKER

- Frequency Response (-6dB): 80Hz - 16kHz
- RMS Power: 30W
- Full-Range Driver: 2 x 3" Full-Range Loudspeakers
- Subwoofer Driver: 2 x 82mm Passive Radiators
- Audio Signal Inputs: BT | AUX | Micro SD
- Battery Type: Lithium-ion, Rechargeable - 18Wh (equivalent to 3.6V, 5000mAh)
- Bat. Playback Time: Up to 15 Hours
- Bat. Charging Time: 5 Hours
- IP Rating: IPX6 - Waterproof



NAC-MAVERICKMV3

€ 172,18

BATTERY-POWERED BLUETOOTH PORTABLE SPEAKER

- Frequency Response (-6dB): 60Hz - 20kHz
- RMS Power: 65W
- Subwoofer Driver: 1 x 6" Subwoofer
- Low Frequency Driver: 2 x 3" Woofer
- High Frequency Driver: 2 x 1" Tweeter
- Audio Signal Inputs: Stereo BT | AUX
- Battery Type: Rechargeable - 7.4V / 6600mAh (Lithium-ion)
- Bat. Playback Time: Up to 20 Hours
- Bat. Charging Time: 4 Hours



NAC-MAVERICKMV6

€ 399,00

BATTERY-POWERED BLUETOOTH PORTABLE SPEAKER

- Frequency Response (-6dB): 70Hz - 20kHz
- Peak Power: 200W
- Amplifier Technology: Class D Amplifier with DSP
- Low Frequency Driver: 6.5" Woofer | 2" Voice Coil
- High Frequency Driver: 1" High Frequency Driver
- Audio Signal Inputs: BT | Microphone | Instrument | USB | AUX
- Battery Type: Lithium-Ion Rechargeable Battery - 5000mAh
- Bat. Playback Time: Up to 12 Hours
- Bat. Charging Time: 5 Hours



NAC-MAVERICKMV12

€ 399,00

12" ACTIVE BLUETOOTH SPEAKER

- Frequency Response (-6dB): 53Hz - 19.5kHz
- Peak Power: 1100W
- Amplifier Technology: Class D Amplifier with DSP
- Low Frequency Driver: 12" Woofer | 2" Voice Coil
- High Frequency Driver: 1" Titanium Driver | 1.75" Voice Coil
- Audio Signal Inputs: BT | Microphone | Instrument | CD Player | AUX
- Audio Signal Outputs: Mixer Output



NAC-COVERMV12

€ 34,30

COVER FOR MV12



NAC-BAGMV3

€ 26,02

BAG FOR MV3



NAC-FLEXI15

€ 1.121,02

FLEXI 15 SYSTEM - 15" ACTIVE COMPACT PA SYSTEM

- Frequency Response (-6dB): 40Hz - 19kHz
- Amplifier Technology: Class D with DSP
- Amplifier Power: RMS: 1000W | PGM: 2000W
- Subwoofer Driver: 15" Woofer | 3" Voice Coil
- Low Frequency Driver: 8" Woofer | 1.5" Voice Coil
- High Frequency Driver: 1.4" Driver | 1.35" Voice Coil
- Audio Signal Inputs: Mono / Stereo Analog Audio
- Audio Signal Outputs: Mono / Stereo Analog Audio
- Accessories: Speaker Cables and Subwoofer Wheels are included



NAC-PRO12
€ 399,00
12" FULL-RANGE PASSIVE SPEAKER

- Frequency Response (-6dB): 52Hz - 20kHz
- Peak Power: 1000W
- Nominal Impedance: 8Ω
- Low Frequency Driver: 12" Woofer | 2.5" Voice Coil
- High Frequency Driver: 1" Titanium Driver | 1.7" Voice Coil


NAC-PRO12A
€ 599,00
12" ACTIVE FULL-RANGE SPEAKER

- Frequency Response (-6dB): 46Hz - 20kHz
- Amplifier Technology: Class D Amplifier with DSP
- Amplifier Power: RMS: 800W (550W + 250W) / Peak: 1400W
- Amplifier Technology: Class D Amplifier with DSP
- Low Frequency Driver: 12" Woofer | 2.5" Voice Coil
- High Frequency Driver: 1" Titanium Driver | 1.7" Voice Coil
- Audio Signal Inputs: BT | Microphone | Instrument | CD Player | AUX
- Audio Signal Outputs: Mixer Output


NAC-PRO15
€ 499,00
15" PASSIVE FULL-RANGE SPEAKER

- Frequency Response (-6dB): 48Hz - 20kHz
- Peak Power: 1400W
- Nominal Impedance: 8Ω
- Low Frequency Driver: 15" Woofer | 3" Voice Coil
- High Frequency Driver: 1" Titanium Driver | 1.7" Voice Coil
- Input Connectors: 2 x NL4 parallel wired
- U-Bracket not included


NAC-PRO15A
€ 749,00
15" ACTIVE FULL-RANGE SPEAKER

- Frequency Response (-6dB): 42Hz - 20kHz
- Amplifier Technology: Class D Amplifier with DSP
- Amplifier Power: RMS: 800W (550W + 250W) / Peak: 1400W
- Low Frequency Driver: 15" Woofer | 3" Voice Coil
- High Frequency Driver: 1" Titanium Driver | 1.7" Voice Coil
- Audio Signal Inputs: BT | Microphone | Instrument | CD Player | AUX
- Audio Signal Outputs: Mixer Output





NAC-A40

€ 70,79

STEREO AMPLIFIER WITH BLUETOOTH, 40W

- Product Type: BT Class D Amplifier
- Frequency Response (-6dB): 20Hz - 20kHz
- Amplifier Power: 2 x 30W@8Ω
- Speaker Output: 8Ω - 16Ω
- THD+N: <0.1%
- Audio Signal Inputs: BT | Stereo Line-in




NAC-A200

€ 222,22

STEREO AMPLIFIER WITH BLUETOOTH, 40W

- Product Type: BT Class D Amplifier
- Frequency Response (-6dB): 20Hz - 20kHz
- Amplifier Power: 2 x 30W@8Ω
- Speaker Output: 8Ω - 16Ω
- THD+N: <0.1%
- Audio Signal Inputs: BT | Stereo Line-in





NAC-AD500

€ 1.073,54

4X125W MATRIX AMPLIFIER MET DSP

- Frequency Response: 20Hz - 20kHz (+0 / -0.25dB)
- Amplifier Technology: UMAC Class D - Full Bandwidth PWM Modulator With Ultra-Low Distortion
- Number of Amplifier Channels: 4 Channels Low Impedance (LoZ) / 2 Channels High Impedance (HiZ)
- Amplifier Power - Stereo 8Ω: 4 x 125W
- Amplifier Power - Stereo 4Ω: 4 x 125W
- Amplifier Power - 100V: 2 x 250W
- Speaker Output: 4Ω - 16Ω | 70V | 100V
- Zones Output: 4-Zones Output
- DSP Technology: Ultimate DSP with Wi-Fi and Ethernet Connection
- DSP Presets: Allows to Store and Load Individual Presets as well as Preset Libraries
- Audio Signal Inputs: 4 x Analog Unbalanced Inputs | 4 x Analog Balanced Inputs | Stereo S/PDIF
- Audio Signal Outputs: Stereo S/PDIF
- Comes with an integrated web interface for extensive DSP control



NAC-A504DSP

€ 892,58

4-KANAALS AMPLIFIER MET DSP

- Number of Amplifier Channels: 4 Channels
- Amplifier Power - Stereo 8Ω: 4 x 250W
- Amplifier Power - Stereo 4Ω: 4 x 500W
- Amplifier Power - Bridge 8Ω: 2 x 1000W
- Amplifier Power - 100V: 2 x 1000W
- Amplifier Technology: Class D
- Speaker Output: 4Ω - 16Ω
- Control Type: On the Amplifier or via USB and Suplied Software "A504 DSP Controller"
- Audio Signal Inputs: Analog Audio XLR
- Speakers Output Connectors: 4 x Neutrik NL4



ADVANCED DSP

Onboard, advanced DSP engine, controlled by built-in OLED screen with an encoder or by a PC **over USB**, with Input/Output routing, High-Pass and Low-Pass filters, Parametric EQ Filters, Compressors/Limiters, noise gates and Alignment Delays.

The integrated DSP allows you to have dedicated presets for different situations. You just need to select which one is the most convenient for your application.

