


# KGEAR

Smart Audio Solutions




## GPX System

Product Code	Description	List Price (Ex VAT)
GPXA	Powered 2 x 18" Subwoofer + 4 x 12" Slim Array <ul style="list-style-type: none"> <li>• 1500W, 2 x 18", 4 Ohm Birch plywood subwoofer</li> <li>• 750W, 4 x 12" + 1", 8 Ohm metal framed coaxial array element</li> <li>• Powersoft DSP and power amp module 4 x 1500W</li> <li>• Ethernet remote control via ArmoniaPlus software</li> <li>• NL4 output for powering GPX passive system</li> <li>• Frequency Response: 30Hz—20kHz (-6dB)</li> <li>• Continuous SPL: 128dB (140dB peak)</li> <li>• Coverage: V30° x H90°</li> </ul>	€ 11 700,00



GPXA



GPX	Passive 2 x 18" Subwoofer + 4 x 12" Slim Array <ul style="list-style-type: none"> <li>• 1500W, 2 x 18", 4 Ohm Birch plywood subwoofer</li> <li>• 750W, 4 x 12" + 1", 8 Ohm metal framed coaxial array element</li> <li>• Speakon inputs</li> <li>• Frequency Response: 30Hz—20kHz (-6dB)</li> <li>• Continuous SPL: 128dB (140dB peak)</li> <li>• Coverage: V30° x H90°</li> </ul>	€ 7 760,00
-----	--	------------



GPX



All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

Pricing VAT 21% Excl.


## GPZ System

Product Code	Description	List Price (Ex VAT)
GPZA	Powered 2 x 18" Subwoofer + 2 x 12" Slim Array	€ 10 830,00



GPZA

- 1500W, 2 x 18", 4 Ohm Birch plywood subwoofer
- 400W, 2 x 12" + 1", 2 x 32 Ohm metal framed coaxial array element
- Powersoft DSP and power amp module 4 x 1500W
- Ethernet remote control with ArmoniaPlus software
- NL4 output for powering GPZ passive system
- Frequency Response: 30Hz—20kHz (-6dB)
- Continuous SPL: 125dB (137dB peak)
- Coverage: V30° x H90°




GPZ	Passive 2 x 18" Subwoofer + 4 x 12" Slim Array	€ 6 730,00
-----	--	------------



GPZ

- 1500w, 2x18", 4ohm Birch plywood subwoofer
- 400w, 2x12" + 1", 2x32Ohm metal framed coaxial array element
- Speakon inputs
- Frequency Response: 30Hz—20kHz (-6dB)
- Continuous SPL: 125db (137db peak)
- Coverage: V30° x H90°



All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

**Pricing VAT 21% Excl.**

## GP1812 System



GP1812A

Product Code	Description	List Price (Ex VAT)
GP1812A	Powered 18" Subwoofer + 1 x 12" Slim Array	€ 5 850,00

- 750W, 18", 8 Ohm Birch plywood subwoofer
- 200W, 12" + 1", 32 Ohm metal framed coaxial array element
- Powersoft DSP and power module 4 x 1500W
- Ethernet remote control with ArmoniaPlus software
- NL4 output for powering GP1812 passive system
- Frequency Response: 30Hz—20kHz (-6dB)
- Continuous SPL: 117dB (129dB peak)
- Coverage: V30° x H90°



GP1812

GP1812	Passive 18" Subwoofer + 1 x 12" Slim Array	€ 3 160,00
--------	--	------------

- 750W, 18", 8 Ohm Birch plywood subwoofer
- 200W, 12" + 1", 32 Ohm metal framed coaxial array element
- Speakon inputs
- Frequency Response: 30Hz—20kHz (-6dB)
- Continuous SPL: 117dB (129dB peak)
- Coverage: V30° x H90°



All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).


Pricing VAT 21% Excl.

## GP18 System


Product Code	Description	List Price (Ex VAT)
GP18A	Powered 18" Subwoofer + 24 x 2" Column Array	€ 5 130,00
	<ul style="list-style-type: none"> <li>• 750W, 18", 8 Ohm Birch plywood subwoofer</li> <li>• 700W, 3 x Modular 8 x 2", 3 x 16 Ohm array element</li> <li>• Powersoft DSP and power module 4 x 1500W</li> <li>• Ethernet remote control with ArmoniaPlus software</li> <li>• NL4 output for powering GP18 passive system</li> <li>• Frequency Response: 30Hz—20kHz (-6dB)</li> <li>• Continuous SPL: 113dB (125dB peak)</li> <li>• Coverage: V20° x H140°</li> </ul>	
GP18	Passive 18" Subwoofer + 24 x 2" Column Array	€ 2 205,00
	<ul style="list-style-type: none"> <li>• 750W, 18", 8 Ohm Birch plywood subwoofer</li> <li>• 700W, 3 x Modular 8x2", 3 x 16 Ohm array element</li> <li>• Speakon inputs</li> <li>• Frequency Response: 30Hz—20kHz (-6dB)</li> <li>• Continuous SPL: 113dB (125dB peak)</li> <li>• Coverage: V20° x H140°</li> </ul>	
GP18-BASE	• Ground base for GP18/GP18A   GP12/GP12A column	€ 830,00
GS18-COVER	• Cover for GS18	€ 80,00
GP-CASE3	• Hardcase For Column Set GP18/A   GP12/A ABS Black	€ 140,00



GP18A









GP18



All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

Pricing VAT 21% Excl.

## GP12 System NEW

Product Code	Description	List Price (Ex VAT)
 GP12A	Powered 12" Subwoofer + 16 x 2" Column Array	€ 3 650,00
	<ul style="list-style-type: none"> <li>• 600W, 1x12", 8Ohm Birch plywood subwoofer</li> <li>• 500W, 2x Modular 8x2", 2x16Ohm array element</li> <li>• Powersoft DSP and power module 4x750W@40hm</li> <li>• Ethernet remote control with ArmoniaPlus software</li> <li>• NL4 output for powering GP12 passive system</li> <li>• Frequency Response: 37Hz—20kHz (-6dB)</li> <li>• Continuous SPL: 122dB peak</li> <li>• Coverage: V20° x H140°</li> </ul>	
 GP12	Passive 12" Subwoofer + 16 x 2" Column Array	€ 1 680,00
	<ul style="list-style-type: none"> <li>• 600W, 1x12", 8Ohm Birch plywood subwoofer</li> <li>• 500W, 2x Modular 8x2", 2x16Ohm array element</li> <li>• Speakon inputs</li> <li>• Frequency Response: 37Hz—20kHz (-6dB)</li> <li>• Continuous SPL: 122dB peak</li> <li>• Coverage: V20° x H140°</li> </ul>	
	GP18-BASE	<ul style="list-style-type: none"> <li>• Ground base for GP18/GP18A   GP12/GP12A column</li> </ul> € 830,00
	GP-CASE3	<ul style="list-style-type: none"> <li>• Hardcase For Column Set GP18/A   GP12/A ABS Black</li> </ul> € 140,00



All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

Pricing VAT 21% Excl.

## GP8 System



GP8A

Product Code	Description	List Price (Ex VAT)
GP8A	<p>Powered 8" Subwoofer + 4 x 2,5" Column Array</p> <ul style="list-style-type: none"> <li>• 100W, 1x8", ABS subwoofer</li> <li>• 100W, 4x2,5", array element</li> <li>• Power module 2x100W</li> <li>• 2 Mic/Line inputs, 1 stereo aux input, 1 balanced XLR out</li> <li>• 4.2 Bluetooth with TWS technology to pair two GP8A for stereo listening</li> <li>• USB &amp; SD player</li> <li>• Frequency Response: 45Hz—20kHz.</li> <li>• Continuous SPL: 95dB (108dB peak)</li> <li>• Coverage: V40° x H100°</li> </ul>	€ 680,00
GP8A-BAGS	Bag + cover set for GP8A	€ 90,00



GP8A-BAGS



All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

**Pricing VAT 21% Excl.**

## GH Series



GH412

Product Code	Description	List Price (Ex VAT)
GH412	4x12" Slim Array Element <ul style="list-style-type: none"> <li>• 800W, 4x 12" coaxial with 1" compression driver,</li> <li>• 80hm metal framed coaxial array element</li> <li>• Speakon in- &amp; output</li> <li>• Frequency Response: 125Hz—20kHz (-6dB)</li> <li>• Continuous SPL: 128dB (140dB peak)</li> <li>• Coverage: V30° x H90°</li> <li>• Suggested Amplifier: GA43, GA46</li> </ul>	€ 5 130,00



GH12

GH12	12" Slim Array Element <ul style="list-style-type: none"> <li>• 200W, 12" + 1"</li> <li>• 320hm metal framed coaxial element</li> <li>• Speakon in- &amp; output</li> <li>• Frequency Response: 125Hz—20kHz (-6dB)</li> <li>• Continuous SPL: 117dB (129dB peak)</li> <li>• Coverage: V30° x H90°</li> <li>• Suggested Amplifier: GA43, GA46</li> </ul>	€ 2 050,00
------	---	------------



GH-BASE

GH-BASE	Stacking hardware for up to 2 GH412 or 8 GH12	€ 450,00
---------	---	----------



GH-FLY

GH-FLY	Fly bar for GH12 or GH412	€ 590,00
--------	---------------------------	----------



GH-JOINT

GH-JOINT	2 ears 4 pins set for GH12 or GH412	€ 450,00
----------	-------------------------------------	----------

All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

**Pricing VAT 21% Excl.**



## GH4 System **NEW**

Product Code	Description	List Price (Ex VAT)
<b>GH4(W)</b>	4" Mini Array Element <ul style="list-style-type: none"> <li>• 140W, 4" Wide range driver with neodymium magnet</li> <li>• Impedance: 4-16 Ohm (selectable)</li> <li>• 4-pin Euroblock</li> <li>• Frequency Response: 120Hz—20kHz (-10dB)</li> <li>• Maximum SPL: 122dB peak</li> <li>• Coverage: V90° x H90°</li> <li>• IP64 Rating, stainless steel enclosure</li> <li>• More GH4s can be combined together to create an array</li> <li>• Suggested Amplifier: GA41, GA43</li> <li>• GF-WALL Adjustable wall mount bracket included</li> <li>• Color: black or white</li> </ul>	€ 425,00



GH4



GH4W

<b>GH4-FLY(W)</b>	Fly Bar For GH4 Speakers Color: black or white	€ 150,00
-------------------	---	----------



GH4-FLY

<b>GH4-JOINT(W)</b>	Adjustable Kit To Join GH4 Speakers Color: black or white	€ 105,00
---------------------	--	----------



GH4-JOINT

<b>GH4-WALL(W)</b>	Wall Mount Bracket For GH4-Fly Color: black or white	€ 210,00
--------------------	---	----------







GH4-WALL



All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

**Pricing VAT 21% Excl.**

## GS Series

Product Code	Description	List Price (Ex VAT)
<b>GS218</b>	2x18" Passive Subwoofer <ul style="list-style-type: none"> <li>• 1600W, 2x18", 4 Ohm Subwoofer</li> <li>• Speakon in- &amp; output</li> <li>• Frequency Response: 30Hz—150Hz (-6dB)</li> <li>• Continuous SPL: 126dB (138dB peak)</li> <li>• Coverage: OMNI (CARDIO preset available for min 2 units)</li> <li>• Suggested Amplifier: GA43, GA46</li> </ul>	€ 2 630,00
		
<b>GS218-COVER</b>	Cover for GS218	€ 100,00
<b>GS18</b>	18" Passive Subwoofer <ul style="list-style-type: none"> <li>• 750W, 18", 8 Ohm Subwoofer</li> <li>• Speakon in- &amp; output</li> <li>• Frequency Response: 30Hz—150Hz (-6dB)</li> <li>• Continuous SPL: 120dB (132dB peak)</li> <li>• Coverage: OMNI</li> <li>• Suggested Amplifier: GA43, GA46</li> </ul>	€ 1 110,00
		
<b>GS18-COVER</b>	Cover for GS18	€ 80,00
<b>GS12 <sup>NEW</sup></b>	12" Passive Subwoofer <ul style="list-style-type: none"> <li>• 600W, 12", 8 Ohm Subwoofer</li> <li>• Speakon in- &amp; output</li> <li>• Frequency Response: 37Hz—150Hz (-6dB)</li> <li>• Continuous SPL: 114dB</li> <li>• Coverage: OMNI</li> <li>• Perfect companion for GH4 and GF82</li> <li>• Suggested Amplifier: GA43, GA46</li> </ul>	€ 930,00
		
<b>GS6</b>	6" Passive Subwoofer <ul style="list-style-type: none"> <li>• 60W RMS, 6", 4 Ohm Subwoofer</li> <li>• Push button red and black connector</li> <li>• Frequency Response: 55Hz—140Hz (-6dB)</li> <li>• Built-in passive low-pass filter</li> <li>• Continuous SPL: 95dB (108dB peak)</li> <li>• Coverage: OMNI</li> <li>• Perfect companion for GF4, GF6, GF22, ...</li> </ul>	€ 220,00
		

All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

**Pricing VAT 21% Excl.**

## GF Series



GF22



GF82



GF-WALL








Product Code	Description	List Price (Ex VAT)
GF22(W)	<p>2x2" Full Range Point Source Column</p> <ul style="list-style-type: none"> <li>• 25W RMS, 2x2", 16Ohm full range passive speaker</li> <li>• Push button red and black connector</li> <li>• Frequency Response: 90Hz—20kHz (-6dB)</li> <li>• Continuous SPL: 96dB (108dB peak)</li> <li>• Coverage: V90° x H90°</li> <li>• Width: 60mm, Height: 600mm, Depth: 72mm</li> <li>• Suggested Amplifier: GA201 (up to 4pcs. / channel)</li> <li>• Colors: black or white</li> </ul>	€ 180,00
GF82(W)	<p>8x2" Full Range Point Source Column</p> <ul style="list-style-type: none"> <li>• 100W RMS, 8x2", 16Ohm full range passive speaker</li> <li>• Push button red and black connector</li> <li>• Frequency Response: 160Hz—20kHz (-6dB)</li> <li>• Continuous SPL: 96dB (117dB peak)</li> <li>• Coverage: V10° x H90°</li> <li>• Width: 60mm, Height: 600mm, Depth: 72mm</li> <li>• Suggested Subwoofer: GS6</li> <li>• Available in 64Ohm version on demand (GF82-64 and GF82-64W)</li> <li>• Colors: black or white</li> </ul>	€ 335,00
GF-WALL (W)	Wall mount bracket for GF22 or GF82, Black or white	€ 45,00



All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

Pricing VAT 21% Excl.








## Round Ceiling / In-wall Speakers

	Product Code	Description	List Price (Ex VAT)
	<b>GCF3(W)</b>	<ul style="list-style-type: none"> <li>• 3" + 0,5" Round Ceiling / In-wall Speaker 20W RMS @ 16 Ohm</li> <li>• Frequency Response: 130 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 106dB peak</li> <li>• Coverage: 130°</li> <li>• Ø outer: 116mm Ø inner: 100mm, Depth: 57mm</li> <li>• Color: black or white</li> </ul>	€ 85,00
	<b>GCF5(W)</b> <sup>NEW</sup>	<ul style="list-style-type: none"> <li>• 5.25" + 0,75" Round Ceiling / In-wall Speaker 40W RMS @ 8 Ohm</li> <li>• Frequency Response: 70 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 106dB peak</li> <li>• Coverage: 120°</li> <li>• Ø outer: 196mm Ø inner: 179mm, Depth: 75mm</li> <li>• Color: black or white</li> </ul>	€ 130,00
	<b>GCF5T(W)</b> <sup>NEW</sup>	<ul style="list-style-type: none"> <li>• 5.25" + 0,75" Round Ceiling / In-wall Speaker 16W RMS @ 100V</li> <li>• Frequency Response: 70 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 106dB peak</li> <li>• Coverage: 120°</li> <li>• Ø outer: 196mm Ø inner: 179mm, Depth: 75mm</li> <li>• Color: black or white</li> </ul>	€ 140,00
	<b>GCF6(W)</b>	<ul style="list-style-type: none"> <li>• 6.5" + 0,75" Round Ceiling / In-wall Speaker 60W RMS @ 8 Ohm</li> <li>• Frequency Response: 60 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 110dB peak</li> <li>• Coverage: 130°</li> <li>• Ø outer: 227mm Ø inner: 210mm, Depth: 87mm</li> <li>• Color: black or white</li> </ul>	€ 170,00
	<b>GCF6T(W)</b>	<ul style="list-style-type: none"> <li>• 6.5" + 0,75" Round Ceiling / In-wall Speaker 32W @ 100V</li> <li>• Frequency Response: 60 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 110dB peak</li> <li>• Coverage: 130°</li> <li>• Ø outer: 227mm Ø inner: 210mm, Depth: 87mm</li> <li>• Color: black or white</li> </ul>	€ 180,00
	<b>GCF8(W)</b>	<ul style="list-style-type: none"> <li>• 8" + 1" Round Ceiling / In-wall Speaker 80W RMS @ 8 Ohm</li> <li>• Frequency Response: 50 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 112dB peak</li> <li>• Coverage: 130°</li> <li>• Ø outer: 277mm Ø inner: 258mm, Depth: 105mm</li> <li>• Color: black or white</li> </ul>	€ 225,00
	<b>GCF8T(W)</b>	<ul style="list-style-type: none"> <li>• 8" + 1" Round Ceiling / In-wall Speaker 32W @ 100V</li> <li>• Frequency Response: 50 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 112dB peak</li> <li>• Coverage: 130°</li> <li>• Ø outer: 277mm Ø inner: 258mm, Depth: 105mm</li> <li>• Color: black or white</li> </ul>	€ 235,00
	<b>GCF8S(W)</b>	<ul style="list-style-type: none"> <li>• 8" Round Ceiling / In-wall Subwoofer 80W RMS @ 8 Ohm</li> <li>• Frequency Response: 45 Hz - 250 kHz (±3dB)</li> <li>• Maximum SPL: 110dB peak</li> <li>• Coverage: omni</li> <li>• Ø outer: 277mm Ø inner: 258mm, Depth: 105mm</li> <li>• Color: black or white</li> </ul>	€ 210,00

All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

**Pricing VAT 21% Excl.**



## Square Ceiling / In-wall Speakers

	Product Code	Description	List Price (Ex VAT)
	<b>GW F3(W)</b>	<ul style="list-style-type: none"> <li>• 3" + 0,5" Square Ceiling / In-wall Speaker 20W RMS @ 16 Ohm</li> <li>• Frequency Response: 130 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 106dB peak</li> <li>• Coverage: 130°</li> <li>• Outer: 116mm Ø inner: 100mm, Depth: 57mm</li> <li>• Color: black or white</li> </ul>	€ 85,00
	<b>GW F5(W)</b> <sup>NEW</sup>	<ul style="list-style-type: none"> <li>• 5.25" + 0,75" Square Ceiling / In-wall Speaker 40W RMS @ 8 Ohm</li> <li>• Frequency Response: 70 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 106dB peak</li> <li>• Coverage: 120°</li> <li>• Ø outer: 196mm Ø inner: 179mm, Depth: 75mm</li> <li>• Color: black or white</li> </ul>	€ 130,00
	<b>GW F5T(W)</b> <sup>NEW</sup>	<ul style="list-style-type: none"> <li>• 5.25" + 0,75" Square Ceiling / In-wall Speaker 16W RMS @ 100V</li> <li>• Frequency Response: 70 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 106dB peak</li> <li>• Coverage: 120°</li> <li>• Ø outer: 196mm Ø inner: 179mm, Depth: 75mm</li> <li>• Color: black or white</li> </ul>	€ 140,00
	<b>GW F6(W)</b>	<ul style="list-style-type: none"> <li>• 6.5" + 0,75" Square Ceiling / In-wall Speaker 60W RMS @ 8Ohm</li> <li>• Frequency Response: 60 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 110dB peak</li> <li>• Coverage: 130°</li> <li>• Outer: 227mm Ø inner: 210mm, Depth: 87mm</li> <li>• Color: black or white</li> </ul>	€ 170,00
	<b>GW F6T(W)</b>	<ul style="list-style-type: none"> <li>• 6.5" + 0,75" Square Ceiling / In-wall Speaker 32W @ 100V</li> <li>• Frequency Response: 60 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 110dB peak</li> <li>• Coverage: 130°</li> <li>• Outer: 227mm Ø inner: 210mm, Depth: 87mm</li> <li>• Color: black or white</li> </ul>	€ 180,00
	<b>GW F8(W)</b>	<ul style="list-style-type: none"> <li>• 8" + 1" Square Ceiling / In-wall Speaker 80W RMS @ 8Ohm</li> <li>• Frequency Response: 50 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 112dB peak</li> <li>• Coverage: 130°</li> <li>• Outer: 277mm Ø inner: 258mm, Depth: 105mm</li> <li>• Color: black or white</li> </ul>	€ 225,00
	<b>GW F8T(W)</b>	<ul style="list-style-type: none"> <li>• 8" + 1" Square Ceiling / In-wall Speaker 32W @ 100V</li> <li>• Frequency Response: 50 Hz - 20 kHz (±3dB)</li> <li>• Maximum SPL: 112dB peak</li> <li>• Coverage: 130°</li> <li>• Outer: 277mm Ø inner: 258mm, Depth: 105mm</li> <li>• Color: black or white</li> </ul>	€ 235,00
	<b>GW F8S(W)</b>	<ul style="list-style-type: none"> <li>• 8" Square Ceiling / In-wall Subwoofer 80W RMS @ 8Ohm</li> <li>• Frequency Response: 45 Hz - 250 kHz (±3dB)</li> <li>• Maximum SPL: 110dB peak</li> <li>• Coverage: omni</li> <li>• Outer: 277mm Ø inner: 258mm, Depth: 105mm</li> <li>• Color: black or white</li> </ul>	€ 210,00

All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

Pricing VAT 21% Excl.

## GF Series

Product Code	Description	List Price (Ex VAT)
 GF4	<p>4" Passive Speaker - 8Ohm/100V</p> <ul style="list-style-type: none"> <li>• 2-way ABS Full-Range speaker</li> <li>• 20W RMS @ 80hm</li> <li>• 10-20-30-40w @ 100V</li> <li>• Frequency Response: 110Hz—20kHz.</li> <li>• Continuous SPL: 96dB (108dB peak)</li> <li>• Coverage: V90° x H90°</li> <li>• Suggested Amplifier: GA201, GA43, GA46</li> <li>• Colors: black or white</li> </ul>	€ 110,00
 GF6	<p>6" Passive Speaker - 8Ohm/100V</p> <ul style="list-style-type: none"> <li>• 2-way ABS Full-Range speaker</li> <li>• 40W RMS @ 80hm</li> <li>• 10-20-30-40W @ 100V</li> <li>• Frequency Response: 90Hz—20kHz.</li> <li>• Continuous SPL: 102dB (114dB peak)</li> <li>• Coverage: V90° x H90°</li> <li>• Suggested Amplifier: GA201, GA43, GA46</li> <li>• Colors: black or white</li> </ul>	€ 170,00



All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

**Pricing VAT 21% Excl.**

## GC Series

Product Code	Description	List Price (Ex VAT)
GC8(W)	8" Ceiling 2-way 80hm speaker	€ 60,00



GC8


- 8" + 1", 25W @ 80hm
- Terminal connector
- Frequency Response: 50Hz—19kHz.
- Continuous SPL: 102dB (114dB peak)
- Coverage: V90° x H90°
- Ø outer: 226mm Ø inner: 202mm, Depth: 94mm
- Color: black or white

GC8T(W)	8" Ceiling 2-way 100V speaker	€ 75,00
---------	-------------------------------	---------



GC8T


- 8" + 1", 15W or 30W @ 100V
- Terminal connector
- Frequency Response: 50Hz—19kHz.
- Continuous SPL: 102dB (114dB peak)
- Coverage: V90° x H90°
- Ø outer: 226mm Ø inner: 202mm, Depth: 94mm
- Color: black or white



All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

**Pricing VAT 21% Excl.**

## GA Series (with DSP)

Product Code	Description	List Price (Ex VAT)
  GA46	<b>4x1500W Amplifier <u>with DSP</u></b> <ul style="list-style-type: none"> <li>• Input channels: 2</li> <li>• Output channels: 4</li> <li>• Max. output per channel: 1500W RMS @ 40hm</li> <li>• Min. impedance: 40hm (20hm BGM use)</li> <li>• Powersoft DSP with ethernet control via Armonia Plus Software</li> <li>• 3 elements fits into 2 rack units with an optional adapter (G-RACK)</li> </ul>	€ 3 370,00
  GA43	<b>4x750W amplifier <u>with DSP</u></b> <ul style="list-style-type: none"> <li>• Input channels: 2</li> <li>• Output channels: 4</li> <li>• Max. output per channel: 750W RMS @ 40hm</li> <li>• Min. impedance: 40hm (20hm BGM use)</li> <li>• Powersoft DSP with ethernet control via Armonia Plus Software</li> <li>• 3 elements fits into 2 rack units with an optional adapter (G-RACK)</li> </ul>	€ 2 570,00
  GA41	<b>4x150W amplifier <u>with DSP</u></b> <ul style="list-style-type: none"> <li>• Input channels: 2</li> <li>• Output channels: 4</li> <li>• Max. output per channel: 150W RMS @ 40hm</li> <li>• Min. impedance: 40hm (20hm BGM use)</li> <li>• Powersoft DSP with ethernet control via Armonia Plus Software</li> <li>• 3 elements fits into 2 rack units with an optional adapter (G-RACK)</li> </ul>	€ 2 100,00
 G-RACK	<b>Rackmount panel for up to 3 GA41/41L, GA43/43L, GA46/46L</b>	€ 220,00












All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

**Pricing VAT 21% Excl.**



## GA Series (without DSP)

	Product Code	Description	List Price (Ex VAT)
  GS46L	GA46L	4x1500W Amplifier (without DSP) <ul style="list-style-type: none"> <li>• Input channels: 4</li> <li>• Output channels: 4</li> <li>• Max. output per channel: 1500W RMS @ 40hm</li> <li>• Min. impedance: 40hm (20hm BGM use)</li> <li>• 3 elements fits into 2 rack units with an optional adapter (G-RACK)</li> </ul>	€ 2 570,00
  GS43L	GA43L	4x750W amplifier (without DSP) <ul style="list-style-type: none"> <li>• Input channels: 4</li> <li>• Output channels: 4</li> <li>• Max. output per channel: 750W RMS @ 40hm</li> <li>• Min. impedance: 40hm (20hm BGM use)</li> <li>• 3 elements fits into 2 rack units with an optional adapter (G-RACK)</li> </ul>	€ 1 910,00
  GS41L	GA41L	4x150W amplifier (without DSP) <ul style="list-style-type: none"> <li>• Input channels: 4</li> <li>• Output channels: 4</li> <li>• Max. output per channel: 150W RMS @ 40hm</li> <li>• Min. impedance: 40hm (20hm BGM use)</li> <li>• 3 elements fits into 2 rack units with an optional adapter (G-RACK)</li> </ul>	€ 1 470,00
  GA201	GA201	2x125W Amplifier (without DSP) <ul style="list-style-type: none"> <li>• Input channels: 2</li> <li>• Output channels: 2</li> <li>• Max. output per channel: 125W PEAK @ 40hm</li> <li>• Min. impedance: 40hm (20hm BGM use)</li> <li>• 6 elements fits into 1 rack unit with an optional adapter (G-RACKMINI)</li> </ul>	€ 285,00
 G-RACKMINI	G-RACKMINI	Rackmount panel for up to 6 GA201	€ 130,00

All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

Pricing VAT 21% Excl.