



Visit product page



## FOS KB5.9 OUTDOOR ( FIXED INSTALLATIONS )

L005887

Outdoor Led Screen IP 65 for fixed installations , 3 in 1 nationstar SMD1921 (white lamps with gold wire), pixel pitch 5.9 mm , panel size 50 x 50 cm, 6kg , Brightness: 5000cd/m<sup>2</sup>, Resolution of module: 64 x 64 , cabinet resolution 84x84 , Gray scale 14bits . Refresh Freq 2400 Hz , Nova star Input card included .

### TECHNICAL DETAILS

#### Technical Details

Fixed Installations Display Panel

LED Type: SMD1921

Pixel Pitch: 5,9 mm

Pixel Configuration: 3 in 1 nationstar

Module size: 250 x 250 mm

Module resolution: 42 x 42

Density: 28224 dots / m<sup>2</sup>

Cabinet material: Aluminium

Maximum power consumption: 850W/ m<sup>2</sup>

Gray scale: 14 bits

Colors: 16,7 M

Driving method: 1/7 Scanning

Refresh Frequency: 3000 Hz.

Frame frequency: 60 Hz

Brightness: 6000 cd/m<sup>2</sup>

Panel size: 500 x 500 x 7.2mm

Panel weight: 6 Kg.


Power Supply: 220 / 110 Volt AC +/- 10%

IP65

## PHOTOS



PRODUCT VIDEO



[www.fos-lighting.eu](http://www.fos-lighting.eu)

