

Visit product page



FOS PAR 18X10W PRO

L004596

Professional high quality aluminium led par with powercon input and and output. Beam aperture: 30°, 18 RGBW 10w LEDs (4in1)Dimmer: 0-100% stop/strobe effect, noiseless cooling system, aluminium 4,6 kg

TECHNICAL DETAILS

Light Source/Optics

18 RGBW 10w LEDs (4in1) Average lifespan: 50000 Hours

Beam aperture: 30° Noiseless cooling system

Effects

RGBW dimming/fade. RGBW color mixing Auto programs with speed adjustment Preset colors

Dimmer: 0-100% linear dimming

Adjustable speed stop/strobe effect (1-10 flash/sec)

Control

Control modes: DMX 512 (8 DMX channels), sound activated, auto mode

Stand-alone mode and Master/Slave modes Data in/out: 3 pin XLR and 5 pin XLR

Installation/Dimension Details

Yoke system, which act as a floor stand.

Operating positions: all (device on floor or fixed to a support).

Maximum permitted ambient temperature (Ta max): 45°C (113°F). Minimum permitted ambient temperature authorized (Ta min):

-10°C (14°F).

Suitable only for entertainment and not achitectural lighting applications.


Voltage: 90 to 240 Volts – 50/60Hz Power consumption: 200 Watt Powercon input and output Dimensions: 13 x 10 x 23 cm

Weight: 4kg

PHOTOS











PRODUCT VIDEO



ACCESSORIES



FOS Case 8in1 PAR PRO

Flight case with wheels for 8pcs Pro series and T





www.fos-lighting.eu

