

Nr. **1.1** fcl-solo6beredburrash

Analog Monitoring System



Prijs € 1.329,79

Promo Prijs  
**967,00**

Nr. **1.1** fcl-sub6redburrash

Subwoofer f SM-6 Series



Prijs € 2.055,79

Promo Prijs  
**1.699,00**

Nr. **1.2** fcl-shapetwin

Focal Shape Twin



Prijs € 1.027,29

Promo Prijs  
**819,00**

- Tweeter with very low directivity for a flexible sweet spot
- Designed without a port (double passive radiator) allowing it to be placed near a wall
- 2.5 channels to provide optimal control of bass and low mid-range registers
- Numerous settings for optimal integration
- Accurate control, even in the very high frequencies
- Flax sandwich cone

Nr. **1.3** fcl-shape65

Focal Shape 65



Prijs € 845,79

Promo Prijs  
**699,00**

- Low directivity tweeter for a flexible listening position
- Designed without a port allowing it to be placed near a wall
- Numerous settings for optimal integration
- Accurate control, even in the very high end
- Flax sandwich cone: controlled and articulated bass, natural and detailed lower mid-range and upper mid-range registers

Nr. **1.4** neu-KH120AG

Active Near-field Monitor, 5.25" + 1" drivers, magnetically shielded. 6.5 liters



Prijs € 519,00

Promo Prijs  
**649,00**

The KH 120 A studio monitor is designed for use as a near-field loudspeaker or as a rear loudspeaker in larger multi-channel systems. The KH 120 A represents the latest in acoustic and electronic simulation and measurement technologies to ensure the most accurate sound reproduction possible. It has a Mathematically Modeled Dispersion waveguide (MMD (TM)), flexible acoustical controls, analog class

Nr. **1.5** now-radiocheck

Active Mini Reference Monitor



Prijs € 240,79

Promo Prijs  
**199,00**

Design: Active shielded full range speaker with internal power amplifier  
Frequency response: 90Hz - 17kHz (audible range)  
Max. SPL: 101dB / 1m @ 1% THD (pink noise)  
Power: 76 watts RMS Class A/B  
S/N ratio: 105dB, A weighted  
Cooling: Convection / Heat sink-aluminum fins

Nr. **1.6** fcl-alpha80

Alpha 80 - ACTIVE 2-WAY NEAR FIELD PROFESSIONAL MONITORING LOUDSPEAKER



Prijs € 446,49

Promo Prijs  
**259,00**

This model is composed of a 8" (21cm) woofer/ midrange speaker with a Polyglass cone loaded in a large laminar port and of a 1" (25mm) aluminum inverted dome tweeter. It features a 40W amplifier for the tweeter and a 100W amplifier for the woofer, and has a frequency response of 35Hz to 22kHz (+/- 3dB).

Nr. **1.7** eve-sc207

2-way, 7" active nearfield monitor



Prijs € 724,79

Promo Prijs  
**455,00**

The SC207 is our mid-range two-way monitor speaker. The SC207 will be attractive to a large range of listeners, as its size and form factor make them appropriate for a lot of different rooms.

Are you a home recording musician or producer? Not a problem. The SC207 has great power efficiency that will let you clearly examine what's happening in your music. Are you a post production professional

Nr. **1.8**

**gen-8040bpm**

Two-way Active Nearfield Monitor, 6.5" Woofer, 3/4" Driver. 180W. 45 Hz - 21 kHz



Prijs € 1.007,93

Promo Prijs  
**909,00**

- Active
- 6.5" Woofer
- 3/4" Driver
- 180 W (RMS)
- 45 Hz - 21 kHz
- 237 x 223 x 365 mm

Nr. **1.9**

**krk-rp103g3**

10" 3-WAY STUDIO MONITOR



Prijs € 664,29

Promo Prijs  
**477,00**

Nr. **1.10**

**neu-kh80dspageu**

Active Near-field DSP Monitor, 4" + 1" drivers, 3.7 liters. 120 + 70 W. 108.8 dB



Prijs € 399,00

Promo Prijs  
**499,00**

Nr. **1.11**

**gen-8331AP**

Genelec 8331 AP Three-Way Precision Studio Monitor



Prijs € 2.225,19

Promo Prijs  
**2.225,19**

Standing just under 300mm (12") tall, the 8331 packs three-way precision into a portable nearfield package. Small, but extremely potent.

Nr. **1.12**

**fcl-alpha65**

Alpha 65 - ACTIVE 2-WAY NEAR FIELD PROFESSIONAL MONITORING LOUDSPEAKER



Prijs € 385,99

Promo Prijs  
**265,00**

This model is composed of a 6.5" (16.5cm) woofer/ midrange speaker with a Polyglass cone loaded in a large laminar port associated to a 70W amplifier and of a 1" (25mm) aluminum inverted dome tweeter (35W amplifier). Alpha 65 has a frequency response of 40Hz to 22kHz (+/- 3dB).

Nr. **1.13**

**dna-lyd7-bk**

LYD-7 Next Generation 7" Studio Monitor in Black (NEW!)



Prijs € 724,79

Promo Prijs  
**566,00**

Nr. **1.14**

**hed-type07**

Studio Monitor HEDD Type 07



Prijs € 649,00

Promo Prijs  
**649,00**

Drivers:  
Basket: 7.2" (182mm)  
Voice coil: 1.5" (38mm)  
Cone material: UHC cone (Ultra Honeycomb Composite)  
Type: HEDD AMT (HEDD Air Motion Transformer)  
Equiv. Diaphragm: 2" (56mm)

Nr. **1.17**

**gen-8030cp**

8030C Compact, Two-way Studio Monitor, Dark arev



Prijs € 624,36

Promo Prijs  
**624,36**

When your project requires a powerful performance with no sacrifice in quality, the Genelec 8030C active studio monitor is designed to exceed your expectations. The 8030C, introduced in 2017, even delivers 4 dB higher SPL and has a lower energy consumption than earlier models of 8030.

Nr. 1.18

ada-a5x

ADAM A5X Nearfield Monitor, 2-way, 5"woofer



Prijs € 453,75

Promo Prijs  
**389,00**

The A5X is popular among professionals working in television studios and remote broadcast vans. The A5X can also be found in numerous home/project studios around the world. Its open, powerful sound makes the A5X a trustworthy and useful tool for multimedia applications as well.



Nr. 1.19

hed-type05

Studio Monitor HEDD Type 05



Prijs € 449,00

Promo Prijs  
**444,00**

Drivers:  
Basket: 6" (152mm)  
Voice coil: 1.5" (38mm)  
Cone material: UHC cone (Ultra Honeycomb Composite)  
Type: HEDD AMT (HEDD Air Motion Transformer)  
Equiv. Diaphragm: 2" (56mm)



Nr. 2.1

flu-f5

Fluid Audio F5 70-Watt Studio Monitors, pair



Prijs € 199,00

Promo Prijs  
**199,00**

Frequency response: 49 Hz - 22 kHz (+/-3dB)  
Crossover frequency: 2.5 kHz  
Low-frequency amplifier power: 40 watts  
High-frequency amplifier power: 30 watts  
Signal-to-noise: > 100 dB (typical A-weighted)  
Polarity: Positive signal at + input produces outward LF cone displacement



Nr. 2.2

pre-erise8

High-Definition 2-Way 8" Near Field Studio Monitor



Prijs € 249,00

Promo Prijs  
**249,00**

- Active two-way near-field monitor, 8" deep pocket with Kevlar® membrane, 1" silk-diaphragm  
"woofer, 35 Hz - 22 kHz, 130 Watt Class AB power amp, 105 dB SPL (continuous operation), Gain control, Mid and high level controls (+/- 6 dB each), switchable high-pass filter (80 Hz / 100 Hz), Acoustic Space switch (flat, -2 dB, -4 dB) for bass correction according to the installation site, input XLR (b)



Nr. 2.3

kal-kalp6

Kali Audio LP 6 - 6.5-Inch Studio Monitor



Prijs € 216,59

Promo Prijs  
**179,00**

The Lone Pine Series is designed to allow you to hear every detail that's happening in your mix. This starts with an exceptionally accurate frequency response. Whatever is present on your mix is what you'll hear in these monitors. Nothing is boosted or suppressed to cover flaws or try to sound more pleasing.



Nr. 2.4

mba-gibbon5banana

Gibbon 5 Banana - PER PIECE - Near Field Studio Monitor



Prijs € 191,30

Promo Prijs  
**169,95**

- Woofer: 5 1/4-inch magnetically shielded polypropylene membrane  
- Tweeter: 1-inch silk dome tweeter  
- Frequency resp: 48Hz - 22kHz  
- HF - Level: -6dB ~ +6 dB variable at 10kHz  
- LF - Level: -6dB ~ +6 dB variable at 100Hz  
- Crossover frequency: 3kHz



Nr. 2.5

ada-t7v

ADAM T7V Studio Monitor



Prijs € 231,11

Promo Prijs  
**199,00**

- U-ART 1.9" Accelerated Ribbon Tweeter with HPS Waveguide  
- Polypropylene 7" woofer and rear-firing bass-reflex port  
- Cumulated Amp. Power RMS: 70 W  
- Frequency Response: 39 Hz - 25 kHz  
- Max. SPL Per Pair at 1 m: =110 dB



Nr. 2.6

ada-t5v

ADAM T5V Studio Monitor



Prijs € 197,23

Promo Prijs  
**169,00**

- U-ART 1.9" Accelerated Ribbon Tweeter with HPS Waveguide  
- Polypropylene 5" woofer and rear-firing bass-reflex port  
- Cumulated Amp. Power RMS: 70 W  
- Frequency Response: 45 Hz - 25 kHz  
- Max. SPL Per Pair at 1 m: =106 dB



Nr. **2.7**

**krk-rp8g3**

Rokit 8" 2-way 100W Bi-Amped Studio Monitor - G3  
BLACK



Prijs € 337,59

Promo Prijs  
**200,00**

1" Neodymium Soft Dome tweeter - 8" Glass Aramid Composite Cone Woofer - New Radically Curved Front Baffle Design no visible screws - High Frequency Waveguide - High Frequency Level control - Input Gain Control - Multiple Input Options - Front-Firing Port - Recessed Tweeter Waveguide - 100W Bi-Amplified Design with Active Crossover - Rigid Wood Cabinet

Nr. **2.8**

**ymh-hs8**

Yamaha HS8 active studiomonitor



Prijs € 349,69

Promo Prijs  
**294,00**

2-way bi-amp powered studio monitor; Frequency Range (-10dB): 38Hz - 30kHz; LF: 8" cone, HF: 1" dome; Crossover: 2kHz; Output power: 120W (LF:75W, HF:45W); I/O connectors: XLR3-31 type (balanced), PHONE (balanced); Others: LEVEL control (+4dB/center click) , EQ: HIGH TRIM switch (+/- 2dB at HF) / ROOM CONTROL switch (0/-2/-4 dB under 500Hz)