

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BEL-1192A	High flex low noise STAR QUAD mic, 4x0,22 mm2	5,11	5,11	St
BEL-1303E	Belden Tactical Flexible S/FTP CAT6a Upjacketed PVC Bk AWG24	7,67	7,67	St
BEL-1304A	Belden UTP cat5E flexible cable, audio/video mob	4,16	4,16	St
BEL-1304A-QUAD	Flexible multi CAT5E UTP cable : 4 x 1304A, Black	22,59	22,59	St
BEL-1305A	Belden UTP cat5E with double black PVC jacket	4,45	4,45	St
BEL-1406B	Flexible Bundled RGB 3-coaxial cable, dia 9,9m (s	7,53	7,53	St
BEL-1407B	Flexible Bundled RGB 4-coaxial cable, dia 11,6mm	9,69	9,69	St
BEL-1505A	SDI video coax, RG59/0,6/2,6, dia 4,03mm RG59	1,89	1,89	St
BEL-1505F	flex.SDI digital video coax, 0.8/3.7 dia 6.2mm	6,99	6,99	St
BEL-1508A	Flexible wiring cable, dia 3.3mm (patchcable)	1,64	1,64	St
BEL-1509C	Snake cable 2 pairs, dia 7,49mm spool of 305m	6,83	6,83	St
BEL-1510C	Snake cable 4 pairs, dia 8,79mm spool of 305m	9,45	9,45	St
BEL-1512C	Snake cable, 8 pairs, dia 11,33mm spool of 305m	16,81	16,81	St
BEL-1513C	Snake cable, 12 pairs, dia 14,1mm spool of 305m	23,11	23,11	St
BEL-1514C	Snake cable 16 pairs, dia 15,8mm spool of 152m	30,47	30,47	St
BEL-1515C	Snake cable 20 pairs, dia 19,89mm spool of 152m	20,17	20,17	St
BEL-1516C	Snake cable 24 pairs, dia 20,35mm spool of 152m	44,65	44,65	St
BEL-1518C	Snake cable 32 pairs, dia 22,56mm spool of 152m	34,28	34,28	St
BEL-1520A	Miniature Bundled RGB 3-coaxial cable,dia 7,2mm	9,90	9,90	St
BEL-1521A	Miniature Bundled RGB 4-coaxial cable,dia 7,9mm	21,01	21,01	St
BEL-1583E	UTP Twisted Pair Data Cable, 0,22mm2, dia 5mm	0,73	0,73	St
BEL-1694A	HDTV-SDI digital video cable RG6-1.0/4.6/7 PVC jac	3,89	3,89	St
BEL-1694ELWBK	Belden Instal. RG6 (18AWG) 75 Ohm Coax (HD/SDI 1.0/4.6) LSZH, diamter 7mm, Black (CPR Cca)	5,38	5,38	St
BEL-1694F	Belden RG-6/U A/D BLACK Flex 1694F	6,47	6,47	St
BEL-1696A	110 ohm, AES-EBU flexible digital cable, 2x0,35mm2	4,09	4,09	St
BEL-1800B	110 ohm, AES-EBU wiring/patch cable, 2x0,22mm2	1,22	1,22	St
BEL-1800F	Super flexible digital cable 2x0,22mm2, dia 5,36mm	5,32	5,32	St
BEL-1803F	110 ohm, AES-EBU Snake Cable, 4 pairs, 2x0,22mm2	13,23	13,23	St
BEL-1805F	110 ohm, AES-EBU Snake Cable, 8 pairs, 2x0,22mm2	25,05	25,05	St
BEL-1806F	110 ohm, AES-EBU Snake Cable, 12 pairs, 2x0,22mm2	35,59	35,59	St
BEL-1807A	SVHS high flex, 0,6mm2, dia 2x2,79mm	4,20	4,20	St
BEL-1813A	Very flexible and reliable 2x0,22 mm2, PVC insulat	3,33	3,33	St
BEL-1850F	110 ohm, AES-EBU, Snake Cable, 16 pairs, 2x0,22mm2	48,69	48,69	St
BEL-1855A	HDTV-SDI digital video cable, dia 4,03mm	2,07	2,07	St
BEL-1902A	Snake cable 2 pairs, dia 8,38mm spool of 305m	8,89	8,89	St
BEL-1904A	Snake cable 4 pairs, dia 8,45mm spool of 305m	11,83	11,83	St
BEL-1908A	Snake cable 8 pairs, dia 12,2mm spool of 305m	21,20	21,20	St
BEL-1912A	Snake cable 12 pairs, 15,3mm spool of 305m	29,26	29,26	St
BEL-1916A	Snake cable 16 pairs, 17,3mm spool of 152m	38,60	38,60	St
BEL-1924A	Snake cable 24 pairs, 21,0mm spool of 152m, price/meter	66,14	66,14	St
BEL-1932A	Snake cable 32 pairs, 24,5mm spool of 152m	79,74	79,74	St
BEL-2183R	4K UHD HDBASET Cable F/UTP PVC Bk AWG23	3,84	3,84	St
BEL-43906	DMX 512 lighting 2 pairs, 0,34mm2, dia 0,7mm	3,75	3,75	St
BEL-43907	Flexible multiconductor cable,8x2,5mm2, dia 12,5mm	9,97	9,97	St
BEL-43908	Design for active loudspeaker, 3x1mm2 + 2x0,25mm2	2,38	2,38	St
BEL-46305	Snake cable, 16 pairs, dia 18mm, spool of 500m	8,69	8,69	St
BEL-46306	24 pairs, dia 22,4mm with external braided shield	12,03	12,03	St
BEL-46312	snake cable 4 pairs, dia 12,5mm, spool of 500m	3,33	3,33	St
BEL-46313	Snake cable, 8 pairs, dia 15mm, spool of 500m	13,76	13,76	St
BEL-46315	Snake cable, 12 pairs, dia 16,2mm, spool of 500m	18,43	18,43	St
BEL-46321	Snake cable 24 pairs, dia 20,5mm, spool of 250m	12,22	12,22	St
BEL-46349/BLACK	Analog Audio Cable, Mic cable dia6mm, 2x0,22mm2	1,94	1,94	St
BEL-46349/BLAUW	Analog Audio Cable, Mic cable dia 6mm, 2x0,22mm2	1,94	1,94	St
BEL-46349/GREEN	Analog Audio Cable, Mic cable dia6mm, 2x0,22mm2	1,94	1,94	St
BEL-46349/RED	Analog Audio Cable, Mic cable dia6mm, 2x0,22mm2	1,83	1,83	St
BEL-46349/YELLOW	Analog Audio Cable, Mic cable dia6mm, 2x0,22mm2	1,83	1,83	St
BEL-46378	Very flexible instrument cable, dia 6mm, 0,20mm2	0,67	0,67	St
BEL-46379	Flexible multiconductor cable, 4x2,5mm2, dia 10mm	7,13	7,13	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BEL-46380	Twinaxial flexible, 2x4mm2, insulated, dia 9mm	5,92	5,92	St
BEL-46381	Twinaxial flexible, 2x2,5mm2, insulated, dia 8,05mm	3,98	3,98	St
BEL-46382	Twinaxial flexible, 2x1,5mm2, insulated, dia 0,7mm	2,61	2,61	St
BEL-46801	Super Soft patch cable, dia 4,7mm, 2x0,22 mm2	1,77	1,77	St
BEL-46925	110 ohm, AES-EBU, Snake Cable, 4 pairs, 2x0,14mm2	6,45	6,45	St
BEL-46935	110 ohm, AES-EBU, Snake Cable, 2x0,14mm2, 8 pairs	8,95	8,95	St
BEL-46937	110 ohm, AES-EBU, Snake Cable, 12 pairs, 2x0,14mm2	11,95	11,95	St
BEL-46948	40 pairs, dia 27,5mm, with external braided shield	19,08	19,08	St
BEL-74005PU	Belden flexible cat7 (S/FTP, 4 unbonded pairs) 6.5mm black	5,56	5,56	St
BEL-74005PU-100	Belden 74005PU CAT7 S/FTP on Schill GT310.RM with Neutrik etherCON Black - 100M	583,15	583,15	St
BEL-74005PU-75	Belden 74005PU CAT7 S/FTP on Schill GT310.RM with Neutrik etherCON Black - 75M	482,66	482,66	St
BEL-7783A	TRIAx8 dia 8,4mm	5,71	5,71	St
BEL-7784A	TRIAx11 dia 11mm	8,06	8,06	St
BEL-7785A	TRIAx14 dia 14,5mm	13,26	13,26	St
BEL-7787A	Videoflex+bundled 1855A digital 3-coaxial, dia11mm	16,28	16,28	St
BEL-7788A	Videoflex+bundled 1855A digital 4-coaxial, dia12mm	21,01	21,01	St
BEL-7789A	Videoflex+bundled 1855A digital 5-coaxial, dia13,7mm	24,69	24,69	St
BEL-7794A	Videoflex+bundled 1505A digital 3-coaxial, dia16mm	22,59	22,59	St
BEL-7795A	Videoflex+bundled1505A digital 4-coaxial, dia12,2mm	24,95	24,95	St
BEL-7796A	Videoflex+bundled 505A digital 5-coaxial, dia20,1mm	31,51	31,51	St
BEL-8241	Video coax RG59/0,6/3,7, dia 6,15mm	2,63	2,63	St
BEL-8412	Long Life, mic cable, dia 6,7mm, 2x0,52 mm2	5,65	5,65	St
BEL-8723	RS232 2 pairs cable, 0,34mm2, dia 4,27mm	3,79	3,79	St
BEL-9201	RG58 50 ohm transmission/computer cable 0,5mm2	1,63	1,63	St
BEL-9265	Audio/video cable 1pair:2x0,35mm2 +1 coax:0,35mm2	3,80	3,80	St
BEL-9398	Prof. Mic cable, dia 4,7mm, 3x0,22 mm2	4,44	4,44	St
BEL-9451	Fast Installation wiring cable, 2x0,34 mm2, dia 3,	1,22	1,22	St
BEL-9778	Long life, instrument cable, dia 5,97mm, 0,54 mm2	5,52	5,52	St
BEL-B1305A-50RM	Belden 1305A CAT5E UTP Cable on Schill GT310.RM with Neutrik etherCON - 50M	389,31	389,31	St
BEL-B1305A-75RM	Belden 1305A CAT5E UTP Cable on Schill GT310.RM with Neutrik etherCON - 75M	492,06	492,06	St
BEL-B1505F-02	b-LINE Belden 1505F 3G/6G-SDI Flexible Cable w/ Neutrik BNC - 2,0m	36,77	36,77	St
BEL-B1505F-05	b-LINE Belden 1505F 3G/6G-SDI Flexible Cable w/ Neutrik BNC - 5,0m	52,95	52,95	St
BEL-B1505F-10	b-LINE Belden 1505F 3G/6G-SDI Flexible Cable w/ Neutrik BNC - 10,0m	82,50	82,50	St
BEL-B1505F-50RM	Belden 1505F 3G/6G-SDI Flexible Cable on Schill GT310.RM w/ Neutrik BNC - 50m	477,67	477,67	St
BEL-B4855R-01	b-LINE Belden 4855R 12G-SDI Patch Cable w/ Neutrik UHD BNC - 1m	31,48	31,48	St
BEL-B4855R-02	b-LINE Belden 4855R 12G-SDI Patch Cable w/ Neutrik UHD BNC - 2m	36,61	36,61	St
BEL-B4855R-03	b-LINE Belden 4855R 12G-SDI Patch Cable w/ Neutrik UHD BNC - 3m	38,82	38,82	St
BEL-B4855R-0.5	b-LINE Belden 4855R 12G-SDI Patch Cable w/ Neutrik UHD BNC - 0,5m	28,92	28,92	St
BEL-C118	Dual Channel unbalanced interconnect cable, 0,14 m	0,48	0,48	St
BEL-C121	Dual Channel unbalanced interconnect cable, 0,25 m	1,68	1,68	St
BEL-CAT5/100M	CAT5e UTP op Haspel met Neutrik etherCON Black fiches - 100m	725,67	725,67	St
BEL-CAT5/30M	CAT5e UTP op Haspel met Neutrik etherCON Black fiches - 30m	346,81	346,81	St
BEL-CAT5/50M	Belden CAT5e UTP op Haspel met Neutrik etherCON Black fiches - 50m	434,54	434,54	St
BEL-CAT5/75M	CAT5e UTP op Haspel met Neutrik etherCON Black fiches - 75m	510,17	510,17	St
BEL-CAT7/100M	CAT7e UTP op Haspel met Neutrik etherCON Black fiches - 100m	706,43	706,43	St
BEL-CAT7/75M	CAT7e UTP op Haspel met Neutrik etherCON Black fiches - 75m	615,58	615,58	St
BEL-CLS215	Twinaxial flexible, 2x1,5mm2, insulated, dia 0,7mm	1,08	1,08	St
BEL-CMK222	Very flexible mic cable, dia 6,4mm, 2x0,22 mm2	1,02	1,02	St
BEL-EMC02	Flexible digital AES-EBU multipair dia 8,5mm	3,07	3,07	St
BEL-EMC04	Flexible digital AES-EBU multipair dia 10,1mm	4,94	4,94	St
BEL-EMC08	Flexible digital AES-EBU multipair dia 13,3mm	9,09	9,09	St
BEL-EMC12	Flexible digital AES-EBU multipair dia 16,4mm	13,62	13,62	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
BEL-EMC16	Flexible digital AES-EBU multipair dia 18,6mm	18,50	18,50 St
BEL-EMC24	Flexible digital AES-EBU multipair dia 23mm	26,64	26,64 St
BEL-HDSI15	Belden 1505F Flex HD-SDI w/ Neutrik BNC, 15.0m	70,86	70,86 St
BEL-HDSI25	Belden 1505F Flex HD-SDI w/ Neutrik BNC, 25.0m	106,71	106,71 St
BEL-HDSI3	Belden 1505F Flex HD-SDI w/ Neutrik BNC, 3.0m	27,82	27,82 St
BEL-NKOX2MA375H	Neutrik OpticalCON DUO X-TREME Multimode (drum GT380) : NKOX2M-A-3-75 H	1.780,79	1.780,79 St
BEL-OPTICALCON/50M	Neutrik OpticalCON DUO Extreme Multimode (drum GT380) - 50m	1.389,00	1.389,00 St
BEL-POWERFLEX15	Powerflex 18 x 1.5mm <sup>2</sup> black	10,25	10,25 St
BEL-POWERFLEX25	Powerflex 18 x 2.5mm <sup>2</sup> black	15,65	15,65 St
BEL-RG58CU/LL	(100)SOMMER coax 50 Ohms Low Loss RG58C/U LL MOQ	2,76	2,76 St
BEL-RVUTT01	REVConnect Universal Termination Tool	159,64	159,64 St