

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
adh-55924806BLK	Bralo 55924806 BLK - Blind Rivet Flat Head 4.8x6mm, Black	0,25	0,25	St
adh-55924808BLK	Bralo 55924808 BLK - Blind rivet standard 4.8 x 8.0, black	0,26	0,26	St
BMS-BM4505H	BMS 4505 H - Calotte for BMS4505H 16 Ohms	216,00	216,00	St
BMS-BM4510NDH	BMS 4510 NDH - Calotte for BMS4510NDH 4" Neodymium high-frequency Driver 80 W 16 Ohm	195,95	155,08	St
BMS-BM4510NDL	BMS 4510 NDL - Calotte for BMS4510NDL 4" Neodymium high-frequency Driver 80 W 8 Ohm	195,95	108,12	St
BMS-BM4521H	BMS 4521 H - Calotte for BMS4521H 16 Ohms	49,00	49,00	St
BMS-BM4524LD	BMS 4524 LD - Calotte for BMS4524L 1" high-frequency Driver 25 W 8 Ohm	78,84	62,55	St
BMS-BM4538HD	BMS 4538 HD - Calotte for BMS4538L 1" high-frequency Driver 60 W 16 Ohm	95,39	95,39	St
BMS-BM4538LD	BMS 4538 LD - Calotte for BMS4538L 1" high-frequency Driver 60 W 8 Ohm	152,16	90,39	St
BMS-BM4540NDH	BMS 4540 NDH - Calotte for BMS4540NDH 1" Neodymium high-frequency Driver 60 W 16 Ohm	154,72	91,91	St
BMS-BM4540NDL	BMS 4540 NDL - Calotte for BMS4510NDL 1" Neodymium high-frequency Driver 60 W 8 Ohm	96,51	96,51	St
BMS-BM4544HD	BMS 4544 HD - Calotte for BMS4544H 1" high-frequency Driver 80 W 16 Ohm	87,72	87,72	St
BMS-BM4544LD	BMS 4544 LD - Calotte for BMS4544L 1" high-frequency Driver 80 W 8 Ohm	87,72	87,72	St
BMS-BM4545LD	BMS 4545 LD - Calotte for BMS4545NDL	120,44	120,44	St
BMS-BM4546LD	BMS 4546 LD - Calotte for BMS15CN682L 15" Coaxial Neodymium Speaker 500 W + 80 W 8 Ohm	120,44	120,44	St
BMS-BM4548LD	BMS 4548 LD - Calotte for BMS4548L 1" high-frequency Driver 45 W 8 Ohm	120,44	120,44	St
BMS-BM4550HD	BMS 4550 HD - Calotte for BMS4550H 1" high-frequency Driver 80 W 16 Ohm	131,21	131,21	St
BMS-BM4550LD	BMS 4550 LD - Calotte for BMS4550L 1" high-frequency Driver 80 W 8 Ohm	209,77	124,56	St
BMS-BM4552HD	BMS 4552 HD - Calotte for BMS4552NDH 1" Neodymium high-frequency Driver 80 W 16 Ohm	195,22	115,94	St
BMS-BM4552LD	BMS 4552 LD - Calotte for BMS4552NDL 1" Neodymium high-frequency Driver 80 W 8 Ohm	195,22	115,94	St
BMS-BM4554HD	BMS 4554 HD - Calotte for BMS4554H 1.4" high-frequency Driver 80 W 16 Ohm	131,21	131,21	St
BMS-BM4554LD	BMS 4554 LD - Calotte for BMS4554L 1.4" high-frequency Driver 80 W 8 Ohm	131,21	131,21	St
BMS-BM4555HD	BMS 4555 HD - Calotte for BMS4555H 1.5" high-frequency Driver 80 W 16 Ohm	209,77	166,01	St
BMS-BM4555LD	BMS 4555 LD - Calotte for BMS4555L 1.5" high-frequency Driver 80 W 8 Ohm	209,77	166,01	St
BMS-BM4590HFHD	BMS 4590 HF HD - High-frequency Calotte for BMS4590H 2" Coaxial Driver 150 W + 80 W 16 Ohm	82,43	82,43	St
BMS-BM4590HFLD	BMS 4590 HF LD - High-frequency Calotte for BMS4590L 2" Coaxial Driver 150 W + 80 W 8 Ohm	181,14	107,61	St
BMS-BM4590MFHD	BMS 4590 MF HD - Midrange Calotte for BMS4590H 2" Coaxial Driver 150 W + 80 W 16 Ohm	133,04	133,04	St
BMS-BM4590MFLD	BMS 4590 MF LD - Midrange Calotte for BMS4590L 2" Coaxial Driver 150 W + 80 W 8 Ohm	332,10	197,12	St
BMS-BM4591LD	BMS 4591 LD - Calotte for BMS4591L 2" Midrange Driver 150 W 8 Ohm	200,41	200,41	St
BMS-BM4592HFHD	BMS 4592 HF HD - High-frequency Calotte for BMS4592NDH 2" Coaxial Neodymium Driver 150 W + 80 W 16 Ohm	126,85	126,85	St
BMS-BM4592HFLD	BMS 4592 HF LD - High-frequency Calotte for BMS4592NDL 2" Coaxial Neodymium Driver 150 W + 80 W 8 Ohm	203,52	161,07	St
BMS-BM4592MFHD	BMS 4592 MF HD - Midrange Calotte BMS4592NDH 2" Coaxial Neodymium Driver 150 W + 80 W 16 Ohm	232,30	232,30	St
BMS-BM4592MFLD	BMS 4592 MF LD - Midrange Calotte BMS4592NDL 2"	365,80	217,11	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	Coaxial Neodymium Driver 150 W + 80 W 8 Ohm			
BMS-BMS10C262L	BMS 10 C26 2L - 10" Speaker 400 W 8 Ohms	500,26	500,26	St
BMS-BMS12C262L	BMS 12 C 262 - 12" Coaxial Speaker 400 W + 60 W 8	382,62	382,62	St
BMS-BMS12C362L	BMS 12 C 362 - 12" Coaxial Speaker 500 W + 80 W 8	471,06	471,06	St
BMS-BMS12C382L	(1) 12" Coaxial Speaker 500 W + 80 W 8 Ohms - - BMS - BMS	509,21	509,21	St
BMS-BMS12CN680H	BMS 12 CN 680 - 12" Coaxial Neodymium Speaker 500	682,84	682,84	St
BMS-BMS12CN680L	BMS 12 CN 680 - 12" Coaxial Neodymium Speaker 500	682,84	682,84	St
BMS-BMS12CN682L	(1) 12" Coaxial Neodymium Speaker 500 W + 80 W 8 Ohms - - BMS - BMS	1.099,01	652,01	St
BMS-BMS12CN860L	BMS 12 CN 860 - 12" Triaxial Neodymium Speaker 800	2.432,68	1.922,66	St
BMS-BMS12CN890L	12" Triaxial Neodymium Point Source Speaker	1.559,09	1.559,09	St
BMS-BMS12N610L	BMS 12 N 610 - 12" Neodymium Bass Midrange Speaker	521,87	521,87	St
BMS-BMS12N620H	(1) 12" Neodymium Bass Midrange Speaker 500 W 16 Ohms - - BMS - BMS	394,79	394,79	St
BMS-BMS12N620L	BMS 12 N 620 - 12" Neodymium Bass Midrange Speaker	394,79	394,79	St
BMS-BMS12N630L	BMS 12 N 630 - 12" Neodymium Speaker 600 W 8 Ohm	664,45	525,32	St
BMS-BMS12N802L	BMS 12 N 802 - 12" Neodymium Bass Midrange Speaker	506,36	506,36	St
BMS-BMS12N803L	12" Neodymium Bass Midrange Speaker 1000 W 8 Ohms	533,75	533,75	St
BMS-BMS12N804L	BMS 12 N 804 - 12" Neodymium Ultra Low Woofer 1100 W 8	562,14	562,14	St
BMS-BMS12N810L	BMS 12 N 810 - 12" Neodymium Bass Midrange Speaker	533,75	533,75	St
BMS-BMS12N820C	(1) 12" Neodymium ultra low Distortion low Midrange Driver - - BMS - BMS	533,75	533,75	St
BMS-BMS12N820L	BMS 12 N 820 - 12" Neodymium Bass Midrange Speaker	533,75	533,75	St
BMS-BMS12S302L	12" Bass Midrange Driver 500 W 8 Ohm	326,84	326,84	St
BMS-BMS12S305C	(1) 12" Bass Midrange Driver 4 Ohm - 800 W - - BMS - BMS	547,17	432,64	St
BMS-BMS12S305L	12" Bass Midrange Speaker 800 W 8 Ohms	547,17	432,64	St
BMS-BMS12S320L	BMS 12 S 320 - 12" Bass Midrange Speaker 500 W 8 O	358,28	358,28	St
BMS-BMS12S330L	BMS 12 S 330 - 12" Subwoofer 600 W 8 Ohm	358,28	358,28	St
BMS-BMS15C262L	BMS 15 C 262 - 15" Coaxial Speaker 400 W + 60 W 8	401,89	401,89	St
BMS-BMS15C362L	BMS 15 C 362 - 15" Coaxial Speaker 500 W + 80 W 8	493,37	493,37	St
BMS-BMS15CN680L	BMS 15 CN 680 - 15" Coaxial Neodymium Speaker 500	679,53	679,53	St
BMS-BMS15CN682H	BMS 15 CN 682 - 15" Coaxial Neodymium Speaker 500	718,34	718,34	St
BMS-BMS15CN682L	BMS 15 CN 682 - 15" Coaxial Neodymium Speaker 500	718,34	718,34	St
BMS-BMS15CN860H	15" Triaxial Neodymium Speaker 1000 W + 150 W + 80 W 16 Ohms	1.524,68	1.524,68	St
BMS-BMS15CN860L	BMS 15 CN 860 - 15" Triaxial Neodymium Speaker 100	1.524,68	1.524,68	St
BMS-BMS15CN890L	BMS 15 CN 890 - 15" Triaxial Neodymium Speaker 900	1.542,94	1.542,94	St
BMS-BMS15CN890LHT	BMS 15 CN 890 L HT - HF Unit for BMS15CN890L 15" Triaxial Neodymium Speaker 900 W + 150 W + 80 W 8 ohms	311,64	311,64	St
BMS-BMS15N620L	BMS 15 N 620 - 15" Neodymium Bass Midrange Speaker	404,26	404,26	St
BMS-BMS15N630L	BMS 15 N 630 - 15" Neodymium Speaker 600 W 8 Ohm	422,18	422,18	St
BMS-BMS15N820L	BMS 15 N 820 - 15" Neodymium Bass Midrange Speaker	599,87	599,87	St
BMS-BMS15N830LV2	BMS 15 N 830 - 15" Neodymium Speaker 1100 W 8 Ohm	607,79	607,79	St
BMS-BMS15N8404	BMS 15 N 840 - 15" Neodymium Speaker 1200 W 4 Ohm	672,70	672,70	St
BMS-BMS15N840L	15" Neodymium Speaker 1200 W 8 Ohms	902,66	902,66	St
BMS-BMS15N840LV2	(1) 15" Neodymium Speaker 1200 W 8 Ohms Version 2 - - BMS - BMS	672,70	672,70	St
BMS-BMS15N850LV2	BMS 15 N 850 - 15" Neodymium Speaker 1200 W 8 Ohm	794,93	794,93	St
BMS-BMS15S320L	BMS 15 S 320 - 15" Bass Midrange Speaker 500 W 8 O	359,29	359,29	St
BMS-BMS15S330L	BMS 15 S 330 - 15" Subwoofer 600 W 8 Ohm	364,36	364,36	St
BMS-BMS15S430LV2	15" Subwoofer 1200 W 8 Ohms Version 2	541,46	541,46	St
BMS-BMS18N830L	BMS 18 N 830 - 18" Neodymium Speaker 1100 W 8 Ohm	771,50	771,50	St
BMS-BMS18N830LV2	BMS 18 N 830 - 18" Neodymium Speaker 1100 W 8 Ohm	649,37	649,37	St
BMS-BMS18N840LV2	BMS 18 N 840 - 18" Neodymium Subwoofer 1200 W 8 Oh	990,75	990,75	St
BMS-BMS18N8504V2	(1) 18" Neodymium Speaker 1200 W 4 Ohms Version 2 - - BMS - BMS	853,95	853,95	St
BMS-BMS18N850L	BMS 18 N 850 - 18" Neodymium Speaker 1200 W 8 Ohm	1.161,24	1.161,24	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BMS-BMS18N850LV2	BMS 18 N 850 - 18" Neodymium Speaker 1200 W 8 Ohm	1.397,91	1.104,89	St
BMS-BMS18N862	18" Neodymium Subwoofer 1500 W 4 Ohms	969,88	969,88	St
BMS-BMS18N862L	BMS 18 N 862 - 18" Neodymium Subwoofer 1500 W 8 Oh	1.587,65	1.254,87	St
BMS-BMS18S4304V2	18" Speaker 1200 W 4 Ohms Version 2	437,28	437,28	St
BMS-BMS18S430LV2	18" Subwoofer 1200 W 8 Ohms	437,28	437,28	St
BMS-BMS18S450L	18" Ultra Low Distortion Woofer 1200 W 8 Ohms	1.081,51	854,90	St
BMS-BMS2119	BMS 2119 - Horn 1" 90? x 40?	76,31	76,31	St
BMS-BMS2193	BMS 2193 - Horn 1" 90? x 40?	65,15	65,15	St
BMS-BMS2230	BMS 2230 - Horn 2" 90? x 55?	208,23	123,64	St
BMS-BMS2250	BMS 2250 - Horn 2" 50? x 50?	202,68	202,68	St
BMS-BMS4505H	5" NEODYMIUM PLANAR WAVE DRIVER 16 OHM	704,90	402,78	St
BMS-BMS4505L	5" NEODYMIUM PLANAR WAVE DRIVER 8 OHM	437,39	437,39	St
BMS-BMS4507NDH	(1) 6.5" Neodymium High-Frequency Driver 150 W 16 Ohms - - BMS - BMS	1.192,61	1.192,61	St
BMS-BMS4507NDL	6.5" Neodymium high-frequency Driver 150 W 8 Ohms	1.192,61	1.192,61	St
BMS-BMS4508NDH	(1) 8" Neodymium High-Frequency Driver 16 Ohms 150 W - - BMS - BMS	1.192,61	1.192,61	St
BMS-BMS4508NDL	8" Neodymium high-frequency Driver 150 W 8 Ohms	1.192,61	1.192,61	St
BMS-BMS4510NDH	BMS 4510 ND - 4" Neodymium high-frequency Driver 8	420,15	420,15	St
BMS-BMS4510NDL	BMS 4510 ND - 4" Neodymium high-frequency Driver 8	420,15	420,15	St
BMS-BMS4512NDH	BMS 4512 ND - 4" Neodymium high-frequency Driver 8	385,66	385,66	St
BMS-BMS4512NDL	BMS 4512 ND - 4" Neodymium high-frequency Driver 8	385,66	385,66	St
BMS-BMS4524H	(18) 1" high-frequency Driver 16 Ohms - 25 W - - BMS - BMS	81,38	81,38	St
BMS-BMS4524L	BMS 4524 - 1" high-frequency Driver 25 W 8 Ohm	130,85	97,16	St
BMS-BMS4526HEH	(12) 0.63" Neodymium - High Frequency Compression Driver - - BMS - BMS	121,54	121,54	St
BMS-BMS4526HEL	(12) 0,63? Exit Neodymium high Frequencycompression Driver - - BMS - BMS	196,99	117,28	St
BMS-BMS4526NDH	(12) 0.63" Neodymium High-Frequency Driver - - BMS - BMS	116,88	116,88	St
BMS-BMS4526NDL	(12) 0.63" Neodymium High-Frequency Driver - - BMS - BMS	116,88	116,88	St
BMS-BMS4528NDL	BMS 4528 - 1" Neodymium high-frequency Driver 25 W	149,48	149,48	St
BMS-BMS4538L	BMS 4538 - 1" high-frequency Driver 60 W 8 Ohm	199,80	158,13	St
BMS-BMS4540NDH	BMS 4540 ND - 1" Neodymium high-frequency Driver 6	177,97	177,97	St
BMS-BMS4540NDL	BMS 4540 ND - 1" Neodymium high-frequency Driver 6	189,91	189,91	St
BMS-BMS4544H	BMS 4544 - 1" high-frequency Driver 80 W 16 Ohm	147,31	147,31	St
BMS-BMS4544L	BMS 4544 - 1" high-frequency Driver 80 W 8 Ohm	134,36	134,36	St
BMS-BMS4545NDL	1" Neodymium high-frequency Driver 80 W 8 Ohms	375,67	201,46	St
bms-BMS4547NDH	BMS 4547 NDH - 1" Neodymium High-Frequency Driver 80 W 16 Ohms	352,01	201,46	St
BMS-BMS4547NDL	1" Neodymium high-frequency Driver 80 W 8 Ohms	215,27	215,27	St
BMS-BMS4548L	BMS 4548 - 1" high-frequency Driver 45 W 8 Ohm OEM	159,89	159,89	St
BMS-BMS4548MH	BMS 4548 MH - Voice Coil for BMS4548H 1" high-frequency Driver 45 W 16 ohms	80,32	80,32	St
BMS-BMS4548ML	BMS 4548 ML - Voice Coil for BMS4548L 1" high-frequency Driver 45 W 8 ohms	80,32	80,32	St
BMS-BMS4550H	BMS 4550 - 1" high-frequency Driver 80 W 16 Ohm	299,00	174,01	St
BMS-BMS4550L	BMS 4550 - 1" high-frequency Driver 80 W 8 Ohm	299,00	236,52	St
BMS-BMS4552NDH	BMS 4552 ND - 1" Neodymium high-frequency Driver 8	336,55	336,55	St
BMS-BMS4554H	BMS 4554 - 1.4" high-frequency Driver 80 W 16 Ohm	299,00	174,01	St
BMS-BMS4554L	BMS 4554 - 1.4" high-frequency Driver 80 W 8 Ohm	299,00	174,01	St
BMS-BMS4555H	BMS 4555 - 1.5" high-frequency Driver 80 W 16 Ohm	299,00	174,01	St
BMS-BMS4555L	BMS 4555 - 1.5" high-frequency Driver 80 W 8 Ohm	180,78	180,78	St
BMS-BMS4590GITTER	BMS 4590 GITTER - Grille for BMS4590	8,96	8,96	St
BMS-BMS4590GUMMI	BMS 4590 GUMMI - Foam rubber attachment for BMS4590	8,96	8,96	St
BMS-BMS4590H	BMS 4590 - 2" Coaxial Driver 150 W + 80 W 16 Ohm	919,45	549,19	St
BMS-BMS4590L	BMS 4590 - 2" Coaxial Driver 150 W + 80 W 8 Ohm	919,45	726,84	St
BMS-BMS4590PL	BMS 4590 P - 2" Coaxial Driver 150 W + 80 W 8 Ohm	542,00	542,00	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BMS-BMS4591H	BMS 4591 - 2" Midrange Driver 150 W 16 Ohm	466,80	466,80	St
BMS-BMS4591L	BMS 4591 - 2" Midrange Driver 150 W 8 Ohm	752,81	595,15	St
BMS-BMS4592NDH	BMS 4592 ND - 2" Coaxial Neodymium Driver 150 W +	1.391,51	1.099,88	St
BMS-BMS4592NDH-MID	2" Neodymium Midrange Driver 150 W 16 Ohms	733,15	733,15	St
BMS-BMS4592NDL	BMS 4592 ND - 2" Coaxial Neodymium Driver 150 W +	859,93	859,93	St
BMS-BMS4592NDL-MID	2" Neodymium Midrange Driver 150 W 8 Ohms	733,15	733,15	St
BMS-BMS4593NDH	1.4" Coaxial Neodymium Driver 150 W + 80 W 16 Ohms	859,93	859,93	St
BMS-BMS4593NDL	1.4" Coaxial Neodymium Driver 150 W + 80 W 8 Ohms	859,93	859,93	St
BMS-BMS4594HEL	(1) 1.4" Coaxial Neodymium Compression Driver - - BMS - BMS	992,19	992,19	St
BMS-BMS4594NDH	BMS 4594 ND - 1.4" Coaxial Neodymium Driver 150 W	943,31	943,31	St
BMS-BMS4594NDL	BMS 4594 ND - 1.4" Coaxial Neodymium Driver 150 W	1.519,52	732,20	St
BMS-BMS4595NDH	BMS 4595 ND - 1.5" Coaxial Neodymium Driver 150 W	943,31	943,31	St
BMS-BMS4595NDL	BMS 4595 ND - 1.5" Coaxial Neodymium Driver 150 W	943,31	943,31	St
BMS-BMS4596NDH	(1) 2" Neodymium midrange compression driver 16 Ohm - - BMS - BMS	733,15	733,15	St
BMS-BMS4596NDL	(1) 2" Neodymium midrange compression driver 8 Ohm - - BMS - BMS	733,15	733,15	St
BMS-BMS4599	(1) 2? Dual Diaphragm Driver, 2 x 4 Ohms - - BMS - BMS	1.408,45	1.408,45	St
BMS-BMS4599NDHE	(1) 2? Dual Diaphragm driver, 2 x 8 Ohms - - BMS - BMS	1.470,93	1.470,93	St
BMS-BMS4599NDL	(1) 2? Dual Diaphragm driver, 2 x 8 Ohms - - BMS - BMS	1.408,45	1.408,45	St
BMS-BMS5530NDH	BMS 5530 NDH - 1" High-Frequency Driver 16 Ohms 80 W	235,75	235,75	St
BMS-BMS5530NDL	BMS 5530 NDL - 1" High-Frequency Driver 8 Ohms 80 W	235,75	235,75	St
BMS-BMS5531NDH	BMS 5531 NDH - 1" Neodymium Compression Driver 16 Ohm 80 W	227,44	227,44	St
BMS-BMS5531NDL	BMS 5531 NDL - 1" Neodymium Compression Driver 8 Ohm 80 W	227,44	227,44	St
BMS-BMS5C150H	5" Coaxial Speaker 130 W + 25 W 16 Ohms	269,32	269,32	St
BMS-BMS5C150L	5" Coaxial Speaker 130 W + 25 W 8 Ohms	269,32	269,32	St
BMS-BMS5C150LH	5" Coaxial Speaker 130 W + 25 W 8/16 Ohms	259,56	259,56	St
BMS-BMS5CN140H	BMS 5 CN 140 - 5" Neodymium Coaxial Speaker 130 W	332,92	332,92	St
BMS-BMS5CN140L	BMS 5 CN 140 - 5" Neodymium Coaxial Speaker 130 W	332,92	332,92	St
BMS-BMS5CN160H	BMS 5 CN 160 - 5" Neodymium Coaxial Speaker 130 W	335,96	335,96	St
BMS-BMS5CN160L	BMS 5 CN 160 - 5" Neodymium Coaxial Speaker 130 W	335,96	335,96	St
BMS-BMS5CN162LH	(1) 5? Neodymium Coaxial Transducer - - BMS - BMS	354,22	354,22	St
BMS-BMS5N155H	BMS 5 N 155 - 5" Neodymium Bass Midrange Speaker 1	156,12	156,12	St
BMS-BMS5N155L	BMS 5 N 155 - 5" Neodymium Bass Midrange Speaker 1	216,23	216,23	St
BMS-BMS5N160H	(4) 5" Neodymium Bass Midrange Speaker 130 W 16 Ohms - - BMS - BMS	241,64	241,64	St
BMS-BMS5N160L	BMS 5 N 160 - 5" Neodymium Bass Midrange Speaker 1	241,64	241,64	St
BMS-BMS5S117H	(2) 5" Bass Midrange Speaker 130 W 16 Ohms - - BMS - BMS	179,77	179,77	St
BMS-BMS5S117L	5" Bass Midrange Speaker 130 W 8 Ohms	311,85	183,16	St
BMS-BMS6C150H	6" Coaxial Speaker 130 W + 25 W 16 Ohms	274,09	274,09	St
BMS-BMS6C150L	6" Coaxial Speaker 130 W + 25 W 8 Ohms	274,09	274,09	St
BMS-BMS6CN160H	BMS 6 CN 160 - 6.5" Neodymium Coaxial Speaker 130	340,02	340,02	St
BMS-BMS6CN160L	BMS 6 CN 160 - 6.5" Neodymium Coaxial Speaker 130	340,02	340,02	St
BMS-BMS6N160H	6" Neodymium Bass Midrange Speaker 130 W 16 Ohms	244,68	244,68	St
BMS-BMS6N160L	BMS 6 N 160 - 6" Neodymium Bass Midrange Speaker 1	244,68	244,68	St
BMS-BMS6S117H	6" Bass Midrange Speaker 130 W 16 Ohms	181,80	181,80	St
BMS-BMS6S117L	6" Bass Midrange Speaker 130 W 8 Ohms	181,80	181,80	St
BMS-BMS8C250H	8" Coaxial Speaker 200 W + 80 W 16 Ohms	286,26	286,26	St
BMS-BMS8C250L	BMS 8 C 250 - 8" Coaxial Speaker 200 W + 80 W 8 Oh	286,26	286,26	St
BMS-BMS8CN552L	BMS 8 CN 552 - 8" Coaxial Neodymium Speaker 200 W	490,65	490,65	St
BMS-BMS8CN552LH	(1) 8" Coaxial Neodymium Speaker 200 W + 80 W 8/16 Ohms - - BMS - BMS	490,65	490,65	St
BMS-BMS8N515H	BMS 8 N 515 - 8" Neodymium Bass Midrange Speaker 2	321,27	321,27	St
BMS-BMS8N515L	BMS 8 N 515 - 8" Neodymium Bass Midrange Speaker 2	516,59	283,82	St
BMS-BMS8N519L	8" Bass Midrange Lautsprecher 250 W 8 Ohms	329,68	329,68	St
BMS-BMS8S215L	BMS 8 S 215 - 8" Bass Midrange Speaker 200 W 8 Ohm	221,35	221,35	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BMS-BMS8S219L	(1) BMS 8" Low/Mid-Range Driver 250 W 8 Ohms - - BMS - BMS	243,67	243,67	St
BMS-BMSC16-16	BMS SC 16 - Passive Crossover for BMS4590H 2" Coax	137,19	108,66	St
BMS-BMSC16-8	BMS SC 16 - Passive Crossover for BMS4590L 2" Coax	76,31	76,31	St
BMS-BMSC8-8	(1) Passive Crossover for BMS4590L 2" Coaxial Driver 150 W + 80 W 8 Ohms - - BM	59,20	59,20	St
BMS-BMSFLANSCH	BMS Flansch - Adapter Screw Thread to 1" Flange	34,73	34,73	St
BMS-BMSR12N620L	BMS R 12 N 620 L - Re-Cone Kit for BMS12N620L 12" Neodymium Bass Midrange Speaker 500 W 8 Ohm	161,28	161,28	St
BMS-BMSR12N630L	BMS R 12 N 630 L - Recone Kit for BMS12N630 8 Ohm	157,65	157,65	St
BMS-BMSR15CN682	BMS R 15 CN 682 - Re-Cone Kit for BMS15CN682 15" Coaxial Neodymium Speaker 500 W + 80 W 16 Ohms	378,11	183,16	St
BMS-BMSR15N620L	BMS R 15 N 620 L - Re-Cone Kit for BMS15N620L 15" Neodymium Bass Midrange Speaker 500 W 8 Ohms	253,81	253,81	St
BMS-BMSR15N820L	BMS R 15 N 820 L - Re-Cone Kit for BMS15N820 15" Neodymium Bass Midrange Speaker 8 Ohm	375,46	219,76	St
BMS-BMSR15N840L	BMS R 15 N 840 L - Re-Cone Kit for BMS15N840 15" Neodymium Speaker 8 Ohm	310,93	310,93	St
BMS-BMSR18N830L	BMS R 18 N 830 L - Re-Cone Kit for BMS18N830 18" Neodymium Speaker 8 Ohm	396,99	313,96	St
BMS-BMSR18N850LV1	BMS R 18 N 850 L V1 - Re-Cone Kit for BMS18N850L	481,58	481,58	St
BMS-BMSR18N850LV2	BMS R 18 N 850 L V2 - Re-Cone Kit for BMS 18 N 8504 18" Neodymium Speaker 4 Ohms	268,10	268,10	St
BMS-BMSR18S430L	BMS R 18 S 430 L - Re-Cone Kit for BMS18S430L18" Subwoofer 8 Ohm	343,64	201,46	St
BMS-BMSR8CN552L	BMS R 8 CN 552 L - Re-Cone Kit for BMS8CN552 8" Coaxial Neodymium Speaker 200 W + 80 W 8 Ohms	111,05	111,05	St
BMS-BMSR8N515L	BMS R 8 N 515 L - Re-Cone Kit for BMS8N515L 8" Neodymium Bass Midrange Speaker 8 Ohm	147,62	147,62	St
cam-CL480WLAMP	Cameo 480 W LAMP - MSD Silver 480W LL Bulb for OTOS® B5/H5	408,22	346,04	St
cam-CLAM500SIDEHOUSING	Cameo AURO® MATRIX 500 SIDE HOUSING - Side Housing for CLAM500	35,09	29,43	St
cam-CLAZORS2CASE4	Cameo AZOR® S2 CASE 4 - Flightcase for 4 pcs CAMEO AZOR® S2	2.116,29	1.793,68	St
cam-CLAZORS2INSERT	Cameo AZOR® S2 INSERT - Foam Case Insert for 2x AZOR® S2	313,18	265,52	St
cam-CLDVCD5	Cameo DVC D5 - USB to DMX-Interface and Control Software Package	429,82	364,34	St
cam-CLF2FCENTERKNOB	Cameo F2 FC ENTER KNOB - Enter Knob for CLF2FC	6,49	5,64	St
cam-CLF2TSTICKER	Cameo F2 T STICKER - Sticker for CLF2T	10,81	9,30	St
cam-CLF4FC	Cameo F4 FC - High-Performance RGBW LED Fresnel Spotlight	3.237,62	2.743,52	St
cam-CLOH5BULB	Cameo OPUS® H5 BULB - OSRAM SIRIUS (HRI 471WSN) Bulb for Cameo OPUS® H5	700,70	593,88	St
cam-CLOS5GOBOWHEELHOLDER	Cameo OPUS® S5 GOBO WHEEL HOLDER - Gobo Holder with Spring for CLOS5	16,94	14,79	St
cam-CLOS5SPAREGOBO	Cameo OPUS® S5 SPARE GOBO - Exchange Gobo for CLOS5	32,40	27,60	St
cam-CLOTOSW12	Cameo OTOS® W12 - IP65 Wash Moving Head	9.933,16	8.416,95	St
cam-CLOX4P	Cameo OPUS® X4 PROFILE - 1400W LED Spot Profile Moving Head	12.956,95	10.979,14	St
cam-CLPBG2FILTER55	Cameo PIXBAR® G2 FILTER 55° - 55° filter for PIXBAR® G2	52,03	44,07	St
cam-CLPBG2FILTER70	Cameo PIXBAR® G2 FILTER 70° - 70° filter for PIXBAR® G2	52,03	44,07	St
cam-CLPBIPG2CASE8	Cameo PIXBAR® G2 CASE 8 - Flightcase for 8x CAMEO PIXBAR® G2	2.157,70	1.828,45	St
cam-CLPST4G2	Cameo STUDIO PAR 4 G2 - LED PAR Spotlight with 12 x RGBW 4-in-1 LED	556,64	529,06	St
cam-CLPST6G2	Cameo STUDIO PAR 6 G2 - LED PAR Spotlight with 12 x RGBAWUV 6-in-1 LED	586,02	565,66	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
cam-CLPSTG2BARNDOOR	Cameo STUDIO PAR G2 BARNDOOR - Barndoor for STUDIO PAR G2	75,60	64,20	St
cam-CLPSTTWG2	Cameo STUDIO PAR TW G2 - LED PAR Spotlight with 12 x 3-in-1 Tunable White LED	630,07	602,26	St
cam-CLXNODE8STICKER	Cameo XNODE 8 STICKER - Sticker for CLXNODE 8	10,81	9,30	St
cam-CLZW300SMD	Cameo ZENIT® W300 SMD - Compact IP65 SMD LED Wash Light & Strobe	1.833,72	1.553,93	St