

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-31268	Shielded cable with 7 wires 0,14mmq for CS conference system (price at mt)	3,63	3,63	St
FBT-31269	Male DIN 7 pin connector for conference system CS series	14,52	14,52	St
FBT-31270	Female DIN 7 pin connector for conference system CS series	14,52	14,52	St
FBT-ACM18	rack container 18 units	467,06	467,06	St
FBT-ACM24	rack container 24 units	598,95	598,95	St
FBT-ACM30	rack container 30 units	738,10	738,10	St
FBT-AC-U105V	Wall metal Stand to mount ARCHON 105 in vertical	26,62	26,62	St
FBT-AC-U106V	Wall metal Stand to mount ARCHON 106 in vertical	33,88	33,88	St
FBT-AC-U108V	Wall metal Stand to mount ARCHON 108 in vertical	38,72	38,72	St
FBT-AC-U110H	Wall metal stand to mount ARCHON 110 in horizontal	70,18	70,18	St
FBT-AC-U110V	Wall metal Stand to mount ARCHON 110 in vertical	70,18	70,18	St
FBT-AC-U112H	Wall metal stand to mount ARCHON 112 in horizontal	72,60	72,60	St
FBT-AC-U112V	Wall metal Stand to mount ARCHON 112 in vertical	72,60	72,60	St
FBT-AC-U115H	Wall metal stand to mount ARCHON 115 in horizontal	79,86	79,86	St
FBT-AC-U115V	Wall metal Stand to mount ARCHON 115 in vertical	79,86	79,86	St
FBT-AC-W208	Wall metal stand to mount ARCHON 208S in vertical	128,26	128,26	St
FBT-AC-W568	Directional wall mount for Verve 108, ARCHON. Black	64,13	64,13	St
FBT-AC-W568W	Directional wall mount for ARCHON, Verve 108. White RAL9016	64,13	64,13	St
FBT-AJ-5	MS 30BK Adapter for fixing purposes J 5	10,89	10,89	St
FBT-AJ-8	Adapter from Ø 35 mm to Ø 25 mm J 8	24,20	24,20	St
FBT-AL8000	Power supply +15/-15V for pre-amplified microphone consoles of MBT8000 series.	180,29	180,29	St
FBT-AM5030	Integrated amplifier, two mic inputs, one of which has priority, 30 Watt power,	196,02	196,02	St
FBT-AMICO10USB	Processed Active Sound System: 15" + 2x(6,5"+1") - 500Wrms + 2x150Wrms	2.216,72	2.216,72	St
FBT-AMICOKIT	Bag + 2 Speaker stands + Cables for Amico 10 USB	141,57	141,57	St
FBT-AQUA30	DNH IP68 underwater ABS wall mount. recessed speaker - 20W - Blue	1.020,03	1.020,03	St
FBT-ARCHON105	2-way Passive speaker - 5" + 1" - 200Wrms - black/ white color	376,31	376,31	St
FBT-ARCHON106	2-way Passive speaker - 6" + 1" - 300Wrms - black/ white color	484,00	484,00	St
FBT-ARCHON108	2-way Passive speaker - 8" + 1,5" - 350Wrms - black/ white color	671,55	671,55	St
FBT-ARCHON110	2-way Passive speaker - 10" + 1" - 1" 80°x 50° rot. Horn - 700Wrms - black/ whit	968,00	968,00	St
FBT-ARCHON112	2-way Passive speaker - 12" + 1,4" - 1,4" 70°x 50° rot. Horn - 1000Wrms - black/	1.344,31	1.344,31	St
FBT-ARCHON115	2-way Passive speaker - 15" + 2" - 2" 60°x 40° rot. Horn - 1000Wrms - black/ whi	1.477,41	1.477,41	St
FBT-ARCHON208S	Bass reflex Compact Passive Subwoofer - 2x8" - 600Wrms - black/ white color	738,10	738,10	St
FBT-ARCHON215S	Bass reflex Compact Passive Subwoofer - 2x15" - 2000Wrms - black/ white color	2.216,72	2.216,72	St
FBT-AVL606	Headset waterproof microphone	79,86	79,86	St
FBT-AW25	Stereo amplifier -25W -Stereo/Bridge/PA mode	99,22	99,22	St
FBT-AW25-DIN	Stereo amplifier -25W -Stereo/Bridge/PA mode -box for standard DIN guides	110,11	110,11	St
FBT-AW25R-DIN	Stereo amp -25W -Stereo/Bridge/PA mode -box for standard DIN guides -volume cont	133,10	133,10	St
FBT-AX1200	2 Ch. Power Amp - 2x600Wrms (4ohm) - 1200Wrms (8ohm bridge)	632,83	632,83	St
FBT-AX2000	2 Ch. Power Amp - 2x1000Wrms (4ohm) - 2000Wrms (8ohm bridge)	901,52998	901,52998	St
FBT-AX3000	2 Ch. Power Amp - 2x1500Wrms (4ohm) - 3000Wrms (8ohm bridge)	1.236,62	1.236,62	St
FBT-AX800	2 Ch. Power Amp - 2x400Wrms (4ohm) - 800Wrms (8ohm bridge)	484,00	484,00	St
FBT-BF-T5043L	Desktop base with gooseneck cardioid electret mic - ON-OFF - 5mt cable w/XLR	196,02	196,02	St
FBT-BK560CRT	DNH aluminium recessed ceiling - Protections for clean rooms - 6W - 100V line tr	133,10	133,10	St
FBT-BOX100	Wall metal stand to mount HiMAxX 40 and EvoMAxX 4 in horizontal position	75,02	75,02	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-BOX101	Wall metal stand to mount HiMAxX 40 and EvoMAxX 4 in vertical position	75,02	75,02	St
FBT-BOX102	Wall metal stand to mount EvoMAxX 2 in horizontal position	75,02	75,02	St
FBT-BOX103	Wall metal stand to mount EvoMAxX 9 in horizontal position	77,44	77,44	St
FBT-BOX104	Wall metal stand to mount HiMAxX 60 and EvoMAxX 6 in horizontal position	93,17	93,17	St
FBT-BOX105	Wall metal stand to mount HiMAxX 60 and EvoMAxX 6 in vertical position	82,28	82,28	St
FBT-BOX112	Wall metal stand to mount JOLLY 15/12 in horizontal position	56,87	56,87	St
FBT-BOX127	Wall metal stand to mount PROMAxX 10 in horizontal position	75,02	75,02	St
FBT-BOX128	Wall metal stand to mount PROMAxX 14/12 in horizontal position	75,02	75,02	St
FBT-CAR6FT	DNH bi-directional - anodised aluminium - fire resistant - 6W - 100V line tr.	346,06	346,06	St
FBT-CESL10T	Aluminium Weather-proof - 5" - 10/5/2,5W power taps - 100V line tr. - White RAL	95,59	95,59	St
FBT-CESL10T-BIDI	Aluminium W-p. Bi-Directional - 2x5" - 10/5/2,5W power taps - 100V l. tr. - RAL9	99,22	99,22	St
FBT-CESL20/T	Aluminium Weather-proof - 6,5" - 20/10/5W power taps - 100V line tr. - White RA	127,05	127,05	St
FBT-CHA1004	Power card-cage to install DPU units in a 19" rack	153,67	153,67	St
FBT-CL-8004	Bus linking cable for MMZ8004	35,09	35,09	St
FBT-CLA118SA	Active Bass reflex subwoofer - 1x18" - 1200Wrms	1.919,06	1.919,06	St
FBT-CLA208SA	Active subwoofer in bass-reflex design, - 2x8" - 600Wrms Class D amp	1.086,58	777,00	St
FBT-CLA208SAW	Active subwoofer in bass-reflex design, - 2x8" - 600Wrms Class D amp. White RAL9	1.086,58	1.086,58	St
FBT-CLA406A	2-way Active Line Array Column - 4x6.5"LF + 1x1.4"HF - 600Wrms+300Wrms	2.046,11	2.046,11	St
FBT-CLA604	2-way Passive Line array column - 6x4" + 4x1" - 500Wrms - 100°H x 20°V disp	738,10	738,10	St
FBT-CLA604A	2-way Active Line Array Column - 6x4" + 4x1" - 400Wrms+100Wrms	1.214,84	849,00	St
FBT-CLA604AW	2-way Active Line Array Column-6x4"+4x1"-400Wrms+100Wrms Wh. RAL9016	1.214,84	1.214,84	St
FBT-CS1000	Compact line array integr. system: 6x3" SAT + 12" SUB - 600Wrms+400Wrms	1.789,59	1.789,59	St
FBT-CS1000WHITE	Compact line array integr, system: 6x3" SAT + 12" SUB - 600Wrms+400Wrms, white	1.789,59	1.789,59	St
FBT-CS3130/TW	Aluminium column speaker - 5x2" + 1" - 30/15/7,5W - 100V line tr. - White	162,14	162,14	St
FBT-CS3150/TW	Aluminium column speaker - 10x2" + 1" - 50/25/12,5W - 100V line tr. - White	254,10	254,10	St
FBT-CS3180/TW	Aluminium column speaker - 14x2" + 1" - 80/40/20W - 100V line tr. - White	358,16	358,16	St
FBT-CSL106/T	ABS in-ceiling spk - 5" - 6W/3Wrms power taps - 100V line tr. - White RAL9016	16,94	16,94	St
FBT-CSL520TIC	ABS in-ceiling spk - 5"+1/2" tw. - 20/10/5/2,5Wrms power taps - 100V/70V l. tr.-	58,08	58,08	St
FBT-CSL606/TWP	Weather-proof ABS in-ceiling spk - 5"+1" - 20Wrms - 100V line tr. - White RAL901	30,25	30,25	St
FBT-CSL630TIC	ABS in-ceiling spk - 6"+1/2" tw. - 30/15/7,5/3,8Wrms power taps - 100V/70V l. tr	72,60	72,60	St
FBT-CSL840TIC	ABS in-ceiling spk - 8"+1/2" tw. - 20/10/5Wrms power taps - 100V/70V line tr.- R	87,12	87,12	St
FBT-CSP406T/EN	Ceiling Metal spk - steel flame-proof cap - 6/3/1,5W - 100/70/50V l. tr. - th. f	83,49	83,49	St
FBT-CSP412T/EN	Ceiling Metal spk - steel flame-proof cap - 12/6/13W - 100/70/50V l. tr. - th. f	106,48	106,48	St
FBT-CT	Ceramic connector	3,63	3,63	St
FBT-CV2010	Cable with RJ45 for consoles MBT1000 series	42,35	42,35	St
FBT-DHK-25	Display Hook To Accomodate Assembled Cables	6,05	6,05	St
FBT-DJ15A	2-way Active speaker - 15" + 1" - 350Wrms+100Wrms	807,07	807,07	St
FBT-DLA1244A	2-way Active Line Array Column - 12x4" + 4x1" - 16x50Wrms -	2.756,38	2.756,38	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	Direct. control +30			
FBT-DLA804A	Active Line Array Column - 8x50Wrms - 8x4" - Direct. control +30°/-30°	1.881,55	1.881,55	St
FBT-DLM-26	2 In x 6 Out Digital Loudspeaker Management processor	1.021,24	1.021,24	St
FBT-DMM8008	Digital Matrix 8x8	2.620,86	2.620,86	St
FBT-DP10T	DNH IP55 anti-corrosion polyamide wall/ceiling mount. spk - 10W - 100V line tr.	404,14	404,14	St
FBT-DPD10T	DNH IP55 Bi-Directional anti-corrosion polyam. wall/ceiling mount. spk - 10W - 1	484,00	484,00	St
FBT-DPU1125C	Class D amplifiers 125W RMS	886,93	886,93	St
FBT-DPU1250C	Class D amplifiers 250W RMS	1.147,08	1.147,08	St
FBT-DPU1500C	Class D amplifiers 500W RMS	1.842,83	1.842,83	St
FBT-DPU2109	Front blind panel for CHA 1004	21,78	21,78	St
FBT-DTB-55	Tube to Accomodate Cable Drum	13,31	13,31	St
FBT-EM-C4	Cover Evo2MaxX 4	52,03	52,03	St
FBT-EVO2MAXX2	2-way Passive speaker - 10" + 1" - 250Wrms	442,86	442,86	St
FBT-EVO2MAXX2A	2-way Bass reflex Active speaker - 10" + 1" - 400Wrms+100Wrms	711,48	711,48	St
FBT-EVO2MAXX4	2-way Passive speaker - 12" + 1" - 300Wrms	538,45	538,45	St
FBT-EVO2MAXX4A	2-way Bass reflex Active speaker - 12" + 1" - 400Wrms+100Wrms	807,07	807,07	St
FBT-EVO2MAXX6	2-way Passive speaker - 15" + 1" - 400Wrms	701,80	701,80	St
FBT-EVO2MAXX6A	2-way Bass reflex Active speaker - 15"+ 1" - 400Wrms+100Wrms	1.009,14	1.009,14	St
FBT-EVO2MAXX9SA	Processed Compact Bass reflex Active Subwoofer - 15" - 600Wrms	1.075,69	1.075,69	St
FBT-FBTACCM501	Condenser Lavalier Microphone	55,66	55,66	St
FBT-FBTACCM-601	Boundary microphone. ON/OFF switch, 3 step Low-Cut switch - Electret condenser	180,29	180,29	St
FBT-FBTACCS1CH	Chairman microphone unit	249,26	249,26	St
FBT-FBTACCS1CU	Control Unit which controls the microphones of the chairman and delegate units	506,99	506,99	St
FBT-FBTACCS1DU	Delegate microphone unit	249,26	249,26	St
FBT-FBTACCX504	Condenser Headset Microphone	125,84	125,84	St
FBT-FBTACD7P-10	Extension cable 10mt	62,92	62,92	St
FBT-FBTACD7P-20	Extension cable 20mt	98,01	98,01	St
FBT-FBTACD7PDM-1	Extension cable	49,61	49,61	St
FBT-FBTACEXM-1	Expansion kit Master unit	91,96	91,96	St
FBT-FBTACEXS-1	Expansion kit Slave unit	102,85	102,85	St
FBT-FBTACGM5206L	Electret condenser Supercardioid microphone. XLR connector, 152mm (6")	79,86	79,86	St
FBT-FBTACGM5212L	Electret condenser Supercardioid microphone. XLR connector, 305mm (12")	84,70	84,70	St
FBT-FBTACGM5218L	Electret condenser Supercardioid microphone. XLR connector, 305mm (18")	91,96	91,96	St
FBT-FBTACMH750	UHF PLL Handheld Transmitter. 470MHz-790MHz. 16 ch.	203,28	203,28	St
FBT-FBTACMH920	UHF PLL Handheld Transmitter. 782MHz-806MHz. 16 ch.	277,09	277,09	St
FBT-FBTACMX-8	Automatic Microphone Mixer for 8 inputs	680,02	680,02	St
FBT-FBTACPT850B	UHF PLL Body-Pack Transmitter. 782MHz-806MHz. AA batteries.	168,19	168,19	St
FBT-FBTACST5050	Universal Gooseneck Microphone Base. On/Off / Push-To-Talk / Push-To-Mute sw.	141,57	141,57	St
FBT-FBTACST850	Wireless (with transm. PT-850B)/ Wired (with phantom mic cable) gooseneck Mic.	210,54	210,54	St
FBT-FBTACUS8001D	Single Ch - 494MHz-870MHz. Suitable for 1 transmitter (Mh750, Mh920, PT850B)	249,26	249,26	St
FBT-FBTACUS902D	Wireless Dual Ch. - 470MHz-790MHz. Suitable for 2 transm. (Mh750/Mh920/PT850B)	415,03	415,03	St
FBT-FBTM222	Prof.Microphone Cable - 2x0,22/2x24 AWG PVC Flex 6,1mm - 100 mt	1,21	1,21	St
FBT-FBTM234	Prof.Microphone Cable - 2x0,34/2x22 AWG PVC Flex 6,2mm - 100 mt	2,42	2,42	St
FBT-FBTM322	Prof.Microphone Cable - 2x0,22/2x24 AWG PVC Flex 3.5mm - 200 mt	1,21	1,21	St
FBT-FBTS215	Prof.Oxy Free Speaker Cable Black - Cond.2x1,5 PVC Flex 7,0mm - 100 mt	2,42	2,42	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-FBTS225	Prof.Oxy Free Speaker Cable Black - Cond.2x2,5 PVC Flex 8,4mm - 100 mt	2,42	2,42	St
FBT-FBTS240	Prof.Oxy Free Speaker Cable Black - Cond.2x4 PVC Flex 11mm - 100mt	4,84	4,84	St
FBT-FBTS275	Prof.Oxy Free Speaker Cable Black - Cond.2x0,75 PVC Flex 6,3mm - 100 mt	1,21	1,21	St
FBT-FBTS425	Prof.Oxy Free Speaker Cable Black - Cond.4x2,5 PVC Flex 11mm - 100 mt	4,84	4,84	St
FBT-FBTS440	Prof.Oxy Free Speaker Cable Black - Cond.4x4 PVC Flex 13,2mm - 100 mt	8,47	8,47	St
FBT-FDSY-1	Stainless Steel Display for FBT Cable Drum	481,58	481,58	St
FBT-FK118-1	Flight-case for 1 x Mitus 118, Mitus 118SA	1.023,66	1.023,66	St
FBT-FK121-1	Flight-case for 1 x Mitus 121 S/SA	1.128,93	1.128,93	St
FBT-FK206-4	Flight-case for 4 x Mitus 206 L/LA	1.062,38	1.062,38	St
FBT-FK206-6	Flight-case for 6 x Mitus 206 L/LA	1.105,94	1.105,94	St
FBT-FK210-2	Flight-case for 2 x Mitus 210 M/MA	807,07	807,07	St
FBT-FK212-2	Flight-case for 2 x Mitus 212 A	1.064,80	1.064,80	St
FBT-FMD2001	Emergency call station that enables a single all-call to be made	598,95	598,95	St
FBT-FMD2012	Emergency call station that enables a max of 12 zone to be selected	817,96	817,96	St
FBT-FMG2000	Dynamic goosneck microphone	104,06	104,06	St
FBT-FMH2000	Dynamic hand-held microphone with PTT key	53,24	53,24	St
FBT-FMS220	Adjustable speaker pole with thread	54,45	54,45	St
FBT-FMS220W	Adjustable speaker pole with thread. White RAL9016	54,45	54,45	St
FBT-FPS/505T	ABS wall mounting speaker - 5" 1/4 woofer w/dome tw. - 10W - 100V line tr. - Wh	93,17	93,17	St
FBT-GB820T	ABS Spherical pendant spk - Dispersion: 360°H / 140°V - 8" - 20W - 100V line tr.	99,22	99,22	St
FBT-GS20/T	Outdoor ABS Weather-proof speaker - 4" - 20W - 100V line tr. - 360° disp. - Gree	104,06	104,06	St
FBT-HIMAXX100SA	Processed Band-pass Active Subwoofer - 18" - 1200Wrms	2.124,76	2.124,76	St
FBT-HIMAXX40	2-way Passive speaker - 12" + 1" - 500Wrms	778,03	778,03	St
FBT-HIMAXX40A	2-way Bass reflex Active speaker - 12" + 1" - 1000Wrms+250Wrms	1.477,41	1.477,41	St
FBT-HIMAXX60	2-way Passive speaker - 15" + 1,4" - 700Wrms	1.075,69	1.075,69	St
FBT-HIMAXX60A	2-way Bass reflex Active speaker - 15"+ 1,4" - 1100Wrms+250Wrms	1.989,24	1.989,24	St
FBT-HM-26	Headset microphone	30,25	30,25	St
FBT-HM-CH100	Cover HiMAxX 100 with wheels	95,59	95,59	St
FBT-HS50T	IP66 Weather-proof/UV protection aluminium circular horn - 50W - 100V l. tr. - R	150,04	150,04	St
FBT-HSA108	Flying bar QA 108A/QA 108	435,60	435,60	St
FBT-HSA600	Rigging hardware/Flying bar	696,96	696,96	St
FBT-INTERCOM1300	Intercom system with microphone base and loudspeaker with power supply.	1.333,42	1.333,42	St
FBT-INTERNALBRACKETS	Internal brackets	10,89	10,89	St
FBT-IW-100T	ABS Recess. wall spk - 4"+1" dome tw. - 15/7,5/4/2/1Wrms power taps - 100V line	76,23	76,23	St
FBT-IW-200TCP	ABS Recess. wall spk - 8"+1" dome tw. -30/15/7,5/4/2/1Wrms power taps - 100V lin	185,13	185,13	St
FBT-J12	2-way Passive speaker - 12" + 1" - 300Wrms	402,93	402,93	St
FBT-J12A	2-way Active speaker - 12" + 1" - 350Wrms+100Wrms	711,48	711,48	St
FBT-J15	2-way Passive speaker - 15" + 1" - 300Wrms	442,86	442,86	St
FBT-J15A	2-way Active speaker - 15" + 1" - 350Wrms+100Wrms	778,03	778,03	St
FBT-J5	FBT J5 2-Way Passive Speaker - 5" + 1" - 80Wrms	189,00	189,00	St
FBT-J5A	2-way Active speaker - 5" + 1" - 80Wrms+40Wrms	347,30	347,30	St
FBT-J5AW	2-way Active speaker - 5" + 1" - 80Wrms+40Wrms. White RAL9016	307,34	307,34	St
FBT-J5T	2-way Passive speaker - 5" + 1" - 50Wrms - 70V/100V line tr.	199,65	199,65	St
FBT-J5TW	2-way Passive speaker - 5" + 1" - 50Wrms - 70V/100V line tr. White RAL9016	199,65	199,65	St
FBT-J5W	2-way Passive speaker - 5" + 1" - 80Wrms. White RAL9016	151,25	151,25	St
FBT-J8	2-way Passive speaker - 8" + 1" - 160Wrms	305,54	305,54	St
FBT-J8A	2-way Active speaker - 8" + 1" - 200Wrms+50Wrms	560,00	560,00	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-J8AW	2-way Active speaker - 8" + 1" - 200Wrms+50Wrms. White RAL9016	497,31	497,31	St
FBT-J8W	2-way Passive speaker - 8" + 1" - 160Wrms. White RAL9016	269,83	269,83	St
FBT-KBW-1004S	Wheels Kit Mitus 218, 118, 121, Subline 218, 18, Muse 118: 4wheels w/brake	133,10	133,10	St
FBT-KDT500BK	Adjustable table microphone stand	33,88	33,88	St
FBT-KMS400BK	Professional Microphone stand w.heavey round iron-cast base	43,56	43,56	St
FBT-KW-HM100	Wheels Kit HiMAxX100, PROMAxX15, Subline 15	66,55	66,55	St
FBT-KW-XSUB	Wheels Kit X-SUB	118,58	118,58	St
FBT-LM-10	Lavallier microphone	18,15	18,15	St
FBT-M12X4	Mixer preamplifier 12 inputs and 4 outputs.	467,06	467,06	St
FBT-MBT1101	Pre-amplified microphone console with gooseneck	285,56	285,56	St
FBT-MBT1106	Pre-amplified microphone console with gooseneck for 6 zones paging.	370,26	370,26	St
FBT-MBT1112	Pre-amplified microphone console with gooseneck for 12 zones paging.	406,56	406,56	St
FBT-MBT1112E	Extension module enable 12 programmable shortcut keys	243,21	243,21	St
FBT-MB-T6400S	Desktop base with ON - OFF PTL switch, gooseneck with dinamic cardioid mic	157,30	157,30	St
FBT-MB-T8001	Microphone console with gooseneck. switch, emergency button.	310,97	310,97	St
FBT-MB-T8004	Microphone console with gooseneck. switch, 4 zones, emergency buttons.	387,20	387,20	St
FBT-MB-T8008	Microphone console with gooseneck. switch, 8 zones, emergency buttons.	421,08	421,08	St
FBT-MCA4030	4x30W multi-ch power amplifier - 4 output line transformer	836,11	836,11	St
FBT-MC-F5042	Electret microphone with gooseneck Ø 19 x 424mm. XLR connector.	116,16	116,16	St
FBT-MCSL006/TW	ABS in-ceiling spk - 2,5" - 6W/3Wrms power taps - 100V line tr. - White RAL9016	18,15	18,15	St
FBT-MCSL006/TWP	Weather-proof ABS in-ceiling spk - 4" - 6W/3Wrms power taps - 100V line tr. - RA	31,46	31,46	St
FBT-MD-B	Stand base to tilt Modus 4805/4820	853,05	853,05	St
FBT-MD-C215FSA	Cover for Modus 215 FSA	128,26	128,26	St
FBT-MD-C4805	Cover for Modus 4805	64,13	64,13	St
FBT-MD-C4820	Cover for Modus 4820	64,13	64,13	St
FBT-MD-F5044	Dynamic cardioid microphone with gooseneck Ø 29 x 438mm. XLR connector.	65,34	65,34	St
FBT-MD-F5045S	Dynamic cardioid with push-to-lock switch, gooseneck Ø 29 x 440mm. XLR conn.	76,23	76,23	St
FBT-MD-F5045SI	Dynamic cardioid with push-to-talk switch, gooseneck Ø 29 x 440mm. XLR conn.	76,23	76,23	St
FBT-MD-FSAT	Flying bar for rigging Modus 4805/4820/118	559,02	559,02	St
FBT-MD-FSUB	Flying bar for rigging Modus Sub	784,08	784,08	St
FBT-MDS1060	Integrated amp - 60W - MP3 player via USB/SD /MMC card - digital tuner - 230V/11	574,75	574,75	St
FBT-MD-S1100	Dynamic cardioid microphone with switch and XLR connector.	39,93	39,93	St
FBT-MDS1120	Integrated amp - 120W - MP3 player via USB/SD /MMC card - digital tuner - 230V/1	748,99	748,99	St
FBT-MDS1240	Integrated amp - 240W - MP3 player via USB/SD /MMC card - digital tuner - 230V/1	863,94	863,94	St
FBT-MD-S1300	Dynamic hypercardioid microphone with switch and XLR connector.	108,90	108,90	St
FBT-MDS6120	Integrated Mixing amp - 120Wrms - 6 zones - CD/MP3-USB-SD-Tuner - 230V/115V	1.485,88	1.485,88	St
FBT-MDS6240	Integrated Mixing amp - 240Wrms - 6 zones - CD/MP3-USB-SD-Tuner - 230V/115V	1.658,91	1.658,91	St
FBT-MD-T118	Trolley for 2 x Modus 118	412,61	412,61	St
FBT-MD-T48	Trolley for 2 x Modus 4805/4820	412,61	412,61	St
FBT-MD-TSUB	Trolley for 2 x Modus Sub	456,17	456,17	St
FBT-MD-WB	Stand base to tilt Modus 4805/4820 on Modus 118/215	269,83	269,83	St
FBT-MG25	25 Watt megaphone with 1Km capacity in enviroments with average noise levels	122,21	122,21	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-MHO420TW/EN	Weather-proof Aluminium horn - 20/10/5/2,5W - thermal fuse - flame resistant cab	125,84	125,84	St
FBT-MHS50T	IP66 Weather-proof/UV protection ABS horn spk - 50W - 100V line tr. - RAL7035	226,27	226,27	St
FBT-MITUS112	2-way Passive speaker - 12" + 1" - 700Wrms	1.142,24	1.142,24	St
FBT-MITUS112A	2-way Active speaker - 12" + 1" - 600Wrms+300Wrms	1.748,45	1.748,45	St
FBT-MITUS114	2-way Passive speaker - 14" + 1,4" - 700Wrms	1.303,17	1.303,17	St
FBT-MITUS114A	2-way Active speaker - 14" + 1,4" - 600Wrms+300Wrms	2.017,07	2.017,07	St
FBT-MITUS115	2-way Passive speaker - 15" + 1" - 800Wrms	1.303,17	1.303,17	St
FBT-MITUS115A	2-way Active speaker - 15" + 1" - 600Wrms+300Wrms	2.017,07	2.017,07	St
FBT-MITUS118FS	Cardioid-Arrayable Flyable Passive Subw. -1x18" -1200Wrms (front version)	2.238,50	2.238,50	St
FBT-MITUS118FSA	Proc. Cardioid-Arr. Flyable Active Subw. - 1x18" -1200Wrms (front version)	2.878,59	2.878,59	St
FBT-MITUS118FSC	Cardioid-Arrayable Flyable Passive Subw. -1x18" -1200Wrms (rear version)	2.238,50	2.238,50	St
FBT-MITUS118FSCA	Proc. Cardioid-Arr. Flyable Active Subw. - 1x18" -1200Wrms (rear version)	2.878,59	2.878,59	St
FBT-MITUS118S	Band-pass Passive Subwoofer - 18" - 1000Wrms	1.748,45	1.748,45	St
FBT-MITUS118SA	Processed Band-pass Active Subwoofer - 18" - 1200Wrms	2.418,79	2.418,79	St
FBT-MITUS121S	Bass reflex Passive Subwoofer - 21" - 2000Wrms	2.487,76	2.487,76	St
FBT-MITUS121SA	Processed Bass reflex Active Subwoofer - 21" - 1200Wrms	3.228,28	3.228,28	St
FBT-MITUS152	2-way, 8 Ohm, 800W recomb amp, 47Hz - 20KHz freq, full B&C	1.438,69	1.438,69	St
FBT-MITUS152A	2-way Active speaker - 15" + 2" - 1100Wrms+250Wrms	2.285,69	2.285,69	St
FBT-MITUS206LA	Active line array - 2x6,5" + 1,4" - 600Wrms+300Wrms	2.285,69	2.285,69	St
FBT-MITUS210M	2-way Passive Stage monitor - 2x10" + 1,4" - 800Wrms	1.518,55	1.518,55	St
FBT-MITUS210MA	2-way Active Stage monitor - 2x10" + 1,4" - 600Wrms+300Wrms	2.150,17	2.150,17	St
FBT-MITUS212FS	Flyable Passive Subwoofer - 2x12" - 1000Wrms	1.881,55	1.881,55	St
FBT-MITUS212FSA	Processed Flyable Active Subwoofer - 2x12" - 1200Wrms	2.687,41	2.687,41	St
FBT-MITUS215	2-way Passive speaker - 2x15" + 2" - 1600Wrms	2.017,07	2.017,07	St
FBT-MITUS215A	2-way Active speaker - 2x15" + 2" - 1100Wrms+250Wrms	2.822,93	2.822,93	St
FBT-MITUS218S	Bass reflex Passive Subwoofer - 2x18" - 4000Wrms	3.091,55	3.091,55	St
FBT-MITUS218SA	Processed Bass reflex Active Subwoofer - 2x18" - 2000Wrms	4.906,55	4.906,55	St
FBT-MLA608A	6-way Bass reflex Active Mid/Low Line Array Column - 6x250Wrms - 6x8" woofers -	3.360,17	3.360,17	St
FBT-MLA801A	8-way Bass reflex Active HF Line Array Column - 8x0,75" HF drivers - 8x50Wrms -	3.360,17	3.360,17	St
FBT-MMH-108	Metal Base to ground QA 108A/QA108 array or stack	332,75	332,75	St
FBT-MMZ8004S	Preamplifier/ mixer with 10 inputs and 4 outputs	1.422,96	1.422,96	St
FBT-MODUS118FSA	Compact Bass reflex Active Subwoofer - 1x18" - 1200Wrms	2.687,41	2.687,41	St
FBT-MODUS215FSA	Band-pass push-pull Active subwoofer - 2x15" - 2000Wrms	4.637,93	4.637,93	St
FBT-MODUS4805LA	2-way Bass reflex Active Line array -4x8"+4x1"-600Wrms+300Wrms - 5°V	3.898,62	3.898,62	St
FBT-MODUS4820LA	2-way Bass reflex Active Line array -4x8"+4x1"-600Wrms+300Wrms-20°V	3.898,62	3.898,62	St
FBT-MPA5120	Booster 120Wrms - 100V/70V/50V/8 ? output - 230V/115V switch	502,15	502,15	St
FBT-MPA5240	Booster 240Wrms - 100V/70V/50V/8 ? output - 230V/115V switch	675,18	675,18	St
FBT-MPA5480	Booster 480Wrms - 100V/70V/50V/8 ? output - 230V/115V switch	1.059,96	1.059,96	St
FBT-MPS1016	Power supply panel (16A)	185,13	185,13	St
FBT-MPU2120	2 power units and 2 line transf. 70V/100V. 2x120W or 1x240W	1.034,55	1.034,55	St
FBT-MPU4060	4 power units and 4 line transf. 70V/100V. 4x60W or 2x120W	1.075,69	1.075,69	St
FBT-MPU4120	4 power units and 4 line transf. 70V/100V. 4x120W or 2x240W	1.732,72	1.732,72	St
FBT-MPU4240	4 power units and 4 line transf. 70V/100V. 4x240W or 2x480W	2.487,76	2.487,76	St
FBT-MS02-CD3/DG	Dual sections: 1. USB/SD card reader/rec; 2. CD player-MP3/USB/SD Card reader	848,21	848,21	St
FBT-MS02-CD3/T	Dual sections: 1. CD player-MP3/USB; 2. FM radio tuner	644,93	644,93	St
FBT-MSA100BK	Microphone stand metal base and swivel	49,61	49,61	St
FBT-MSA180BK	Microphone Stand with tripod polycarbonate base	36,30	36,30	St
FBT-MSA200BK	Professional Steel Microphone Stand	54,45	54,45	St
FBT-MSA210BK	Telescopic Speaker Pole - 35mm	18,15	18,15	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-MSA220BK	Telescopic Speaker Pole with thread	24,20	24,20	St
FBT-MSA300BK	Professional Aluminium air-cushioned Speaker Stand	75,02	75,02	St
FBT-MSA310BK	Professional Steel Speaker Stand	56,87	56,87	St
FBT-MSA325BK	Professional Steel Speaker Stand with Top Adapter 35mm to 25mm	64,13	64,13	St
FBT-MSABAG	Professional speaker bag	24,20	24,20	St
FBT-MS-C210	Muse 210 Rain Cover	82,28	82,28	St
FBT-MS-F210	Flying bar Muse 210	1.059,96	1.059,96	St
FBT-MS-FK210	Flight-case for 2 x Muse 210	896,61	896,61	St
FBT-MS-J210	Metal Bracket to fix MS-F 210 to Subline 218/ Mitus 218	54,45	54,45	St
FBT-MS-P210KIT	Pin Lock Set (4pcs box)	151,25	151,25	St
FBT-MSP420TW/EN	IP65 Weather-proof aluminium - 20/10/5W power - 100/70/50V I. tr. - th. fuse - R	171,82	171,82	St
FBT-MS-T210	Trolley for 4 x Muse 210	412,61	412,61	St
FBT-MT-B206	Metal Base to ground 206 array or stack on 118/121 subs	506,99	506,99	St
FBT-MT-C114	Cover for Mitus 114	61,71	61,71	St
FBT-MT-C152	Cover for Mitus 152	75,02	75,02	St
FBT-MT-C215	Cover for Mitus 215	118,58	118,58	St
FBT-MT-C218	Cover for Mitus 218	174,24	174,24	St
FBT-MT-CH118	Cover for Mitus 118, Mitus 118SA with wheels	102,85	102,85	St
FBT-MT-CH121	Cover for Mitus 121 with wheels	118,58	118,58	St
FBT-MT-CH218	Cover for Mitus 218 with wheels	174,24	174,24	St
FBT-MT-F206	Flying bar Mitus 206	407,77	407,77	St
FBT-MT-F212	Flying bar Mitus 212	669,13	669,13	St
FBT-MT-J206	Joint Bar Mitus 212 with 206	254,10	254,10	St
FBT-MT-S206	Cluster bracket with speaker pole for 2 x Mitus 206	355,74	355,74	St
FBT-MUSE118FS	Cardioid-Arrayable Flyable Passive Subw. -1x18" -1200Wrms (front version)	2.878,59	2.878,59	St
FBT-MUSE118FSA	Proc. Cardioid-Arr. Flyable Active Subw. - 1x18" -1200Wrms (front version)	3.454,55	3.454,55	St
FBT-MUSE118FSC	Cardioid-Arrayable Flyable Passive Subw. -1x18" -1200Wrms (rear version)	2.878,59	2.878,59	St
FBT-MUSE118FSCA	Proc. Cardioid-Arr. Flyable Active Subw. - 1x18" -1200Wrms (rear version)	3.454,55	3.454,55	St
FBT-MUSE210L	Passive line array - 2x10"LF + 2x1"HF- 600Wrms+300Wrms	2.204,62	2.204,62	St
FBT-MUSE210LA	Compact Bass reflex Active line array - 2x10" + 2x1"- 600Wrms+300Wrms	2.810,83	2.810,83	St
FBT-MXA1060	Integrated mixing amplifier - 60Wrms - Output for selected zones - 230V/115V	438,02	438,02	St
FBT-MXA1120	Integrated mixing amplifier - 120Wrms - Output for selected zones - 230V/115V	525,14	525,14	St
FBT-MXA3120	Integrated mixing amplifier - 120Wrms - Output for selected zones - 230V/115V	761,09	761,09	St
FBT-MXA3240	Integrated mixing amplifier - 240Wrms - Output for selected zones - 230V/115V	940,17	940,17	St
FBT-MZU2008	Zone paging unit for 8 zones	542,08	542,08	St
FBT-NAC3FCA	PowerCON cable connector (Min. Ord. 4pcs)	13,31	13,31	St
FBT-NAC3FCB	PowerCON cable connector (Min. Ord. 4pcs)	13,31	13,31	St
FBT-NAC3FX	PowerCON TRUE1 female cable connector (Min. Ord. 4pcs)	14,52	14,52	St
FBT-NAC3MX	PowerCON TRUE1 male cable connector (Min. Ord. 4pcs)	14,52	14,52	St
FBT-NC3FXX	XLR female cable connector 3p (Min. Ord. 4pcs)	8,47	8,47	St
FBT-NC3MXX	XLR male cable connector 3p (Min. Ord. 4pcs)	7,26	7,26	St
FBT-NL4FX	SpeakON cable connector 4p (Min. Ord. 4pcs)	10,89	10,89	St
FBT-NL4MMXKIT	Adapter connector for NL4FX 4pole (4pcs box)	12,10	12,10	St
FBT-PAB-025	Cable w/Conn. PWRC NAC3FCA/NAC3FCB 0,25m 3x2,5 H05VVF EU	43,56	43,56	St
FBT-PAB-025UL	Cable w/Conn. PWRC NAC3FCA/NAC3FCB 0,25m 3x2,5 AWG-14 SJT UL	47,19	47,19	St
FBT-PAB-05	Cable w/Conn. PWRC NAC3FCA/NAC3FCB 0,50m 3x2,5 H05VVF EU	43,56	43,56	St
FBT-PAB-05UL	Cable w/Conn. PWRC NAC3FCA/NAC3FCB 0,50m 3x2,5 AWG-14 SJT UL	52,03	52,03	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-PAB-1	Cable w/Conn. PWRC NAC3FCA/NAC3FCB 1,00m 3x2,5 H05VVF EU	47,19	47,19	St
FBT-PAB-1UL	Cable w/Conn. PWRC NAC3FCA/NAC3FCB 1,00m 3x2,5 AWG-14 SJT UL	59,29	59,29	St
FBT-PAB-2	Cable w/Conn. PWRC NAC3FCA/NAC3FCB 2,00m 3x2,5 H05VVF EU	49,61	49,61	St
FBT-PAB-2UL	Cable w/Conn. PWRC NAC3FCA/NAC3FCB 2,00m 3x2,5 AWG-14 SJT UL	77,44	77,44	St
FBT-PFACM1	Front panel 1 unit	15,73	15,73	St
FBT-PFACM1F	Front preforated panel 1 unit	16,94	16,94	St
FBT-PFACM2	Front panel 2 units	19,36	19,36	St
FBT-PFACM3	Front panel 3 units	25,41	25,41	St
FBT-PH10T	IP66 Weather-proof/UV protection ABS circular horn - 10W - 100V/70V line tr. - R	125,84	125,84	St
FBT-PH20T	IP66 Weather-proof/UV protection ABS circular horn - 20W - 100V/70V line tr. - R	148,83	148,83	St
FBT-PH30T	IP66 Weather-proof/UV protection ABS circular horn - 30W - 100V/70V line tr. - R	196,02	196,02	St
FBT-PM-CH15S	Cover PROMaX 15 with wheels	75,02	75,02	St
FBT-PMF-05	Cable w/Conn. PWRC NAC3MX/NAC3FX 0,50m 3x2,5 H05VVF EU	47,19	47,19	St
FBT-PMF-05UL	Cable w/Conn. PWRC NAC3MX/NAC3FX 0,50m 3x2,5 AWG-14 STJ UL	52,03	52,03	St
FBT-PMF-1	Cable w/Conn. PWRC NAC3MX/NAC3FX 1,00m 3x2,5 H05VVF EU	47,19	47,19	St
FBT-PMF-1UL	Cable w/Conn. PWRC NAC3MX/NAC3FX 1,00m 3x2,5 AWG-14 STJ UL	61,71	61,71	St
FBT-PMF-2	Cable w/Conn. PWRC NAC3MX/NAC3FX 2,00m 3x2,5 H05VVF EU	52,03	52,03	St
FBT-PMF-2UL	Cable w/Conn. PWRC NAC3MX/NAC3FX 2,00m 3x2,5 AWG-14 STJ UL	79,86	79,86	St
FBT-PPACM18	Back Panel for rack container 18 units	30,25	30,25	St
FBT-PPACM24	Back Panel for rack container 24 units	37,51	37,51	St
FBT-PPACM30	Back Panel for rack container 30 units	45,98	45,98	St
FBT-PROJECT315BT	2-way Passive speaker - 3,5" + 0,5" - 30Wrms - 100V line transf.	81,07	81,07	St
FBT-PROJECT315WHT	2-way Passive speaker - 3,5" + 0,5" - 30Wrms - 100V line transf. - White RAL901	81,07	81,07	St
FBT-PROJECT320BT	2-way Passive speaker - 3,5" + 0,5" - 40Wrms - 100V line transf.	114,95	114,95	St
FBT-PROJECT320WHT	2-way Passive speaker - 3,5" + 0,5" - 40Wrms - 100V line transf. - White RAL901	114,95	114,95	St
FBT-PROJECT530BT	2-way Passive speaker - 5,1" + 0,75" - 60Wrms - 100V line transf.	135,52	135,52	St
FBT-PROJECT530WHT	2-way Passive speaker - 5,1" + 0,75" - 60Wrms - 100V line transf. - White RAL90	135,52	135,52	St
FBT-PROJECT550BT	2-way Passive speaker - 5,1" + 1" - 100Wrms - 100V line transf.	154,88	154,88	St
FBT-PROJECT550WHT	2-way Passive speaker - 5,1" + 1" - 100Wrms - 100V line transf. - White RAL9010	154,88	154,88	St
FBT-PROJECT640BT	2-way Passive speaker - 6,5" + 1" - 80Wrms - 100V line transf.	181,50	181,50	St
FBT-PROJECT640WHT	2-way Passive speaker - 6,5" + 1" - 80Wrms - 100V line transf. - White RAL9010	181,50	181,50	St
FBT-PROJECT660BT	2-way Passive speaker - 6,5" + 1" - 120Wrms - 100V line transf.	217,87998	217,87998	St
FBT-PROJECT660WHT	2-way Passive speaker - 6,5" + 1" - 120Wrms - 100V line transf. - White RAL9010	217,80	217,80	St
FBT-PROMAXX10	2-way Passive speaker - 10" + 1" - 400Wrms	591,69	591,69	St
FBT-PROMAXX10A	2-way Bass reflex Active speaker - 10" + 1" - 600Wrms+300Wrms	1.062,38	1.062,38	St
FBT-PROMAXX110	2-way Passive speaker - 10" + 1" - 300Wrms	538,45	538,45	St
FBT-PROMAXX110A	2-way Bass reflex Active speaker - 10" + 1" - 700Wrms+200Wrms	873,62	873,62	St
FBT-PROMAXX112	2-way Passive speaker - 12" + 1" - 400Wrms	671,55	671,55	St
FBT-PROMAXX112A	2-way Bass reflex Active speaker - 12" + 1" - 700Wrms+200Wrms	1.009,14	1.009,14	St
FBT-PROMAXX114	2-way Passive speaker - 14" + 1,4" - 700Wrms	940,17	940,17	St
FBT-PROMAXX114A	2-way Bass reflex Active speaker - 14" + 1,4" - 700Wrms+200Wrms	1.208,79	1.208,79	St
FBT-PROMAXX12	2-way Passive speaker - 12" + 1" - 600Wrms	671,55	671,55	St
FBT-PROMAXX12A	2-way Bass reflex Active speaker - 12" + 1" - 600Wrms+300Wrms	1.208,79	1.208,79	St
FBT-PROMAXX14	2-way Passive speaker - 14" + 1,4" - 700Wrms	926,86	926,86	St
FBT-PROMAXX14A	2-way Bass reflex Active speaker - 14" + 1,4" - 600Wrms+300Wrms	1.410,86	1.410,86	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-PROMAXX15SA	Processed Band-pass Active Subwoofer - 15" - 1200Wrms	1.612,93	1.612,93	St
FBT-PTACM18	Back Door for rack container 18 units	42,35	42,35	St
FBT-PTACM24	Back Door for rack container 24 units	54,45	54,45	St
FBT-PTACM30	Back Door for rack container 30 units	62,92	62,92	St
FBT-PVACM18	Glass Door for rack container 18 units	70,18	70,18	St
FBT-PVACM24	Glass Door for rack container 24 units	77,44	77,44	St
FBT-PVACM30	Glass Door for rack container 30 units	88,33	88,33	St
FBT-Q118S	Passive Bass reflex Subwoofer - 18" - 1600Wrms	1.917,85	1.917,85	St
FBT-Q118SA	Active Subwoofer - 18" - 1200Wrms	2.684,99	2.684,99	St
FBT-QA108	Passive line array - 1x8" + 1x6" 350W+200Wrms	2.204,62	2.204,62	St
FBT-QA108A	Active line array - 1x8" + 1x6" - 400+100Wrms	2.526,48	2.526,48	St
FBT-QA118S	Bass reflex Passive Subwoofer - 18" - 1400Wrms	1.851,30	1.851,30	St
FBT-QA118SA	Processed Bass reflex Active Subwoofer - 1x18" - 1200Wrms	2.795,10	2.795,10	St
FBT-QB-C118SA	Cover for Q 118SA	113,74	113,74	St
FBT-QB-CH118SA	Cover for Q 118SA with wheels	113,74	113,74	St
FBT-QSA112	2-Way Passive Line Array - 12"+3X1" - 600Wrms+240Wrms-15°V	2.659,58	2.659,58	St
FBT-QSA1120	2-Way Passive Line Array - 12"+3X1" - 600Wrms+240Wrms-5°V	2.659,58	2.659,58	St
FBT-QSA1120A	2-way Active Line array -12"+3x1,7"- 1100Wrms+300Wrms-5°V	3.478,75	3.478,75	St
FBT-QSA112A	2-way Active Line array -12"+3x1,7"- 1100Wrms+300Wrms-15°V	3.478,75	3.478,75	St
FBT-QSA118S	Flyable Passive Subwoofer - 18" - 1400Wrms	2.403,06	2.403,06	St
FBT-QSA118SA	Flyable Active Subwoofer - 18" - 1200Wrms	3.580,39	3.580,39	St
FBT-RB-100	Recess box for loudspeaker IW-100T	9,68	9,68	St
FBT-RB-200	Recess box for loudspeaker IW-200TPC	14,52	14,52	St
FBT-RMK-5000	Rack mount brackets for amplifiers of MA1000, MA2000 and MA5000 series.	12,10	12,10	St
FBT-RUACM	Kit 4 wheels	122,21	122,21	St
FBT-RWS412T/EN	Self-extinguishing ABS - metal gr. - 12/6/3W -ceramic terminal block- th. fuse-	110,11	110,11	St
FBT-SAFE10PT	DNH IP56 Weather-proof self-extinguishing polycarb. wall mount. - 10W - 100V lin	125,84	125,84	St
FBT-SHADOW105T	IP 55 2-way Full Range Speaker - 5"cone + 1"dome - conical 90° horn - 120Wrms -	187,55	187,55	St
FBT-SHADOW108CT	IP 55 Coax speaker - 8" + 1" - conical 90° horn - 450Wrms - 100V line transf	807,07	807,07	St
FBT-SHADOW112CT	IP 55 Coax speaker - 12" + 1" - conical 90° horn - 600Wrms - 100V line transf	1.075,69	1.075,69	St
FBT-SHADOW112HC	IP 55 coax horn loaded speaker - 12" + 1" - 90°H x 60°V disp - 600Wrms	1.195,48	1.195,48	St
FBT-SHADOW112HCT	IP 55 coax horn loaded speaker - 12" + 1" - 90°H x 60°V disp - 600Wrms - 100V li	1.298,33	1.298,33	St
FBT-SHADOW114S	IP 55 Subwoofer - 14" - 90°H x 60°V disp. - 700Wrms	873,62	873,62	St
FBT-SHADOW114ST	IP 55 Subwoofer - 14" - 90°H x 60°V disp. - 700Wrms - 100V line transf	1.011,56	1.011,56	St
FBT-SHADOW142L	IP 55 2-way horn loaded Line Array - 14" + 2x1,4" - 100°H x 15°V disp. - 1000Wrm	2.017,07	2.017,07	St
FBT-SJ-5	Directional wall mount for J 5	43,56	43,56	St
FBT-SJ-5CW	White metal frame for ceiling/wall installation JOLLY 5 White RAL9016	18,15	18,15	St
FBT-SJ-5T	Adjustable metal "T" stand for No. 2 J 5	54,45	54,45	St
FBT-SJ-5U	U bracket horizontal wall mount J 5	24,20	24,20	St
FBT-SJ-5UWHT	U bracket horizontal wall mount J 5. White RAL9016	24,20	24,20	St
FBT-SJ-5WHT	Directional wall mount for J 5. White RAL9016	43,56	43,56	St
FBT-SJ-8	Directional wall mount for J 8	61,71	61,71	St
FBT-SJ-8T	Adjustable metal "T" stand for No. 2 J 8	56,87	56,87	St
FBT-SJ-8U	U bracket horizontal wall mount J 8	33,88	33,88	St
FBT-SJ-8UWHT	U bracket horizontal wall mount J 8. White RAL9016	33,88	33,88	St
FBT-SJ-8WHT	Directional wall mount for J 8. White RAL9016	61,71	61,71	St
FBT-SJ9B	Support with blank ball joint for STUDIO.PRO 9 - adjustable in all directions -	60,50	60,50	St
FBT-SJ9UB	Black wall metal U bracket to mount STUDIO.PRO 9 - black	31,46	31,46	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-SJ9UW	Black wall metal U bracket to mount STUDIO.PRO 9 - white	31,46	31,46	St
FBT-SJ9W	Support with blank ball joint for STUDIO.PRO 9 - adjustable in all directions -	60,50	60,50	St
FBT-SL-C12S	Cover Subline 12	70,18	70,18	St
FBT-SL-C218S	Cover Subline 218	141,57	141,57	St
FBT-SL-CH118S	Cover Subline 118 with wheels	100,61	100,61	St
FBT-SL-CH15S	Cover Subline 15 with wheels	87,12	87,12	St
FBT-SL-CH18S	Cover Subline 18 with wheels	93,17	93,17	St
FBT-SL-CH218S	Cover Subline 218 with wheels	141,57	141,57	St
FBT-SM-C12	Cover StageMAXX 12	61,71	61,71	St
FBT-SM-S12	U adapter 35mm	61,71	61,71	St
FBT-SM-U12	Wall mount StageMAXX 12 in horizontal	77,44	77,44	St
FBT-SM-U12W	Wall mount StageMAXX 12 in horizontal. White RAL7035	77,44	77,44	St
FBT-SON24V6AMS40	Battery Charger for backup batteries, 24Vdc, 6A, 2 Rack units, certified EN54-4.	2.418,79	2.418,79	St
FBT-SON24VBECS150	Battery Charger for backup batteries, 24Vdc, 12A, 2 Rack units, certified EN54-4	3.628,79	3.628,79	St
FBT-SOP412T/EN	IP44 Weather-proof self-exting. ABS - 12/6/3W - 100/70/50V I. tr. - th. fuse -RA	118,58	118,58	St
FBT-SOP426TB/EN	IP44 W-p. Bi-Directional self-exting. ABS- 2x 6/3/1,5W - 100/70/50V -th. fuse -R	136,73	136,73	St
FBT-SP115B/WP	IP44 Weather-proof bi-directional - 5,5" - 15/7,5/3,75W power tapping - 100/70/	108,90	108,90	St
FBT-SP115WP	IP44 Weather-proof sound projector - 5,5" - 15/7,5/3,75W power tapping - 100/70	93,17	93,17	St
FBT-SP4-025	Cable w/Conn. SPEAKON NL4FX/NL4FX 0,25m 4x4 FBT S440	38,72	38,72	St
FBT-SP4-05	Cable w/Conn. SPEAKON NL4FX/NL4FX 0,50m 4x4 FBT S440	38,72	38,72	St
FBT-SP4-10	Cable w/Conn. SPEAKON NL4FX/NL4FX 10,00m 4x4 FBT S440	110,11	110,11	St
FBT-SP4-2	Cable w/Conn. SPEAKON NL4FX/NL4FX 2,00m 4x4 FBT S440	49,61	49,61	St
FBT-SP4-20	Cable w/Conn. SPEAKON NL4FX/NL4FX 20,00m 4x4 FBT S440	187,55	187,55	St
FBT-SS108	Joint Bar QA 108A/QA 108 with QA 118SA/QA 118S	471,90	471,90	St
FBT-SS-212	Adjustable pole for use with QSA 118S for stacking QSA 112. M 20 threads on bott	281,93	281,93	St
FBT-STAGEMAXX12MA	2-way Bass reflex Active Stage monitor - 12"+ 1" - 400Wrms+100Wrms	1.142,24	1.142,24	St
FBT-STAGEMAXX12MAW	2-way Bass reflex Active Stage monitor - 12"+ 1" - 400Wrms+100Wrms. White RAL703	1.142,24	1.142,24	St
FBT-STH02-022	Multipair shielded cable 2x2x0,22 for MBT8000 series	4,84	4,84	St
FBT-STH05-022	Multipair shielded cable 5x2x0,22 for MBT8000 series	6,05	6,05	St
FBT-STH09-022	Multipair shielded cable 9x2x0,22 for MBT8000 series	8,47	8,47	St
FBT-STUDIOPRO9B	2-way polyprop. Passive speaker - 5" + 1" - 120Wrms	219,01	219,01	St
FBT-STUDIOPRO9BT	2-way polyprop. Passive speaker - 5" + 1" - 80/45/20/5Wrms - 100/70V line tr.	277,09	277,09	St
FBT-STUDIOPRO9W	2-way polyprop. Passive speaker - 5" + 1" - 120Wrms - Light Grey RAL 7035	219,01	219,01	St
FBT-STUDIOPRO9WT	2-way polyprop. Passive speaker - 5" + 1" - 80/45/20/5Wrms - 100/70V I. tr. - R	277,09	277,09	St
FBT-STYLEA40T	Ceiling mounted speaker - 50Wrms - 100V line transf. - White RAL9010	273,46	273,46	St
FBT-STYLEA50	Ceiling mounted speaker - 50Wrms - White RAL9010	219,01	219,01	St
FBT-STYLEP40T	Ceiling hanging speaker - 50Wrms - 100V line transf. - White RAL9010	344,85	344,85	St
FBT-STYLEP50	Ceiling hanging speaker - 50Wrms - White RAL9010	285,56	285,56	St
FBT-STYLES40T	Wall mounted speaker - 50Wrms - 100V line transf. - White RAL9010	376,31	376,31	St
FBT-STYLES50	Wall mounted speaker - 50Wrms - White RAL9010	321,86	321,86	St
FBT-SU30	Universal stand with clamp for hand-held microphones	7,26	7,26	St
FBT-SUBLINE115S	FBT SUBLINE 115S - Passive Bass reflex Subwoofer - 15" - 700Wrms	1.168,86	1.168,86	St
FBT-SUBLINE118SA	Processed Compact Bass reflex Active Subwoofer - 18" - 1200Wrms	1.995,33	1.995,33	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-SUBLINE12SA	Processed Compact Band-pass Active Subwoofer - 12" - 600Wrms	1.075,69	1.075,69	St
FBT-SUBLINE15SA	Processed Compact Band-pass Active Subwoofer - 15" - 600Wrms	1.344,31	1.344,31	St
FBT-SUBLINE18S	Bass reflex Passive Subwoofer - 18" - 1200Wrms	1.047,86	1.047,86	St
FBT-SUBLINE18SA	Processed Compact Bass reflex Active Subwoofer - 18" - 1200Wrms	1.881,55	1.881,55	St
FBT-SUBLINE218S	Processed Bass reflex Active Subwoofer - 2x18" - 1200Wrms	2.620,86	2.620,86	St
FBT-SUBLINE218SA	FBT SUBLINE 218SA - Bass reflex Active Subwoofer - 2x18" - 1200Wrms	3.563,45	3.563,45	St
FBT-SW-F142	Flying bar for rigging SHADOW 142 L	563,86	563,86	St
FBT-TF	Thermal fuse	2,42	2,42	St
FBT-TR-20	Line transf. input 4 Ohm - output 100V power tapings 2,5/5/10/20W for STYLE spk	35,09	35,09	St
FBT-TRKIT105	Line transformer kits for ARCHON 105	66,55	66,55	St
FBT-TRKIT106/8	Line transformer kits for ARCHON 106/108	79,86	79,86	St
FBT-TRKIT110	Line transformer kits for ARCHON 110	102,85	102,85	St
FBT-TRKIT112/5	Line transformer kits for ARCHON 112/115	139,15	139,15	St
FBT-TRKITAR105	Line transformer 100V for ARCHON 105	66,55	66,55	St
FBT-USB3000	Optional USB/SD card module player for MXA3120/3240	133,10	133,10	St
FBT-USB-RS485	USB-RS485 Converter. Use one per installation	75,02	75,02	St
FBT-V29	Cover HiMAxX 40	52,03	52,03	St
FBT-V30	Cover Evo2MAxX 2	49,61	49,61	St
FBT-V31	Cover Evo2MAxX 9	66,55	66,55	St
FBT-V33	Cover HiMAxX 60	77,44	77,44	St
FBT-V36	Cover for 2 x J 5	43,56	43,56	St
FBT-V37	Cover J 8	49,61	49,61	St
FBT-V38	Cover J 15/12	54,45	54,45	St
FBT-V44	Cover AMICO 10 USB	75,02	75,02	St
FBT-V56	Cover HiMAxX 100	95,59	95,59	St
FBT-V63	Cover PROMAxX 10	49,61	49,61	St
FBT-V64	Cover PROMAxX 14/12	54,45	54,45	St
FBT-V65	Cover PROMAxX 15	75,02	75,02	St
FBT-V66	Cover for Mitus 112	61,71	61,71	St
FBT-V67	Cover for Mitus 115	64,13	64,13	St
FBT-V68	Cover for Mitus 118, 118SA	102,85	102,85	St
FBT-V69	Cover for Mitus 121	118,58	118,58	St
FBT-V70	Cover for Mitus 210, 210M	52,03	52,03	St
FBT-V71	Cover Subline 15	90,75	90,75	St
FBT-V72	Cover Subline 18	95,59	95,59	St
FBT-VAC2006	Voice Evacuation System Controller 6 lines. Up to 6 x VAC 2006 connect.	2.879,80	2.879,80	St
FBT-VAIE2250	two built-in 250Wrms class D power amplifiers - optional external 250W amp (MPA	5.067,48	5.067,48	St
FBT-VAR2006	Connected to VAC 2006 drives up to 6 zones with external power amp	1.612,93	1.612,93	St
FBT-VENTIS110	2-way Passive speaker - 10" + 1" - 300Wrms	738,10	738,10	St
FBT-VENTIS110A	2-way Bass reflex Active speaker - 10" + 1" - 700Wrms+200Wrms	1.142,24	1.142,24	St
FBT-VENTIS112	2-way Passive speaker - 12" + 1" - 400Wrms	873,62	873,62	St
FBT-VENTIS112A	2-way Bass reflex Active speaker - 12" + 1" - 700Wrms+200Wrms	1.277,76	1.277,76	St
FBT-VENTIS115	2-way Passive speaker - 15" + 1" - 500Wrms	1.009,14	1.009,14	St
FBT-VENTIS115A	2-way Bass reflex Active speaker - 15"+ 1" - 700Wrms+200Wrms	1.410,86	1.410,86	St
FBT-VENTIS206	FBT VENTIS 206 - 2-way Passive speaker - 2x6,5" + 1" - 400Wrms	828,85	828,85	St
FBT-VENTIS206A	2-way Bass reflex Active speaker - 2x6,5" + 1" - 700Wrms+200Wrms	1.226,00	1.226,00	St
FBT-VERVE108	2-way Passive speaker - 8" + 1" - 250Wrms	563,86	563,86	St
FBT-VERVE108A	2-way Bass reflex Active speaker - 8" + 1" - 400Wrms+100Wrms	926,86	926,86	St
FBT-VERVE110	2-way Passive speaker - 10" + 1" - 300Wrms	671,55	671,55	St
FBT-VERVE110A	2-way Bass reflex Active speaker - 10" + 1" - 400Wrms+100Wrms	1.062,38	1.062,38	St
FBT-VERVE112	2-way Passive speaker - 12" + 1" - 400Wrms	778,03	778,03	St
FBT-VERVE112A	2-way Bass reflex Active speaker - 12" + 1" - 400Wrms+100Wrms	1.183,38	1.183,38	St
FBT-VERVE112M	2-way Passive Stage monitor - 12" + 1" - 500Wrms	778,03	778,03	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-VERVE112MA	2-way Bass reflex Active Stage monitor - 12" + 1" - 400Wrms+100Wrms	1.183,38	1.183,38	St
FBT-VERVE115	2-way Passive speaker - 15" + 1" - 500Wrms	926,86	926,86	St
FBT-VERVE115A	2-way Bass reflex Active speaker - 15"+ 1" - 400Wrms+100Wrms	1.277,76	1.277,76	St
FBT-VERVE115M	2-way Passive Stage monitor - 15" + 1" - 500Wrms	993,41	993,41	St
FBT-VERVE115MA	2-way Bass reflex Active Stage monitor - 15" + 1" - 400Wrms+100Wrms	1.344,31	1.344,31	St
FBT-VERVE212	2-way Passive speaker - 2x12" + 4" - 800Wrms	1.208,79	1.208,79	St
FBT-VERVE212A	2-way Bass reflex Active speaker - 2x12" + 1,4" - 400Wrms+100Wrms	1.546,38	1.546,38	St
FBT-VN-C110	Cover for Ventis 110	49,61	49,61	St
FBT-VN-C112	Cover for Ventis 112	59,29	59,29	St
FBT-VN-C115	Cover for Ventis 115	61,71	61,71	St
FBT-VN-C206	Cover for Ventis 206	47,19	47,19	St
FBT-VN-U110	Wall mount Ventis 110 in horizontal	116,16	116,16	St
FBT-VN-U112	Wall mount Ventis 112 in horizontal	116,16	116,16	St
FBT-VN-U115	Wall mount Ventis 115 in horizontal	118,58	118,58	St
FBT-VN-U206	FBT VN-U206 - Wall mount Ventis 206 in horizontal	85,91	85,91	St
FBT-VT-A608	M20 speaker adapter	153,67	153,67	St
FBT-VT-C1000	Cover for CS 1000	61,71	61,71	St
FBT-VT-C114	Cover for VT-SC 114	49,61	49,61	St
FBT-VT-C118SA	Cover for CLA 118 SA	70,18	70,18	St
FBT-VT-C208	Cover for CLA 208	56,87	56,87	St
FBT-VT-C406	Cover for CLA 406	61,71	61,71	St
FBT-VT-C59	Cover for VT-SC 59	38,72	38,72	St
FBT-VT-C604	Cover for CLA 604	49,61	49,61	St
FBT-VT-CH118SA	Cover for CLA 118 SA with wheels	70,18	70,18	St
FBT-VT-DS1000	Directional stand adapter for CS 1000 SAT	123,42	123,42	St
FBT-VT-DS604	Directional stand adapter for CLA 604	180,29	180,29	St
FBT-VT-DS604W	Directional stand adapter for CLA 604. White RAL9016	180,29	180,29	St
FBT-VT-F406	Flying bar CLA 406 A	102,85	102,85	St
FBT-VT-J1000	Joint Bar 2x CS 1000 SAT	107,69	107,69	St
FBT-VT-J406	Joint Bar CLA 406 A + CLA 406 A	199,65	199,65	St
FBT-VT-JDLA	Safety bracket to connect 2 x DLA speakers in vertical	52,03	52,03	St
FBT-VT-P604KIT	PIN CLA 604 (4pcs box)	125,84	125,84	St
FBT-VT-S0406	Speaker Stand h 0 cm for CLA 406 A	49,61	49,61	St
FBT-VT-S30406	Speaker Stand h 30 cm for CLA 406 A	59,29	59,29	St
FBT-VT-S604	Stand Adapter for CLA 604	36,30	26,00	St
FBT-VT-S604W	Stand Adapter for CLA 604. White RAL9016	36,30	36,30	St
FBT-VT-SC114604	Stand coloumn H114cm for CLA 604	355,74	355,74	St
FBT-VT-SC114604W	Stand coloumn H114cm for CLA 604. White RAL9016	355,74	355,74	St
FBT-VT-SC59604	Stand coloumn H59cm for CLA 604	286,77	286,77	St
FBT-VT-SC59604W	Stand coloumn H59cm for CLA 604. White RAL9016	286,77	286,77	St
FBT-VT-W1000	Directional wall mount for CS 1000 SAT	75,02	75,02	St
FBT-VT-W604	Directional wall mount for CLA 604	121,00	121,00	St
FBT-VT-W604W	Directional wall mount for CLA 604. White RAL9016	121,00	121,00	St
FBT-VV-C108	Cover for Verve 108	43,56	43,56	St
FBT-VV-C110	Cover for Verve 110	47,19	47,19	St
FBT-VV-C112	Cover for Verve 112	59,29	59,29	St
FBT-VV-C112M	Cover for Verve 112M	54,45	54,45	St
FBT-VV-C115	Cover for Verve 115	64,13	64,13	St
FBT-VV-C115M	Cover for Verve 115M	61,71	61,71	St
FBT-VV-C212	Cover for Verve 212	70,18	70,18	St
FBT-VV-CO108	Adjustable truss clamp for Verve 108	64,13	64,13	St
FBT-VV-U108	Wall mount Verve 108 in horizontal	84,70	84,70	St
FBT-VV-U110	Wall mount Verve 110 in horizontal	84,70	84,70	St
FBT-VV-U112	Wall mount Verve 112 in horizontal	84,70	84,70	St
FBT-VV-U112M	Wall mount Verve 112M in horizontal	82,28	82,28	St
FBT-VV-U115	Wall mount Verve 115 in horizontal	87,12	87,12	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-VV-U115M	Wall mount Verve 115M in horizontal	84,70	84,70	St
FBT-W-8	Optional swivel bracket	24,20	24,20	St
FBT-WCS650	ABS cieling/wall mount. - 6,5" cone - 10W/5W/2,5W power taps - 100V line tr. - W	52,03	52,03	St
FBT-WD112	Trolley with wheels to transport QSA-112 & QSA 112A (4 pcs)	399,30	399,30	St
FBT-WD118S	Trolley with wheels to transport Qube Line array speakers QSA-118S&QSA 118SA (2	369,05	369,05	St
FBT-WM505/175	Hand-held wireless microphone w/receiver. Frequency 175,00 Mhz	226,27	226,27	St
FBT-WM505/203	Hand-held wireless microphone w/receiver. Frequency 203,00 Mhz	226,27	226,27	St
FBT-WM505/20330	Frequency 203,30 Mhz	186,87	186,87	St
FBT-WM505/204	Hand-held wireless microphone w/receiver. Frequency 204,00 Mhz	226,27	226,27	St
FBT-WM505/212	Hand-held wireless microphone w/receiver. Frequency 212,00 Mhz	226,27	226,27	St
FBT-WM505/214	Hand-held wireless microphone w/receiver. Frequency 214,00 Mhz	226,27	226,27	St
FBT-WM505/216	Hand-held wireless microphone w/receiver. Frequency 216,00 Mhz	226,27	226,27	St
FBT-WM705A/L181	Wireless lavallier and headset microphone w/receiver. Frequency 181,00 Mhz	233,53	233,53	St
FBT-WM705A/L199	Wireless lavallier and headset microphone w/receiver. Frequency 199,00 Mhz	233,53	233,53	St
FBT-WM705A/L203	Wireless lavallier and headset microphone w/receiver. Frequency 203,00 Mhz	233,53	233,53	St
FBT-WM705A/L207	Wireless lavallier and headset microphone w/receiver. Frequency 207,00 Mhz	233,53	233,53	St
FBT-WMA112	Wooden support to tild down (-7,5°) QSA 112 fitted over QSA 118S	189,97	189,97	St
FBT-WMA560BK	Wall-mount heavy-duty steel Speaker bracket	38,72	38,72	St
FBT-W-MS24/4	Battery Charger for backup batteries, 24Vdc, 4A, 3 Rack units, certified EN54-4.	1.128,93	1.128,93	St
FBT-WMS406T/EN	Steel cabinet vandal proof - 6W/3W/1,5W - ceramic terminal block - th. fuse - RA	96,80	96,80	St
FBT-WP8008	Wall panel control for DMM8008	336,38	336,38	St
FBT-WSH1006	ABS wall mounting speaker - 6W/3W power taps - 100V line tr. - White	49,61	49,61	St
FBT-WSP406T/EN	Self-extinguishing ABS - metal grille - 6/3/1,5W - ceramic terminal block - Whit	77,44	77,44	St
FBT-WT-108	Wodden Trolley for trasportation QA 108A/QA 108 line array speaker	384,78	384,78	St
FBT-XL-C10	Cover for X-LITE 10A	41,14	41,14	St
FBT-XL-C12	Cover for X-LITE 12A	47,19	47,19	St
FBT-XL-C15	Cover for X-LITE 15A	52,03	52,03	St
FBT-X-LITE10A	2-way Bass reflex Active speaker - 10" + 1" - 1000Wrms - 90°Hx60°V	538,52998	405,07998	St
FBT-X-LITE12A	2-way Bass reflex Active speaker - 12" + 1" - 1000Wrms - 90°Hx60°V	605,07998	456,07998	St
FBT-X-LITE15A	2-way Bass reflex Active speaker - 15" + 1" - 1000Wrms - 90°Hx60°V	807,07	609,00	St
FBT-XL-UH10	U bracket horizontal wall mount X-LITE 10A	41,14	41,14	St
FBT-XL-UH12	U bracket horizontal wall mount X-LITE 12A	47,19	47,19	St
FBT-XL-UH15	U bracket horizontal wall mount X-LITE 15A	52,03	52,03	St
FBT-XL-UV10	U bracket vertical wall mount X-LITE 10A	36,30	36,30	St
FBT-XL-UV12	U bracket vertical wall mount X-LITE 12A	41,14	41,14	St
FBT-XL-UV15	U bracket vertical wall mount X-LITE 15A	47,19	47,19	St
FBT-XMF-05	Cable w/Conn. XLR NC3FZZ/NC3MZZ 0,50m FBT M222	29,04	29,04	St
FBT-XMF-1	Cable w/Conn. XLR NC3FZZ/NC3MZZ 1,00m FBT M222	29,04	29,04	St
FBT-XMF-10	Cable w/Conn. XLR NC3FZZ/NC3MZZ 10,00m FBT M222	38,72	38,72	St
FBT-XMF-15	Cable w/Conn. XLR NC3FZZ/NC3MZZ 15,00m FBT M222	43,56	43,56	St
FBT-XMF-2	Cable w/Conn. XLR NC3FZZ/NC3MZZ 2,00m FBT M222	31,46	31,46	St
FBT-XMF-20	Cable w/Conn. XLR NC3FZZ/NC3MZZ 20,00m FBT M222	49,61	49,61	St
FBT-XMF-3	Cable w/Conn. XLR NC3FZZ/NC3MZZ 3,00m FBT M222	31,46	31,46	St
FBT-XMF-30	Cable w/Conn. XLR NC3FZZ/NC3MZZ 30,00m FBT M222	61,71	61,71	St
FBT-XMF-6	Cable w/Conn. XLR NC3FZZ/NC3MZZ 6,00m FBT M222	36,30	36,30	St
FBT-XP-C10	Cover for X-PRO 10A	41,14	41,14	St
FBT-XP-C12	Cover for X-PRO 12A	47,19	47,19	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FBT-XP-C15	Cover for X-PRO 15A	52,03	52,03	St
FBT-XP-CHX-SUB	Cover for X-SUB with wheels	72,60	72,60	St
FBT-XP-CX-SUB	Cover for X-SUB	72,60	72,60	St
FBT-X-PRO10	2-way Passive speaker - 10" + 1" - 250Wrms - Plywood cabinet	497,31	497,31	St
FBT-X-PRO10A	Processed Active Speaker - 10" + 1" - 1000Wrms - 80°Hx50°V	711,55998	711,55998	St
FBT-X-PRO 115A	FBT X-PRO 115A - Processed Active Speaker - 15" + 1" - 1200Wrms	911,13	911,13	St
FBT-X-PRO12	2-way Passive speaker - 12" + 1" - 300Wrms - Plywood cabinet	578,38	578,38	St
FBT-X-PRO12A	Processed Active Speaker - 12" + 1" - 1000Wrms - 80°Hx50°V	807,07	807,07	St
FBT-X-PRO15	2-way Passive speaker - 15" + 1" - 400Wrms - Plywood cabinet	671,55	671,55	St
FBT-X-PRO15A	Processed Active Speaker - 15" + 1" - 1000Wrms - 80°Hx50°V	1.009,14	1.009,14	St
FBT-XP-U10	U bracket horizontal wall mount X-PRO 10A	59,29	59,29	St
FBT-XP-U12	U bracket horizontal wall mount X-PRO 12A	64,13	64,13	St
FBT-XP-U15	U bracket horizontal wall mount X-PRO 15A	70,18	70,18	St
FBT-X-SUB18A	Processed Compact Band-pass Active Subwoofer - 18" - 1200Wrms	1.410,93998	1.410,93998	St