

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
123	3" rear support rack kit.		Prijs op aanvraag St
QSI-1GANG-BB-NW	Single gang, new work plastic installation bracket	19,36	19,36 St
QSI-1GANG-BB-OW	Single gang, old work, plastic back box	42,35	42,35 St
QSI-1GANG-DECORA-BK	Single gang, Decora-style cover plate, black	33,88	33,88 St
QSI-1GANG-DECORA-WH	Single gang, Decora-style cover plate, white	33,88	33,88 St
QSI-1GANG-MBB	Single gang, metal back box	32,67	32,67 St
QSI-1RUSTEELRACKTRAY	Axon series, 1 RU rack tray	260,15	260,15 St
QSI-2GANG-BB-NW	Dual gang, new work, plastic installation bracket	18,15	18,15 St
QSI-2GANG-BB-OW	Dual gang, old work, plastic back box	36,30	36,30 St
QSI-2GANG-DECORA-BK	Dual gang, Decora-style cover plate, black	50,82	50,82 St
QSI-2GANG-DECORA-WH	Dual gang, Decora-style cover plate, white	50,82	50,82 St
QSI-2GANG-MBBKIT	Dual gang, metal back box kit (includes mudring)	48,40	48,40 St
QSI-3GANG-BB-NW	Triple gang, new work, plastic installation bracket	18,15	18,15 St
QSI-3GANG-BB-OW	Triple gang, old work, plastic back box	41,14	41,14 St
QSI-A4FLEX	4 Channel I/O Interface w/ Logic I/O, AES67, USB, 2x5W Amplifier, PoE+, 1/3rd ra	2.032,80	2.032,80 St
QSI-A8MIO	QSC AXON A8MIO - 8x8 Channel Mic/Line I/O AES67 Interface	2.178,00	2.178,00 St
QSI-AC-C2T	2.75" Full-range ceiling speaker, 70/100V transformer with 8? bypass, 170? conic	139,15	139,15 St
QSI-AC-C2T-LP	2.75" Full-range ceiling speaker, 70/100V transformer with 8? bypass, 170? conic	168,19	168,19 St
QSI-AC-C4T	4" full-range ceiling mounted speaker	152,46	152,46 St
QSI-AC-C4T-NB	4" full-range ceiling mounted speaker	85,91	85,91 St
QSI-AC-C6T	6" full-range ceiling mounted speaker	192,39	192,39 St
QSI-AC-C8T	8" full-range ceiling mounted speaker	266,20	266,20 St
QSI-AC-C8T-NB	8" full-range ceiling mounted speaker	113,74	113,74 St
QSI-AC-MR4	Flanged mud ring bracket for pre-installation of AC-C2T/AC-C4T in sheetrock or p	268,62	268,62 St
QSI-AC-MR6	Flanged mud ring bracket for pre-installation of AC-C6T in sheetrock or plaster	295,24	295,24 St
QSI-AC-MR8	Flanged mud ring bracket for pre-installation of AC-C8T in sheetrock or plaster	359,37	359,37 St
QSI-AC-S4T-BK	4" Two-way surface speaker, 70/100V transformer with 8? bypass, 130? conical cov	159,72	159,72 St
QSI-AC-S4T-WH	4" Two-way surface speaker, 70/100V transformer with 8? bypass, 130? conical cov	159,72	159,72 St
QSI-AC-S6T-BK	6.5" Two-way surface speaker, 70/100V transformer with 8? bypass, 130? conical c	212,96	212,96 St
QSI-AC-S6T-WH	6.5" Two-way surface speaker, 70/100V transformer with 8? bypass, 130? conical c	212,96	212,96 St
QSI-AD-C1200	High power coentrant 2-way with 12" woofer, 300W	1.125,30	1.125,30 St
QSI-AD-C1200BB	High performance enclosure for AD-C1200 loudspeaker	1.089,00	1.089,00 St
QSI-AD-C1200SG	Steel grille for use with AD-C1200 in white	137,94	137,94 St
qsi-AD-C245BG-BK	AD-Cii Black Grill with Zero Bezel Design to fit AD-C4T-ZBLP & AD-C6T-ZB. Priced Individually, Sold in packages of 10.	43,56	43,56 St
qsi-AD-C245C-WH	Zero Bezel collar to convert AD-C6T-HP and other 245mm speakers to zero bezel. Priced Individually, Sold in quantities of 10.	508,20	508,20 St
qsi-AD-C305BG-BK	AD-Cii Black Grill, Zero Bezel Design to fit AD-C6TLP-ZB. Priced Individually, Sold in packs of 10.	447,70	447,70 St
qsi-AD-C305C-WH	Zero Bezel Collar for AD-C6T-HC. Priced Individually, Sold in quantities of 10.	605,00	605,00 St
QSI-AD-C4T-BK	4.5" Two-way ceiling speaker, 70/100v transformer with 16? bypass, 150? conical	226,27	226,27 St
QSI-AD-C4T-LP	4.5" Two-way low-profile ceiling speaker, 70/100v transformer with 16? bypass, 1	261,36	261,36 St
qsi-AD-C4T-LPZB-WH	4.5" Two-way ceiling speakers, 70/100V transformer with 16Ohm bypass, zero bezel design, 150° conical DMT coverage, includes C-ring and rails for blind mount installation. Priced individually, must be purchased in pairs. White Only.	272,25	272,25 St
QSI-AD-C4T-WH	4.5" Two-way ceiling speaker, 70/100v transformer with 16?	226,27	226,27 St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
qsi-AD-C4T-ZB-WH	bypass, 150° conical 4.5" Two-way ceiling speakers, 70/100V transformer with 16Ohm bypass, zero bezel design, 150° conical DMT coverage, includes C-ring and rails for blind mount installation. Priced individually, must be purchased in pairs. White Only.	242,00	242,00	St
QSI-AD-C6T-BK	6.5" Two-way ceiling speaker, 70/100V transformer with 16? bypass, 135° conical	308,55	308,55	St
QSI-AD-C6T-HC	Q-SYS AD-C6T-HC 6.5", 2-Way Ceiling-Mount Loudspeaker, 75° Coverage	692,19998	692,19998	St
QSI-AD-C6T-HP	Q-SYS AD-C6T-HP 6.5", 2-Way Ceiling-Mount Loudspeaker, 120° Coverage	580,87998	580,87998	St
QSI-AD-C6T-LP	6.5" Two-way low-profile ceiling speaker, 70/100v transformer with 16? bypass, 1	320,65	320,65	St
qsi-AD-C6T-LPZB-WH	6.5" Two-way ceiling speaker, 70/100V transformer with 16Ωbypass, zero bezel design, low profile, 150° conical DMT coverage, includes C-rign and rails for blind mount installation. Priced individually, sold in pairs. White only.	338,80	338,80	St
QSI-AD-C6T-WH	6.5" Two-way ceiling speaker, 70/100V transformer with 16? bypass, 135° conical	308,55	308,55	St
qsi-AD-C6T-ZB-WH	6.5" Two-way ceiling speaker, 70/100V transformer with 16Ωbypass, zero bezel design, 150° conical DMT coverage, includes C-rign and rails for blind mount installation. Priced individually, sold in pairs. White only.	320,65	320,65	St
QSI-AD-C81TW-WH	8" In-ceiling subwoofer, 120Hz bypassable low pass filter, 70V/100V transformer	520,30	520,30	St
QSI-AD-C820RSYSTEM	Includes AD-C820 2-way 8" high power coentrant loudspeaker	1.064,80	1.064,80	St
QSI-AD-C821RSYSTEM	Blind mount, high power 8" coentrant loudspeaker system	968,00	968,00	St
QSI-AD-CSAT-BK	2.5" Satellite ceiling speaker, 16?, 150ø conical coverage, includes C-ring for	123,42	123,42	St
QSI-AD-CSAT-WH	2.5" Satellite ceiling speaker, 16?, 150ø conical coverage, includes C-ring for	123,42	123,42	St
QSI-AD-CSUB-BK	6.5" Dual voice-coil ceiling subwoofer, provides High-pass output for up to four	617,10	617,10	St
QSI-AD-CSUB-WH	6.5" Dual voice-coil ceiling subwoofer, provides High-pass output for up to four	617,10	617,10	St
QSI-AD-DWL.180	Q-SYS AD-DWL.180 5.25", 2-way, 180° coverage	822,87998	822,87998	St
QSI-AD-DWL.360	Q-SYS AD-DWL.360 5.25", 2-Way, 360° Coverage	847,07998	847,07998	St
QSI-AD-DWL.BASE	Q-SYS AD-DWL.BASE Direct Burial Base Support Accessory for 360/180/SUB Landscape Loudspeaker Bollard Design	171,89998	171,89998	St
QSI-AD-DWL.SUB	Q-SYS AD-DWL.SUB Dual 5.25" Landscape Subwoofer	871,27998	871,27998	St
QSI-AD-MC245	Full capture marine collar with bayonet sockets for 245mm cutout ceiling speaker	205,70	205,70	St
QSI-AD-MG245	Full capture marine grille with bayonet clips and backing cloth for 245mm cutout	452,54	452,54	St
QSI-AD-MR4	Flanged mud ring bracket for pre-installation of AD-C4T in sheetrock or plaster	268,62	268,62	St
QSI-AD-MR6	Flanged mud ring bracket for pre-installation of AD-C6T, AD-C4T-LP in sheetrock	295,24	295,24	St
QSI-AD-MR8	Flanged mud ring bracket for pre-installation of AD-C6T-LP in sheetrock or plast	359,37	359,37	St
QSI-AD-P4T-BK	4.5" Two-way pendant speaker, 70/100v transformer with 16? bypass, 150° conical	350,90	350,90	St
QSI-AD-P4T-WH	4.5" Two-way pendant speaker, 70/100v transformer with 16? bypass, 150° conical	350,90	350,90	St
QSI-AD-P6T-BK	6.5" Two-way pendant speaker, 70/100v transformer with 16? bypass, 135° conical	453,75	453,75	St
QSI-AD-P6T-WH	6.5" Two-way pendant speaker, 70/100v transformer with 16? bypass, 135° conical	453,75	453,75	St
QSI-AD-PHALO-BK	Integrated Sub/Sat pendant system with a 6.5" dual voice coil subwoofer and (4x)	968,00	968,00	St
QSI-AD-PHALO-WH	Integrated Sub/Sat pendant system with a 6.5" dual voice coil subwoofer and (4x)	968,00	968,00	St
QSI-AD-PSAT-BK	2.5" Satellite pendant speaker, 16?, 150ø conical coverage,	154,88	154,88	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	includes cable and f			
QSI-AD-PSAT-WH	2.5" Satellite pendant speaker, 16?, 150ø conical coverage, includes cable and f	154,88	154,88	St
QSI-AD-PSUB-BK	6.5" Dual voice-coil pendant subwoofer, provides High-pass output for up to four	653,40	653,40	St
QSI-AD-PSUB-WH	6.5" Dual voice-coil pendant subwoofer, provides High-pass output for up to four	653,40	653,40	St
QSI-AD-S10T-BK	Two-way, 10" surface mount, weather-resistant, foreground/background speaker, wi	1.052,70	1.052,70	St
QSI-AD-S10T-WH	Two-way, 10" surface mount, weather-resistant, foreground/background speaker, wi	1.052,77998	1.052,77998	St
QSI-AD-S112-SW-BK	12" Surface subwoofer, includes mounting yoke and weather input cup. Black versi	1.064,80	1.064,80	St
QSI-AD-S112-SW-WH	12" Surface subwoofer, includes mounting yoke and weather input cup. White versi	1.064,80	1.064,80	St
QSI-AD-S12-BK	Two-way, 12" surface mount, weather-resistant, foreground/background speaker. 30	1.270,50	1.270,50	St
QSI-AD-S12-WH	Two-way, 12" surface mount, weather-resistant, foreground/background speaker. 30	1.270,50	1.270,50	St
QSI-AD-S162T-BK	2.75" Full-range (x16) element column surface speaker, 70/100V transformer with	1.397,55	1.397,55	St
QSI-AD-S162T-WH	2.75" Full-range (x16) element column surface speaker, 70/100V transformer with	1.397,55	1.397,55	St
QSI-AD-S282H-BK	AD-S282H-BK Dual 8" High-power two-way surface speaker, 90° x 60° rotatable, includes yoke mount. Color - Black.	1.476,27998	1.476,27998	St
QSI-AD-S282H-WH	AD-S282H-WH Dual 8" High-power two-way surface speaker, 90° x 60° rotatable, includes yoke mount. Color - White.	1.476,27998	1.476,27998	St
QSI-AD-S28TW-BK	Dual 8" High-power two-way surface speaker, 90° x 60° rotatable, includes yoke m	1.119,25	1.119,25	St
QSI-AD-S32T-WH	Surface mount speaker, 3" weather-resistant, 2-way, shielded, 90°H x 90°V, 70/10	217,80	217,80	St
QSI-AD-S402T-BK	AD-S402T-BK 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black.	514,32998	514,32998	St
QSI-AD-S402T-WH	AD-S402T-WH 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White.	514,32998	514,32998	St
QSI-AD-S4T-BK	Two-way, 4" surface mount, weather-resistant, foreground/background speaker, wit	258,94	258,94	St
QSI-AD-S4T-WH	Two-way, 4" surface mount, weather-resistant, foreground/background speaker, wit	258,94	258,94	St
QSI-AD-S5T-BK	5.25" Two-way surface speaker, 70/100V transformer with 8 ? bypass, 115ø conical	332,75	332,75	St
QSI-AD-S5T-WH	5.25" Two-way surface speaker, 70/100V transformer with 8 ? bypass, 115ø conical	332,75	332,75	St
QSI-AD-S6-BK	6.5" Two-way surface speaker, 16? (no transformer) , 105ø conical DMT? coverage,	435,60	435,60	St
QSI-AD-S6T-BK	Two-way, 6,5" surface mount, weather-resistant, foreground/background speaker, w	496,10	496,10	St
QSI-AD-S6T-WH	Two-way, 6,5" surface mount, weather-resistant, foreground/background speaker, w	496,10	496,10	St
QSI-AD-S6-WH	6.5" Two-way surface speaker, 16? (no transformer) , 105ø conical DMT? coverage,	435,60	435,60	St
QSI-AD-S802T-BK	2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8	780,45	780,45	St
QSI-AD-S802T-WH	2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8	780,45	780,45	St
QSI-AD-S8T-BK	QSC AD-S8T-BK - Two-way, 8" surface mount, weather-resistant, BLACK	792,55	792,55	St
QSI-AD-S8T-WH	Two-way, 8" surface mount, weather-resistant, foreground/background speaker, wit	792,55	792,55	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
QSI-AD-SSAT-BK	2.5" Satellite surface speaker, 16?, 150ø conical coverage, includes mounting br	127,05	127,05	St
QSI-AD-SSAT-WH	2.5" Satellite surface speaker, 16?, 150ø conical coverage, includes mounting br	127,05	127,05	St
QSI-AD-S.SUB-BK	AD-S.SUB-BK 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black	653,47998	653,47998	St
QSI-AD-SSUB-WH	6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four	653,40	653,40	St
QSI-AD-YMS10-BK	Yoke mount for the AD-S10T loudspeaker. Available in black or white.	272,25	272,25	St
QSI-AD-YMS10-WH	Yoke mount for the AD-S10T loudspeaker. Available in black or white.	272,25	272,25	St
QSI-AD-YMS12-BK	Yoke mount for the AD-S12 loudspeaker. Available in black or white.	350,90	350,90	St
QSI-AD-YMS12-WH	Yoke mount for the AD-S12 loudspeaker. Available in black or white.	350,90	350,90	St
QSI-AD-YMS8-BK	QSC AD-YMS8-BK Yoke mount for the AD-S8T loudspeaker black	222,64	222,64	St
QSI-AD-YMS8-WH	Yoke mount for the AD-S8T loudspeaker. Available in black or white.	222,64	222,64	St
QSIAF3082-L-BK	Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; Color - black.	2.268,75	2.268,75	St
QSIAF3082-S-BK	Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; Color	1.270,50	1.270,50	St
QSI-AP-212SW	Dual 12" folded baffle subwoofer, 2 x pole cups for horizontal or vert	1.573,00	1.573,00	St
QSI-AP-4122M	12" Coaxial two-way multipurpose enclosure	1.542,75	1.542,75	St
QSI-AP-5102-BK	10" High-power two-way surface speaker, 105ø conical DMT? coverage, trapezoidal	1.875,50	1.875,50	St
QSI-AP-5102-WH	10" High-power two-way surface speaker, 105ø conical DMT? coverage, trapezoidal	1.875,50	1.875,50	St
QSI-AP-5122-BK	12" High-power two-way surface speaker, 90ø conical DMT? coverage, trapezoidal i	1.936,00	1.936,00	St
QSI-AP-5122-WH	12" High-power two-way surface speaker, 90ø conical DMT? coverage, trapezoidal i	1.936,00	1.936,00	St
QSI-AP-5152-BK	15" High-power two-way surface speaker, 75ø conical DMT? coverage, trapezoidal i	2.178,00	2.178,00	St
QSI-AP-5152-WH	15" High-power two-way surface speaker, 75ø conical DMT? coverage, trapezoidal i	2.178,00	2.178,00	St
QSI-AP-YM10-BK	Yoke mount for AP-5102. Black version.	235,95	235,95	St
QSI-AP-YM10-WH	Yoke mount for AP-5102. White version.	235,95	235,95	St
QSI-AP-YM12-BK	Yoke mount for AP-5122. Black version.	290,40	290,40	St
QSI-AP-YM12M-BK	Yoke mount for AP-5122m. Available in black only.		Prijs op aanvraag	St
QSI-AP-YM12-WH	Yoke mount for AP-5122. White version.	290,40	290,40	St
QSI-AXPIO	2 Channel Axiom Bus Analog Input and Output expander (for use with Axiom wall pl	341,22	341,22	St
QSI-BT1	Single gang US Bluetooth Wall Plate interface (includes white and black faceplat	695,75	695,75	St
QSI-C1	Axon C1 - IP Wall Controller, PoE (includes white and black faceplates)	889,35	889,35	St
QSI-CAES4	Four channels of AES-3 digital audio with channel pairs configurable as input or	895,40	895,40	St
QSI-CASTER KIT-S	CASTER KIT-S 3" caster wheels (4 pack) 76 mm x 44 mm mounting bolt pattern for AP212-sw, KLA181, E18SW subwoofers	151,32998	151,32998	St
QSI-CDN64	CDN64 Q-SYS Dante Bridge Card, 64x64	2.722,57998	2.722,57998	St
QSI-CIAES16	Integrated Media Block type input card for use in Cinema and Post-production	1.149,50	1.149,50	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
QSI-CIML4	Four channels of microphone/line-level analog audio input with 48V phantom power	574,75	574,75 St
QSI-CIML4-HP	Four channels of microphone/line-level analog audio input with high-performance	1.361,25	1.361,25 St
QSI-CODP4	Four channels (2 DataPorts) for connection to DataPort equipped QSC amplifiers.	738,10	738,10 St
QSI-COL4	Four channels of balanced, line-level analog output. (Field configured - package	514,25	514,25 St
QSI-CORE110F-V2	Q-SYS CORE 110f-v2 Network + Analog I/O Processor (V2)	5.293,82998	5.293,82998 St
QSI-CORE 510I KIT	CORE 510i Kit Integrated Core with eight I/O card slots, 256 x 256 networked audio channels, dual redundant media LAN ports, one Auxiliary LAN port, 16 configurable GPIO, 64 next-generation AEC processors, 2RU. Can also be configured via software as	9.982,57998	9.982,57998 St
QSI-CORE5200	Enterprise Core for AV&C processing built on Dell Server Technology offering 512	56.567,50	56.567,50 St
QSI-CORE610	Q-SYS CORE 610 Network I/O COTS Processor	12.886,57998	12.886,57998 St
QSI-CORE8FLEX	Qsc Q-sys Core 8 flex - Integrated Core with 64 X 64 networked audio channels (Q-LAN / AES67)	3.702,60	3.702,60 St
QSI-CORENANO	Qsc Core Nano - Integrated Core with 64 X 64 networked audio channels (Q-LAN / AES67)	2.734,60	2.734,60 St
QSI-CTEL4	CTEL4 Four RJ-11 connectors to interface Q-SYS Cores and I/O Frames to analog telephony (POTS) systems.	1.325,02998	1.325,02998 St
QSI-CX-Q 2K4	CX-Q 2K4 4-Channel 500W/CH Q-SYS network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, Mic/line Inputs, 100-240V.	3.775,27998	3.775,27998 St
QSI-CX-Q4K4	4-CH 1000W/CH, MIC/LINE INPUTS, 100-240V Q-SYS NETWORK FLEXAMP	4.767,40	4.767,40 St
QSI-CX-Q 4K8	CX-Q 4K8 8-Channel 500W/CH Q-SYS network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, with Mic/line Inputs, 100-240V	6.969,67998	6.969,67998 St
QSI-CX-Q 8K4	CX-Q 8K4 4-Channel 2000W/CH Q-SYS network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, Mic/line Inputs, 100-240V	5.759,67998	5.759,67998 St
QSI-CX-Q 8K8	CX-Q 8K8 8-Channel 1000W/CH Q-SYS network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, with Mic/line Inputs, 100-240V	8.833,07998	8.833,07998 St
QSI-D16MIO	16x16 Channel Mic/Line I/O Dante/AES67 Interface, 1RU	6.171,00	6.171,00 St
QSI-D2I	Single gang US Dante/AES67 Wall Plate with 2 Mic/Line Inputs on XLR and 1/4" TRS	1.300,75	1.300,75 St
QSI-D32MI	32 Channel Mic/Line In Dante/AES67 Interface, 1RU	7.774,25	7.774,25 St
QSI-D32O	32 Channel Line Out Dante/AES67 Interface, 1RU	5.414,75	5.414,75 St
QSI-DAB-801	Dataport amplifier back-up panel - 8 channels.	3.121,80	3.121,80 St
QSI-DBU	Dante/AES67 USB and Bluetooth audio bridging interface, PoE.	1.040,60	1.040,60 St
QSIDCA1222	2 channels, 215 watts/ch @ 8?, 375 watts/ch @ 4?, 600 watts/ch @ 2?	1.306,80	1.306,80 St
QSIDCA1622	2 channels, 350 watts/ch @ 8?, 600 watts/ch @ 4?, 800 watts/ch @ 2?	1.452,00	1.452,00 St
QSIDCA1644	4 channels, 250 watts/ch @ 8?, 400 watts/ch @ 4?	1.651,65	1.651,65 St
QSIDCA1824	4 channels, 170 watts/ch @ 8?, 250 watts/ch @ 4?, 450 watts/ch @ 2?	1.651,65	1.651,65 St
QSIDCA2422	2 channels, 475 watts/ch @ 8?, 825 watts/ch @ 4?, 1200 watts/ch @ 2?	1.651,65	1.651,65 St
QSIDCA3022	2 channels, 625 watts/ch @ 8?, 1050 watts/ch @ 4?, 1500 watts/ch @ 2?	1.851,30	1.851,30 St
QSIDCA3422	2 channels, 800 watts/ch @ 8?, 1250 watts/ch @ 4?, 1700 watts/ch @ 2?	2.057,00	2.057,00 St
QSIDCIO	1 RU I/O for digital cinema applications for use with Q-SYS Cores. Inputs AES3, line/mic, automation. Outputs Q-LAN A & B, HI/VI, and line/speaker out.	2.891,90	2.891,90 St
QSI-DCIO-H	1 RU I/O for digital cinema applications for use with Q-SYS Cores. Inputs AES3,	4.083,75	4.083,75 St
QSI-DDI-11	DDI-11 DataPort accessory card, converts an HD15 connector on DataPort amplifiers to a terminal block style connector. Same as DDI-3, except DataPort connector is right angle mounted. Provides access to the amplifier's 15Vdc output, standby control	55,73998	55,73998 St
QSI-DPC-10	DataPort cable, HD15 connector, 10 feet length.	70,18	70,18 St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
QSI-DPC-2	DataPort cable, HD15 connector, 2 feet length.	27,83	27,83	St
QSI-DPC-4	DataPort cable, HD15 connector, 4 feet length.	42,35	42,35	St
QSI-DPC-6	DataPort cable, HD15 connector, 6 feet length..	50,82	50,82	St
QSI-DTH1620	Dante/AES67 16-channel by 20 Watt ruggedized themed attraction amplifier.	4.235,00	4.235,00	St
QSI-EB2082-I-BK	Extension bar, allows WL115-sw to be suspended behind WL2082-i. Black version.	1.452,00	1.452,00	St
QSIEB3082-BK	Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; Color - black.	2.420,00	2.420,00	St
QSI-FB2082-I-BK	Fly-bar for WL2082-i and WL115-sw. Black version.	1.137,40	1.137,40	St
QSIGP218-SW-BK	Dual 18-inch subwoofer; same acoustical performance as the WL218-sw, rectangular enclosure with 16 x M10 suspension points; Color - black.	5.414,75	5.414,75	St
QSI-I/OUSBBRIDGE	Q-SYS PoE bridging endpoint for AV-to-USB Bridging	2.407,90	2.407,90	St
QSI-ISA1350	2 channels, 800 watts/ch at 8ohm, 1300 watts/ch	2.970,55	2.970,55	St
QSI-ISA280	2 channels, 185 watts/ch at 8ohm, 280 watts/ch	853,05	853,05	St
QSI-ISA300TI	2 channels, 185 watts/ch at 8ohm, 280 watts/ch	1.252,35	1.252,35	St
QSI-ISA450	2 channels, 260 watts/ch at 8ohm, 425 watts/ch	1.179,75	1.179,75	St
QSI-ISA500TI	2 channels, 260 watts/ch at 8ohm, 425 watts/ch	1.452,00	1.452,00	St
QSI-ISA750	2 channels, 450 watts/ch at 8ohm, 650 watts/ch	1.488,30	1.488,30	St
QSI-ISA800TI	2 channels, 450 watts/ch at 8ohm, 650 watts/ch	1.857,35	1.857,35	St
QSI-IT-42	Isolation transformer: 25V, 70V and 100V; dual 400W	488,84	488,84	St
qsi-LSS-200	Light and Sound Sensor, XYZ color sensor with Power over Ethernet. Replaces LSS-100P. Does not include power supply.	1.240,25	1.240,25	St
QSI-M2-MD-L	Large Media Drive Kit for Core510i ONLY - Provides a minimum of 1,000 hours of a	9.075,00	9.075,00	St
QSI-M2-MD-M	Medium Media Drive Kit for Core 510i ONLY - Provides a minimum of 500 hours of a	3.025,00	3.025,00	St
QSI-M2-MD-S	Small Media Drive Kit for Core 510i ONLY- Provides a minimum of 200 hours of aud	1.512,50	1.512,50	St
QSI-MD-110	Media Drive Kit for Core 110f ONLY	1.500,40	1.500,40	St
QSI-MP-A20V	MP-A20V 400W FlexAmp technology Hi-Z / Lo-Z amplifier, 2 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status	1.355,27998	1.355,27998	St
QSI-MP-A40V	MP-A40V 800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status	2.299,07998	2.299,07998	St
QSI-MP-A80V	MP-A80V 1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status	3.720,82998	3.720,82998	St
QSI-MP-M40	MP-M40 8 input 4 output digital business music zone mixer / processor for music and paging applications with wired and wireless control capability	1.603,32998	1.603,32998	St
QSI-MP-M80	MP-M80 16 input 8 output digital business music zone mixer / processor for music and paging applications with wired and wireless control capability	2.643,92998	2.643,92998	St
QSI-MP-MFC-EU-BK	Decora© style multi-function controller for use with MP-M zone mixers, provides	425,99998	425,99998	St
QSI-MP-MFC-EU-WH	Decora© style multi-function controller for use with MP-M zone mixers, provides	425,92	425,92	St
QSI-MP-MFC-NA-BK	MP-MFC-NA-BK Decora© style multi-function controller for use with MP-M zone mixers, provides zone Volume and Source Select as well as Preset Recall capability. Fits standard 1-gang NEMA wall boxes. Color - Black.	425,99998	425,99998	St
QSI-MP-MFC-NA-WH	MP-MFC-NA-WH Decora© style multi-function controller for use with MP-M zone mixers, provides zone Volume and Source Select as well as Preset Recall capability. Fits standard 1-gang NEMA wall boxes. Color - White.	425,99998	425,99998	St
QSI-NC-110	NC-110 110° Horizontal Field of View, ePTZ network camera, PoE, includes mounting bracket for monitor and surface mounting	1.688,02998	1.688,02998	St
QSI-NC-12X80	QSC - NC-12x80 12x Optical Zoom 80° Horizontal Field of View, PTZ Network Camera, PoE	5.354,32998	5.354,32998	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
QSI-NC-20X60	NC-20x60 20x Optical Zoom 60° Horizontal Field of View, PTZ Network Camera, PoE, with HDMI and SDI output. Includes PTZ-WMB1 wall mount bracket.	6.382,82998	6.382,82998 St
qsi-NL-C179C-WH	Zero Bezel Collar Accessory for 179mm (NL-C4), priced individually, sold in packs of 6.	59,29	59,29 St
QSI-NL-C4-WH	NL-C4-WH 4" Full-range, low-profile ceiling-mount network loudspeaker, PoE/PoE+ powered. Includes C-ring and tile rails. Color - White.	617,17998	617,17998 St
QSI-NL-P4-BK	NL-P4-BK 4" Full-range, pendant-mount network loudspeaker, PoE/PoE+ powered. Includes hanging hardware. Color - Black.	680,09998	680,09998 St
QSI-NL-P4-WH	NL-P4-WH 4" Full-range, pendant-mount network loudspeaker, PoE/PoE+ powered. Includes hanging hardware. Color - White.	680,09998	680,09998 St
QSI-NL-SB42	Q-SYS NL-SB42 Network Loudspeaker	871,27998	871,27998 St
QSI-NM-T1-BK	Q-SYS NM-T1-BK Tabletop Beamforming Microphone	1.409,72998	1.409,72998 St
QSI-NS10-125+	Qsc Q-sys NS10-125+ - 10 ports 1 Gbps Switch Ports (PoE+/PoE++)	1.494,35	1.494,35 St
QSI-NS10-720++	NS10-720++ 10-port network switch preconfigured for Q-SYS Audio, Video and Control with 8x PoE++ ports and 720 Watts PoE budget. Features advanced QoS and IGMP configuration to also support AES67 and Dante within the same VLAN.	3.448,57998	3.448,57998 St
QSI-NS26-1440++	NS26-1440++ 26-port network switch preconfigured for Q-SYS Audio, Video and Control with 24x PoE++ ports and 1440 Watts PoE budget. Features advanced QoS and IGMP configuration to also support AES67 and Dante within the same VLAN.	6.473,57998	6.473,57998 St
QSI-NS26-300+	Qsc Q-sys NS26-300+ - 26-port network switch preconfigured for Q-SYS Audio, Video and Control with 24x PoE+	3.466,65	3.466,65 St
QSI-NV-21-HU	4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional Software License to enable AV Bridging	2.662,00	2.662,00 St
qsi-NV-21-PSU	12v 10a Aux Power Supply for NV-21-HU to enable USB-C device charging	332,75	332,75 St
QSI-NV-32-HCORECAPABLE	Qsc NV-32-H - 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable	4.954,95	4.954,95 St
QSI-PB2082-I-BK	Pullback bar for WL2082-i. For use when pulling back the bottom of the array is	423,50	423,50 St
QSI-PB3082-BK	Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; Color - black.	1.052,70	1.052,70 St
QSI-PC13L1M-AU	PC13L1M-AU Accessory, Australia/New Zealand Power Cord, 1.0 mm2, 1 m, Locking IEC	32,74998	32,74998 St
QSI-PC13L1M-EU	Accessory, European Power Cord, 14AWG, 1M, LOCKING IEC	32,67	32,67 St
QSI-PC13L1M-IN	PC13L1M-IN Accessory, India Power Cord, 1.0 mm2, 1 m, Locking IEC	32,74998	32,74998 St
QSI-PC13L1M-NA	PC13L1M-NA Accessory, North American Power Cord, 14 AWG, 1 m, Locking IEC	32,74998	32,74998 St
QSI-PC13L1M-UK	PC13L1M-UK Accessory, United Kingdom Power Cord, 1.0 mm2, 1 m, Locking IEC	32,74998	32,74998 St
QSI-PL-CA12	Two-way, passive/bi-amp 12-in coaxial loudspeaker, Color - Black	2.625,70	2.625,70 St
qsi-PL-CA12-YM	Yoke Mount for PL-CA12, Color - Black	290,40	290,40 St
QSI-PL-CA15	Two-way, passive/bi-amp 15-in coaxial loudspeaker, Color - Black	3.424,30	3.424,30 St
qsi-PL-CA15-YM	Yoke Mount for PL-CA15, Color - Black	320,65	320,65 St
QSI-PL-CA5	Two-way, passive 5-in coaxial loudspeaker, Color - Black	786,50	786,50 St
qsi-PL-CA5-YM	Yoke Mount for PL-CA5, Color - Black	102,85	102,85 St
QSI-PL-CA6	Two-way, passive 6-in coaxial loudspeaker, Color - Black	992,20	992,20 St
qsi-PL-CA6-YM	Yoke Mount for PL-CA6, Color - Black	121,00	121,00 St
QSI-PL-CA8	Two-way, passive/bi-amp 8-in coaxial loudspeaker, Color - Black	1.391,50	1.391,50 St
qsi-PL-CA8-YM	Yoke Mount for PL-CA8, Color - Black	205,70	205,70 St
qsi-PL-DC12	Two-way, passive 12-in point source loudspeaker with directivity control, Color - Black	2.994,75	2.994,75 St
qsi-PL-DC12-YM	Yoke Mount for PL-DC12, Color - Black	356,95	356,95 St
qsi-PL-DC24	Two-way, passive dual-4-in point source loudspeaker, Color - Black	1.004,30	1.004,30 St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
qsi-PL-DC24-FM	Flush Mount Ceiling & walls for PL-DC24, Color - Black	156,09	156,09	St
qsi-PL-DC24-YM	Yoke Mount for PL-DC24, Color - Black	125,84	125,84	St
qsi-PL-DC26	Two-way, passive dual-6-in point source loudspeaker with directivity control, Color - Black	1.694,00	1.694,00	St
qsi-PL-DC26-FM	Flush Mount Ceiling & walls for PL-DC26, Color - Black	248,05	248,05	St
qsi-PL-DC26-YM	Yoke Mount for PL-DC26, Color - Black	211,75	211,75	St
qsi-PL-DC8	Two-way, passive 8-in point source loudspeaker with directivity control, Color - Black	1.694,00	1.694,00	St
qsi-PL-DC8-YM	Yoke Mount for PL-DC8, Color - Black	211,75	211,75	St
QSI-PLENUMKIT	The UL-approved Plenum Kit enables SPA amplifiers to be used in plenum systems.	183,92	183,92	St
qsi-PL-LA12	Two-way passive 12-in installation line array, Color - Black	3.297,25	3.297,25	St
qsi-PL-LA12-AF	Array frame for use with PL-LA12, Color - Black	1.125,30	1.125,30	St
qsi-PL-LA12-PB	Pullback Bar for use with PL-LA12, Color - Black	617,10	617,10	St
qsi-PL-LA8	Two-way passive 8-in installation line array, Color - Black	2.631,75	2.631,75	St
qsi-PL-LA8-AF	Array frame for use with PL-LA8, Color - Black	828,85	828,85	St
qsi-PL-LA8-PB	Pullback Bar for use with PL-LA8, Acts also as Array frame up to 4 boxes, Color - Black	514,25	514,25	St
qsi-PL-SUB10	10-in Passive installation subwoofer, Color - Black	1.476,20	1.476,20	St
qsi-PL-SUB12	12-in Passive installation subwoofer, Color - Black	1.802,90	1.802,90	St
qsi-PL-SUB15	15-in Passive installation subwoofer, Color - Black	2.208,25	2.208,25	St
qsi-PL-SUB18	18-in Passive installation subwoofer, May be ground-stacked or suspended with PL-LA12, integral array hardware, Color - Black	2.904,00	2.904,00	St
QSI-PS-1600G	Q-SYS 16-Button Wall Mounted Page Station; with Gooseneck (G) Microphone	4.537,50	4.537,50	St
QSI-PS-1600H	Q-SYS 16-Button Wall Mounted Page Station; with Handheld (H) Microphone	4.537,50	4.537,50	St
QSI-PS-1650G	Q-SYS 16-Button Command Code (A-P) Wall Mounted Page Station; with Gooseneck (G)	4.537,50	4.537,50	St
QSI-PS-1650H	Q-SYS 16-Button Command Code (A-P) Wall Mounted Page Station; with Handheld (H)	4.537,50	4.537,50	St
QSI-PS-ACC	Q-Sys gooseneck page station podium mounting flange accessory	202,07	202,07	St
qsi-PS-DB	Desktop base accessory for Touchscreen Page Station; allows PS-TSCG3-H (handheld mic) to be used on a desktop form factor page station	411,40	411,40	St
qsi-PS-GN	Replacement gooseneck mic for Touchscreen Page Station	387,20	387,20	St
qsi-PS-HH	Replacement handheld mic for Touchscreen Page Station	532,40	532,40	St
QSI-PS-TSCG3-G	Q-SYS Touchscreen Page Station; Desktop form factor with Gooseneck mic; Includes TSC-70-G3 touchscreen	4.138,20	4.138,20	St
QSI-PS-TSCG3-G KIT	Q-SYS Touchscreen Page Station; Desktop form factor with Gooseneck mic; DOES NOT INCLUDE REQUIRED TSC-70-G3 TOUCHSCREEN	1.754,50	1.754,50	St
QSI-PS-TSCG3-H	Q-SYS Touchscreen Page Station; Wall-mount form factor with Handheld mic; includes TSC-70-G3 touchscreen	4.138,20	4.138,20	St
QSI-PS-TSCG3-H KIT	Q-SYS Touchscreen Page Station; Wall-mount form factor with Handheld mic; DOES NOT INCLUDE REQUIRED TSC-70-G3 TOUCHSCREEN	1.754,50	1.754,50	St
QSI-PS-X	Page station extender. Connects directly to the rear of an Q-Sys	1.173,70	1.173,70	St
QSI-PTL-1	Pilot tone load for end of line monitoring.	96,80	96,80	St
QSI-PTZ-CMB1	Accessory Ceiling Mount Bracket for PTZ Camera	188,76	188,76	St
QSI-PTZ-WMB1	Accessory Wall Mount Bracket for PTZ Camera	188,76	188,76	St
qsi-QIO-AES8x8	Q-SYS peripheral providing 8 channels of AES3 digital audio input and output. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	1.367,30	1.367,30	St
QSI-QIO-FLEX4A	Q-SYS peripheral providing 4 FLEX I/O, 4x8 GPIO, 2 amplifier outputs, 1 RS232 port. Up to 4 devices daisy-chainable for networking, up to 2 devices daisy-chainable for DC power. 1U-1/2W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold	2.032,80	2.032,80	St
QSI-QIO-GP8X8	QSC QIO-GP8x8 - Q-SYS Network I/O Expander	544,50	544,50	St
QSIQIO-IR1X4	Q-SYS peripheral providing control expansion with 1 IR receiver,	629,20	629,20	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	4 IR emitters. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.			
QSI-QIO-L4O	QSI-QIO-L4O - Q-SYS peripheral providing 4 line outputs	677,60	677,60	St
QSI-QIO-LVR4	Q-SYS peripheral providing 4 low-voltage relay ports. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	592,90	592,90	St
QSI-QIO-ML2X2	QIO-ML2x2 Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	798,67998	798,67998	St
QSI-QIO-ML4I	QSC QIO-ML4I - Q-SYS peripheral providing 4 mic/line inputs	877,25	877,25	St
QSI-QIO-PSU	QIO-PSU Power Supply Accessory to support up to 4 QIO units with external power.	215,45998	215,45998	St
QSI-QIO-RMK	QIO-RMK Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format.	222,71998	222,71998	St
QSIQIO-S4	Q-SYS peripheral providing control expansion with 4 serial communication I/O. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	529,98	529,98	St
qsi-QIO-TEL2	Q-SYS peripheral providing 2 RJ11 connectors to interface with analog telephony (POTS or PSTN) systems. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	1.403,60	1.403,60	St
QSI-REAR RACK EAR KIT 3IN	REAR RACK EAR KIT 3IN 3" Rear support rack ear kit.	127,12998	127,12998	St
QSI-REAR RACK EAR KIT 7IN	REAR RACK EAR KIT 7IN 7" Rear support rack ear kit.	159,79998	159,79998	St
qsi-SC-223	Bi-amp, 3-way, 2x15", consists of LF-2215 and MH-1060 components	2.226,40	2.226,40	St
qsi-SC-412C	High power, bi-amp, 2-way, 1x15", consists of HF-75C and LF-4115 components	1.905,75	1.905,75	St
qsi-SC-422C	High power, bi-amp 2-way, 2x15", consists of HF-75C and LF-4215 components	2.420,00	2.420,00	St
QSI-SLCOL-8N-P	SLCOL-8N-P Q-SYS Collaboration Bundle scaling license for Core Nano and Core 8 Flex that doubles the networked audio capacity to 128x128, doubles the maximum number of next-generation AEC processors to 16, doubles the maximum number of Softphone inst	1.452,07998	1.452,07998	St
QSI-SLCOM-8N-P	SLCOM-8N-P Q-SYS Commercial AV Bundle scaling license for Core Nano and Core 8 Flex that doubles the networked audio capacity to 128x128, doubles the Media/WAN streaming capacity to 24x24, expands the maximum number of peripherals hosted to 48, and d	1.452,07998	1.452,07998	St
qsi-SLCS15-610-P	Q-SYS Capacity Scaling license for Core 610 that expands networked audio capacity to 384x384 channels, expands Media/WAN streaming capacity to 96x96 channels, increases the maximum number of next-generation AEC processors to 96, and adds 50% more general	6.050,00	6.050,00	St
QSI-SL-DAN-128-P	Q-SYS Software-based Dante 128x128 Channel License, Perpetual	3.944,60	3.944,60	St
QSI-SL-DAN-16-P	Q-SYS Software-based Dante 16x16 Channel License, Perpetual	635,25	635,25	St
QSI-SL-DAN-256-P	Q-SYS Software-based Dante 256x256 Channel License, Perpetual	7.381,00	7.381,00	St
QSI-SL-DAN-32-P	Q-SYS Software-based Dante 32x32 Channel License, Perpetual	1.046,65	1.046,65	St
QSI-SL-DAN-512-P	Q-SYS Software-based Dante 512x512 Channel License, Perpetual	13.642,75	13.642,75	St
QSI-SL-DAN-64-P	Q-SYS Software-based Dante 64x64 Channel License, Perpetual	2.030,38	2.030,38	St
QSI-SL-DAN-8-P	Q-SYS Software-based Dante 8x8 Channel License, Perpetual	360,58	360,58	St
QSI-SL-MST-110-P	Q-SYS Core 110 license for Microsoft Teams Room software features, enables both	780,45	780,45	St
QSI-SL-MST-510-P	Q-SYS Core 510 license for Microsoft Teams Room software features, enables both	1.821,05	1.821,05	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
QSI-SLMST-610-P	Q-SYS SLMST-610-P Q-SYS Core 610 License for Microsoft Teams Room Software Features	1.821,12998	1.821,12998	St
QSI-SL-MST-8N-P	CORE 8 FLEX, NANO, NV-32-H (CORE CAPE) MS TEAMS ROOM SOFTW., Q-SYS SCRIP AND UCI	390,83	390,83	St
QSI-SL-MTP-128	Multi-track playback option - up to 128 individual playback channels, must be or	14.423,20	14.423,20	St
QSI-SL-MTP-32	Multi-track playback option - up to 32 individual playback channels, must be ord	3.605,80	3.605,80	St
QSI-SL-MTP-64	Multi-track playback option - up to 64 individual playback channels, must be ord	7.211,60	7.211,60	St
QSI-SLQBR-P	Q-SYS SLQBR-P Q-SYS AV Bridging Feature License	798,67998	798,67998	St
qsi-SLQCMS-NV32-P	Q-SYS Core Mode Video Streaming feature license. Enables network video encoding or decoding on Q-SYS NV-32-H (Core Capable) when in Core Mode. Perpetual.	1.119,25	1.119,25	St
QSI-SL-QSE-110-P	Qsc SL-QSE-110-P - Q-SYS Core 110f Scripting Engine Software License, Perpetual	520,30	520,30	St
QSI-SL-QSE-510-P	Q-SYS Core 510 Scripting Engine Software License, Perpetual	1.171,28	1.171,28	St
QSI-SLQSE-610-P	Q-SYS SLQSE-610-P Core 610 Scripting Engine Software License, Perpetual	1.171,35998	1.171,35998	St
QSI-SL-QSE-8N-P	CORE NANO, 8 FLEX UCI SCRIPTING ENGINE SOFTWARE LICENSE PERPETUAL	260,15	260,15	St
QSI-SL-QUD-110-P	Q-SYS Core 110 UCI Deployment Software License, Perpetual	260,15	260,15	St
QSI-SL-QUD-510-P	Q-SYS Core 510 UCI Deployment Software License, Perpetual	649,77	649,77	St
QSI-SLQUD-610-P	Q-SYS SLQUD-610-P Q-SYS Core 610 UCI Deployment Software License, Perpetual	649,84998	649,84998	St
QSI-SL-QUD-8N-P	Q-SYS SL-QUD-8N-P - CORE NANO, 8 FLEX UCI DEPLOYMENT	130,68	130,68	St
qsi-SLSV-CAM-1YR	1 YR Term, Seervision SW license for single camera tracking / analysis channel.	3.309,35	3.309,35	St
qsi-SLSV-CAM-5YR	5 YR Term, Seervision SW license for single camera tracking / analysis channel.	13.237,40	13.237,40	St
qsi-SLSV-CAM-7YR	7 YR Term, Seervision SW license for single camera tracking / analysis channel.	18.537,20	18.537,20	St
QSI-SPA2-200	Qsc Spa2-200 - 1/2 19" 2 channel Class 'D' rack amplifier, 2 x 200W into 4/8 Ohm	925,65	925,65	St
QSI-SPA2-60	Qsc SPA2-60 - 1/2 19" 2 channel Class 'D' rack amplifier, 2 x 60W into 4/8 Ohm, or 200W bridge	810,70	810,70	St
QSI-SPA4-100	1/2 19" 4 channel Class 'D' rack amplifier, 4 x 100W into 4/8 Ohm, or 200W bridg	1.312,85	1.312,85	St
QSI-SPA4-60	1/2 19" 4 channel Class 'D' rack amplifier, 4 x 60W into 4/8 Ohm, or 200W bridge	1.161,60	1.161,60	St
QSI-SPA-QF-60X2	QSI-SPA-QF-60x2 2-ch, 60W/ch Q-SYS network audio Amplifier, Lo-Z, FlexIO, with Mic/line Input, 100-240v	1.694,00	1.694,00	St
QSI-SPA-QF-60X4	QSI-SPA-QF-60x4 4-ch, 60W/ch Q-SYS network audio Amplifier, Lo-Z, FlexIO, with Mic/line Input, 100-240v	1.996,50	1.996,50	St
qsi-SR-8101	Cinema surround loudspeaker, 8" 2-way, 130°H x 110°V, 91 dB sensitivity. Priced individually, sold only in pairs.	215,38	215,38	St
qsi-SS-EMA-P-P	Professional Tier - one Peripheral per month	1,09	1,09	St
qsi-SS-EMA-P-S	Standard Tier - one Peripheral per month	0,82	0,82	St
qsi-SS-EMA-S-P	Professional Tier - one System per month	24,20	24,20	St
qsi-SS-EMA-S-S	Standard Tier - one System per month	8,17	8,17	St
qsi-SV-ADV-COM	Advanced Seervision commissioning service. includes: * System Review with Dealer Project Management and Dealer Q-SYS Programmer * Up to 8 hours of factory-direct remote commissioning of a Seervision software configuration and control validation as	4.356,00	4.356,00	St
qsi-SVS1-2U	Seervision Base Processing, Computer Vision/AI Accelerator hardware, includes SDI capture card, 2RU form factor Supports 1 camera tracking / analysis channel. (Requires purchase of a SW license and a commissioning service).	6.655,00	6.655,00	St
qsi-SVS1-EXW-1YR	1 YR Extended warranty for SVS1-2U hardware.	665,50	665,50	St
qsi-SVS4-2U	Seervision Enhanced Processing, Computer Vision/AI Accelerator hardware, includes 4 input SDI capture card, 2RU form factor	10.043,00	10.043,00	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
	Supports 2 camera tracking / analysis channels. (Requires purchase of one or two SW licenses, based on number of tracking camer		
qsi-SVS4-EXW-1YR	1 YR Extended warranty for SVS4-2U hardware.	1.004,30	1.004,30 St
qsi-SV-STD-COM	Standard Seervision commissioning service includes: * System Review with Dealer Project Management and Dealer Q-SYS Programmer * Up to 5 hours of factory-direct remote commissioning of a Seervision software configuration and control validation as ne	2.601,50	2.601,50 St
QSI-TSC-101-G3	TSC-101-G3 Q-SYS 10.1" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	3.932,57998	3.932,57998 St
QSI-TSC-50-G3	TSC-50-G3 Q-SYS 5" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	1.851,37998	1.851,37998 St
QSI-TSC-50T-G3	TSC-50t-G3 Table top mounting accessory for TSC-50-G3.	334,03998	334,03998 St
QSI-TSC-70-G3	TSC-70-G3 Q-SYS 7" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	2.359,57998	2.359,57998 St
QSI-TSC-710T-G3	TSC-710t-G3 Table top mounting accessory for TSC-70-G3 and TSC-101-G3.	550,62998	550,62998 St
QSI-UND6IO	4x2 Channel Dual Gang US, Dante/AES67 Wall Plate 2 Mic/Line In (XLR), RCA, 3.5mm	1.270,50	1.270,50 St
QSI-UND6IO-BT	4x2 Channel 2 Gang US, Dante/AES67 Wall Plate w/Bluetooth, RCA, 3.5mm I/O, PoE (1.548,80	1.548,80 St
QSI-UNDNEMO	64 Channel Desktop Dante Audio Monitor w/USB	1.560,90	1.560,90 St
QSI-UNDX2IO+	4x2 Channel 2 Gang US Dante/AES67 Wall Plate 2 Mic/Line In x 2 Out (XLR), Phoeni	1.161,60	1.161,60 St
QSI-UNDX4I	4x2 Channel Dual Gang, Dante/AES67 US Wall Plate 4 Mic/Line In (XLR), Phoenix I/	1.270,50	1.270,50 St
QSI-UNHX2D	Dante/AES67-enabled, HDMI Audio De-Embedder/Embedder	1.754,50	1.754,50 St
QSI-WL118-SW-BK	Single 18" bass-reflex subwoofer - for use with the WL-2082i array. Can be groun	3.872,00	3.872,00 St
QSI-WL2082-I-BK	Installation line array - dual Nd 8" cone LF, dual titanium diaphr. Nd compr. HF	2.783,00	2.783,00 St
QSIWL2102-W-BK	Wide angle, line array loudspeaker, dual 10-inch drivers, 140° x 10°, plywood enclosure, Color - black.	5.324,00	5.324,00 St
QSIWL3082-BK	Ultra compact high performance line array module; dual neodymium 8-inch (203 mm) cone LF; 3-inch (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage, integral array-building hardware; Color - black.	5.801,95	5.801,95 St
QSI-ZIP4	4-Zone Dante/AES67 Paging Interface, PoE, dual gang	1.585,10	1.585,10 St
QSI-ZIP4-2GANG-T	Zip series dual gang desktop enclosure w/RJ45 port (includes CAT-5e cable jumpe	389,62	389,62 St
QSI-ZIP4-2GANG-W	Zip series dual gang surface mount enclosure, gray	56,27	56,27 St
QSI-ZIP4-3G	4-Zone Dante/AES67 Paging Interface, PoE, triple gang	1.863,40	1.863,40 St
QSI-ZIP4-MAGMICBASE	Zip series magnetic mic receiver base	64,13	64,13 St
QSI-ZIP4-PTTMIC-MAG	Zip series PTT Paging microphone, RJ-45 terminated w/magnetic base	544,50	544,50 St
QSI-ZIP4-PTTMIC-STD	Zip series PTT Paging microphone, RJ-45 terminated	459,80	459,80 St