

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
ALT-111327	Cushion AM100-100/2/Wam100-wam100/2	15,25	15,25	St
ALT-3MFM-200	Passive splitter cable. XLR-3M at one end and XLR-3M & XLR-3F at the other end.	59,71	59,71	St
ALT-4W2-200	Universal 4W/2W Interface	537,42	537,42	St
ALT-54615	3 PIN Binding Plug for I/O EF-204, AS, MTX, MAP	5,08	5,08	St
ALT-5P3202	5 PIN to 3 PIN Splitter/Combiner	168,98	168,98	St
ALT-A-7	Mos-Fet Power Amplifier 350w + 350w	964,31	964,31	St
ALT-AM-100	Double Muff Headset	244,90998	244,90998	St
ALT-AM-1002	Single Muff Headset	197,13998	197,13998	St
ALT-AM-1002L	Lightweight Single Muff Headset Electret Microphone	237,48998	237,48998	St
ALT-AM-1002S	Altair AM-100/2S - Rotatable mic.-boom with cut-off Single Muff Headset	304,61998	304,61998	St
ALT-AM-100/2SEC	Single-sided in-ear Headset with microphone. 4P XLR	164,21	164,21	St
ALT-AM-100S	Rotatable mic.-boom with cut-off Double Muff Headset	385,16	385,16	St
ALT-AMS-200	Converter lead to adapt Compact Series backpacks mini-XLR headset connector to a	71,66	71,66	St
ALT-AS-161	Audio Selector: 16 Stereo Inputs x 2 Stereo Outputs. PHOENIX connectors included	2.086,98	2.086,98	St
ALT-AS-2W	antenne splitter	134,36	134,36	St
ALT-AS-801	Audio Selector: 8 Stereo Inputs x 2 Stereo Outputs. PHOENIX connectors included	1.630,18	1.630,18	St
ALT-AS-MB200	Antenna Support for 1 or 2 Portable Antennas directionals to mount over a wall	101,52	101,52	St
ALT-AS-MB200-2	Antenna Support for 2 Antennas. Wall or micr. stand mounting	89,58	89,58	St
ALT-BC-0822	Omnidirectional antenna (360°H x 25°V) suited for permanent outdoor use. Mast /	546,38	546,38	St
ALT-CC-224	2 ways Mono Crossover Card for A serie	106,72	106,72	St
ALT-CN-220	Stereo/ Dual Compressor/ limiter /Noise Gate	806,14	806,14	St
ALT-DA-240	Audio Patch: 2 selectable Stereo Inputs / 20 Stereo Outputs with 0,-10 or -20dB	1.030,06	1.030,06	St
ALT-DA-410	Audio Distributor: 2 Stereo Inputs / 5 Stereo Outputs, 1x10 Mono	1.409,24	1.409,24	St
ALT-DA-P6060	Directional Antenna 85°H x 65°V (-3dB) for wall or mic boom stand mounting	358,28	358,28	St
ALT-DEQ-282	Programmable Graphic Equaliser (Master Unit)	1.588,38	1.588,38	St
ALT-DEQ-282S	Programmable Graphic Equaliser (Slave Unit)	1.155,45	1.155,45	St
ALT-EB-200	BlueTooth Base Station	495,63	495,63	St
ALT-EC10-MM	10m. Extension coax cable with SMA male connectors	95,54	95,54	St
ALT-EC-200	Intercom Cue light master panel	429,94	429,94	St
ALT-EC20-MM	20m. Extension coax cable with SMA male connectors	137,35	137,35	St
ALT-EC30-MM	30m. Coaxial Cable Extension with Male SMA Connectors	206,01	206,01	St
ALT-EC3-MM	3m. Extension coax cable with SMA male connectors	65,69	65,69	St
ALT-EC40-MM	40m. Extension coax cable with SMA male connectors	256,77	256,77	St
ALT-EC-50-MM	50m. Coaxial Cable Extension with Male SMA Connectors	310,51	310,51	St
ALT-EC5-MM	5m. Extension coax cable with SMA male connectors	77,63	77,63	St
ALT-EF-200	Dual Channel Intercom Master Station	982,36998	982,36998	St
ALT-EF-204	Quad Channels Master Station with Loudspeaker and Microphone	1.701,84	1.701,84	St
ALT-EM-201	Single Channel Backpack	247,88998	247,88998	St
ALT-EM-201FL	Single Channel Backpack with Flash Light	403,06	403,06	St
ALT-EM-2023P	Dual Channel Wired Intercom Backpack, 3 PINS XLR	349,40998	349,40998	St
ALT-EM-2025P	Dual Channel Wired Intercom Backpack, 5 PINS XLR	361,34998	361,34998	St
ALT-EM-203	Compact Size single channel wired intercom unit. Built-in speaker and microphone	543,40	543,40	St
ALT-EQ-230	30 + 30 bands Graphic Equalizer with feedback detection system	1.280,86	1.280,86	St
ALT-ER-200	Altair Standalone Cue-Light Receiver	373,21	373,21	St
ALT-ES-200	Desk Remote Dual Channel Station	710,67998	710,67998	St
ALT-ES-201	Single channel desktop / in-wall remote station with built in speaker and panel	576,24	576,24	St
ALT-ES-203CL	Intercom Wall / Desk Station with cue light	835,99	835,99	St
ALT-FA-524	2 stereo way + mono subway Active Crossover	919,59	919,59	St
ALT-FC-240	Flight Case 2U x 7U for DA-410 + DA-240	815,09	815,09	St
ALT-FL-200	Backpack Flash Light	316,56998	316,56998	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
ALT-IPB-306	Alt IPB-306 Beltpack	1.753,29	1.753,29	St
ALT-IPF-316	Altair IPF-316 Panel	3.174,98	3.174,98	St
ALT-IPX-301	Alt IPX-301 Interface	1.904,48	1.904,48	St
ALT-IR-02	Infrared Remote Control for ?REM2?	44,78	44,78	St
ALT-MA-804	Four Channels 80w, VCA Control	1.158,44	1.158,44	St
ALT-MAP-1216	Matrix Audio Processor, 12 Inputs / 16 Outputs. PHOENIX connectors included.	3.403,67	3.403,67	St
ALT-MAP-128	Matrix Audio Processor, 12 Inputs / 8 Outputs. PHOENIX connectors included.	2.621,43	2.621,43	St
ALT-MC-240	Multicore bus cable: regular link between DA-410 and DA-240	400,09	400,09	St
ALT-MC-240E	Special bus cable: link between DA-410 and DA-240 (when installed vertically)	409,04	409,04	St
ALT-MF-12	Mos-Fet Power Amplifier 600w + 600w	1.761,55	1.761,55	St
ALT-MF-16	Mos-Fet Power Amplifier 820w + 820w	2.516,92	2.516,92	St
ALT-MF-200	Gooseneck Microphone 4P for EF-200 / EF-204	168,98	168,98	St
ALT-MF-24	Mos-Fet Power Amplifier 1200w + 1200w	2.705,03	2.705,03	St
ALT-MF-8	Mos-Fet Power Amplifier 400w + 400w	1.648,09	1.648,09	St
ALT-MTR-150	Transformers Unit for 70/100v lines ? 150w	749,60	749,60	St
ALT-MTR-80	Transformers Unit for 70/100v lines ? 80w	749,60	749,60	St
ALT-MTX-416	Intercom/Audio Matrix Unit, 4 Inputs Channels, 16 Lines.	1.107,68	1.107,68	St
ALT-NG-440	Quad Noise Gate	838,98	838,98	St
ALT-OR-1-200	2 Adaptor to PS-200 for 1U Rack	41,81	41,81	St
ALT-OR-2-203	Optional Mounting kit to install 1 or 2 x ES-203CL / ES-201 in a 2 RU space.	92,55	92,55	St
ALT-PC-4-200	1U Pannel to seize 4 Interfaces/Beltpacks	32,84	32,84	St
ALT-PHA-410	Phantom Power Card	110,47	110,47	St
ALT-PS-200	Intercom Power Supply for Basis Systems	352,32	352,32	St
ALT-R0054135	OR235 - Replacement DECT antenna for WBS200-202 series	56,81	56,81	St
ALT-REM2/B	Wall control panel for MAP Processors. Dark Grey/Black. PHOENIX connectors inclu	322,45	322,45	St
ALT-REM2R/B	Wall control panel for MAP Processors with rotary pot. Black. PHOENIX connectors	331,41	331,41	St
ALT-REM2R/W	Wall control panel for MAP Processors with rotary pot. White. PHOENIX connectors	331,41	331,41	St
ALT-REM2/W	Wall control panel for MAP processors. White. PHOENIX connector included	322,45	322,45	St
ALT-RP-16	1 RU metallic plate with 16 empty sockets for standard plate connectors (XLR or	35,83	35,83	St
ALT-RP-240	PRESS-BOX, including 1x DA-410 audio mixer/splitter/distributor, 1x DA-240 patch	3.773,89	3.773,89	St
ALT-RVC-1	Remote Volume Control, black or white	95,54	95,54	St
ALT-SC-200	Soft cases for Compact Series beltpacks	107,48	107,48	St
ALT-SC-210	Soft cases for EXTREME Series Beltpacks	119,43	119,43	St
ALT-SY-200	Synchronism Cable	23,89	23,89	St
ALT-TC-X	Frequency / Bypass Card for FA-524	26,87	26,87	St
ALT-TDA-I	Input transformer for DA-410/DA-240	128,38	128,38	St
ALT-TDA-O	Output transformer for DA-410/DA-240	152,27	152,27	St
ALT-TD-S	Delay card for FA-524	56,72	56,72	St
ALT-TE-F	EQ Card for FA-524	47,77	47,77	St
ALT-TP-1	Plastic Security Cover 1U for FA-524 / CN-220	26,87	26,87	St
ALT-TP-3	Plastic Security Cover 3U for EQ-230	35,83	35,83	St
ALT-TPS-1	Metal Security Cover 1U for CN-220 / FA-524	71,66	71,66	St
ALT-WAM-100	Double Muff Headset	271,76998	271,76998	St
ALT-WAM-1002	Single Muff Headset	223,99998	223,99998	St
ALT-WAM-1002L	Lightweight Single Muff Headset Electret Microphone	188,09	188,09	St
ALT-WAM-1002S	Rotatable mic.-boom with cut-off Single Muff Headset	322,52998	322,52998	St
ALT-WAM-100/2SEC	Single-sided in-ear Headset with microphone. (Mini -4P XLR connector)	158,31998	158,31998	St
ALT-WAM-100S	Rotatable mic.-boom with cut-off Double Muff Headset	403,13998	403,13998	St
ALT-WBFC-200	Empty Flight-Case to carry 4 Beltpack Compact + 1 Charger WBPC-200	477,71	477,71	St
ALT-WBFC-200F	Empty Flight-Case for a Complete Monochannel Wireless System	991,24	991,24	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
ALT-WBFC-202	Empty Flight-Case to carry 8 Beltpack Compact + 2 Chargers WBPC-200	627,00	627,00	St
ALT-WBFC-202F	Empty Flight-Case for a Complete Dual Channels Wireless System	1.083,80	1.083,80	St
ALT-WBFC-210	Empty Flight-Case to carry 4 Beltpack Extreme + 1 Charger WBPC-210	477,71	477,71	St
ALT-WBFC-210F	Altair WBFC-210F - Empty Flight-Case for a full Single-Channel Wireless System	991,24	991,24	St
ALT-WBFC-212	Empty Flight-Case to carry 8 Beltpack Extreme + 2 Chargers WBPC-210	627,00	627,00	St
ALT-WBFC-212F	Empty Flight-Case for a full Dual-Channel Wireless System (?Extreme Series?)	1.083,80	1.083,80	St
ALT-WBP-200HD	One Channels Wireless Beltpack Compact, mini XLR-4, HD audio	905,08998	905,08998	St
ALT-WBP-202HD	Dual Channel "HighDefinitionAudio" Wireless Beltpack ?CompactSeries?.	1.122,61	1.122,61	St
ALT-WBP-210HD	Single channel "HighDefinitionAudio" Wireless Beltpack "ExtremeSeries". Both	1.340,64998	1.340,64998	St
ALT-WBP-210HDFL	1 Channel "HighDef. Audio" "ExtremeSeries" wireless beltpack + built-in beacon	1.549,56	1.549,56	St
ALT-WBP-212HD	Dual Channel "HighDefinitionAudio" "ExtremeSeries" wireless beltpack Both 4P	1.552,62998	1.552,62998	St
ALT-WBP-212HDFL	2 Channels "HighDef. Audio" "ExtremeSeries" wireless beltpack + built-in beaco	1.770,51	1.770,51	St
ALT-WBPC-200	Charger for Wireless Beltpack Compact WBP-200/ WBP-202	356,83998	356,83998	St
ALT-WBPC-210	Altair WBPC-210 - Charger for Wireless Beltpack Extreme WBP-210/ WBP-212	337,45998	337,45998	St
ALT-WBS-200HD	Altair WBS-200HD - 1 Channel "High Def. Audio" Wireless Base Station + 2 antennas.	2.651,06998	2.651,06998	St
ALT-WBS-202HD	Dual Channels Wireless Intercom Base Station + 2 antennas	2.660,26998	2.660,26998	St