

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BEY-10BR60V2	Frequency Speaker: Low/Mid bass	135,11	135,11	St
BEY-10CX300FE	Full range Coaxial Speaker	448,97	448,97	St
BEY-10G40	Beyma 10g40 - bass speaker - 300 W - 97 dB	217,73	217,73	St
BEY-10MC500	Frequency Speaker: Low/Mid bass	224,75	224,75	St
bey-10MC700Nd	Low/Mid bass - 700 W AES - 60 - 4000 Hz - 97 dB -	415,42	415,42	St
bey-10MCB700	Low/Mid bass - 700 W AES - 80 - 4000 Hz - 96 dB -	267,36	267,36	St
BEY-10MCF400ND	Frequency Speaker: Mids	794,45	794,45	St
BEY-10MCS500	Frequency Speaker: Low/Mid bass	196,03	196,03	St
BEY-10MI100	Low-mid speaker - 350 W RMS - 101 dB	264,36	264,36	St
BEY-10WR300	Frequency Speaker: Low/Mid bass	155,35	155,35	St
BEY-10WRS300	Frequency Speaker: Low/Mid bass	129,19	129,19	St
BEY-10XC25	Full range coaxial speaker - 250 W RMS - 10 + 1	270,19	270,19	St
BEY-12BR70	30 Hz woofer - 100 W - 94dB	155,47	155,47	St
BEY-12CXA400FE	Professional, 400/90 w aes, 35- 20000 hz, nd, 96/105 db.	528,04	528,04	St
BEY-12CXA400ND	Full range Coaxial Speaker	784,71	784,71	St
BEY-12G40	Bass speaker - 400 W RMS - 97 dB	259,05	259,05	St
BEY-12GA50	Full range speaker - 250 W RMS - 102dB	149,36	149,36	St
BEY-12KX	Full range coaxial speaker - 250 W RMS - 12 + 2	433,37	433,37	St
bey-12LEX1000Fe	Sub - 1000 W AES - 50 - 1500 Hz - 95 dB -	391,65	391,65	St
bey-12LEX1300Nd	Sub - 1300 W AES - 45 - 1500 Hz - 96 dB -	704,27	704,27	St
BEY-12LX60R	recone set	105,54	105,54	St
BEY-12LX60V2	Extended bass speaker - 700 W RMS - 96 dB	307,57	307,57	St
BEY-12MC500	Frequency Speaker: Low/Mid bass	237,44	237,44	St
bey-12MC700Nd	Low/Mid bass - 700 W AES - 60 - 4000 Hz - 99 dB -	425,01	425,01	St
bey-12MCB700	Low/Mid bass - 700 W AES - 55 - 4000 Hz - 98 dB -	282,63	282,63	St
BEY-12MCS500	Frequency Speaker: Low/Mid bass	211,46	211,46	St
BEY-12MI100	Low-mid speaker - 350 W RMS - 100 dB	264,58	264,58	St
BEY-12P1000ND	Low Freq. P1000nd 8 ohm/900W AES/30-2500 Hz/96 dB	596,82	596,82	St
BEY-12P80FE/V2	Frequency Speaker: Low/Mid bass	396,90	396,90	St
BEY-12P80ND/V2	Frequency Speaker: Low/Mid bass	589,19	589,19	St
BEY-12WR400	Frequency Speaker: Low/Mid bass	223,58	223,58	St
BEY-12WRS400	Frequency Speaker: Low/Mid bass	192,68	192,68	St
BEY-12XA30ND	Full range coaxial speaker - 350 W RMS - 12 + 2	712,82	712,82	St
bey-14MC700Nd	Low/Mid bass - 700 W AES - 55 - 4000 Hz - 99 dB -	449,21	449,21	St
BEY-15CXA400FE	Full range Coaxial Speaker	560,38	560,38	St
BEY-15CXA400ND	Full range Coaxial Speaker	808,23	808,23	St
BEY-15G40	Bass speaker - 700 W RMS - 97 dB	296,70	296,70	St
BEY-15KX	Full range coaxial speaker - 250 W RMS - 15 + 2	453,75	453,75	St
BEY-15KXR	recone set	112,46	112,46	St
bey-15LEX1000Fe	Sub - 1000 W AES - 40 - 1000 Hz - 97 dB -	384,27	384,27	St
bey-15LEX1000Nd	Sub - 1000 W AES - 40 - 1500 Hz - 97 dB -	491,87	491,87	St
bey-15LEX1600Fe	Sub - 1600 W AES - 40 - 2000 Hz - 96 dB -	491,34	491,34	St
bey-15LEX1600Nd	Sub - 1600 W AES - 40 - 1500 Hz - 96 dB -	757,30	757,30	St
BEY-15LX60V2	Extended bass speaker - 700 W RMS - 98 dB	372,39	372,39	St
BEY-15M300	(ended) Low-mid speaker - 300 W RMS - 100dB	253,00	253,00	St
BEY-15MC500	Frequency Speaker: Low/Mid bass	269,38	269,38	St
BEY-15MC700	15" for Low/Mid Bass 700 W AES	342,08	342,08	St
bey-15MC700Nd	Low/Mid Bass - 700 W AES - 50 - 4000 Hz - 100 dB -	472,84	472,84	St
bey-15MCB700	Low/Mid Bass - 700 W AES - 45 - 4000 Hz - 100 dB -	325,68	325,68	St
BEY-15MCS500	Frequency Speaker: Low/Mid bass	233,23	233,23	St
BEY-15P1000FE/V2	Frequency Speaker: Sub/Low	455,75	455,75	St
BEY-15P80FE/N	Frequency Speaker: Low/Mid bass	469,56	469,56	St
BEY-15P80ND	Low Freq. P80nd 8 ohm/800W AES/30-5000 Hz/100 dB	634,43	634,43	St
bey-15QLEX1600Fe	Sub - 1600 W AES - 40 - 1500 Hz - 96 dB -	546,75	546,75	St
BEY-15WR400	15WR400 - Low/Mid bass - 400 W AES - 40 - 4000 Hz - Ferrite- 99 dB	275,90	275,90	St
BEY-15WRS400	Frequency Speaker: Low/Mid bass	236,01	236,01	St
BEY-15XA38ND	Full range coaxial speaker - 350 W RMS - 15 + 2	726,62	726,62	St
BEY-18G40	Extended bass speaker - 700 W RMS - 97 dB	342,49	342,49	St
BEY-18LEX1000FE	Sub - 1000 W AES - 35 - 1000 Hz - 98 dB -	435,60	435,60	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
bey-18LEX1000Nd	Sub - 1000 W AES - 35 - 1000 Hz - 98 dB -	487,55	487,55	St
bey-18LEX1600Fe	Sub - 1600 W AES - 35 - 1000 Hz - 97 dB -	536,01	536,01	St
BEY-18LEX1600ND	18" for Sub 1600 W AES	777,85	777,85	St
BEY-18LX60V2/S	Extended bass speaker - 700W RMS - 98 db 18" for Sub 700W AES - Freq. Range: 25 - 1000 Hz - Magnet: Ferrite - Sensitivity: 98 dB	369,13	369,13	St
BEY-18P1000FEV2	Frequency Speaker: Sub	502,10	502,10	St
BEY-18P1200ND/N	Frequency Speaker: Sub	614,60	614,60	St
BEY-18PWB1000FE	Frequency Speaker: Sub	518,70	518,70	St
bey-18QLEX1600Fe	Sub - 1600 W AES - 30 - 1000 Hz - 97 dB -	591,35	591,35	St
BEY-18WRS600	18" for Sub 600 W AES	334,30	334,30	St
bey-21LEX1600Nd	Sub - 1600 W AES - 30 - 1000 Hz - 99,5 dB -	988,67	988,67	St
bey-21QLEX1600FE	Sub - 1600 W AES - 30 - 1000 Hz - 98 dB -	815,66	815,66	St
BEY-2VHI-FI	Passive Filter: 2-way	37,03	37,03	St
BEY-3FR30	Full range Speaker	25,06	25,06	St
BEY-3FR30ND	Full range Speaker	45,10	45,10	St
bey-3FR30V2 (MOQ: 32 PCS)	Full range - 30 W AES - 135-20000 Hz - 90,5 dB -	25,06	25,06	St
BEY-4FR40	4" for Full Range 40 W AES	36,99	36,99	St
BEY-5CX200FE	Full range Coaxial Speaker	227,31	227,31	St
BEY-5CX200ND/N	Full range Coaxial Speaker	396,81	396,81	St
BEY-5G40ND/N	5" for Mid Bass 100 W AES	159,41	159,41	St
BEY-5MP60/N	Frequency Speaker: Low/Mid bass	82,21	82,21	St
BEY-5P200FE	Frequency Speaker: Low/Mid bass	107,02	107,02	St
BEY-5P200ND	Frequency Speaker: Low/Mid bass	176,73	176,73	St
BEY-605ND	Mid-range speaker - phase diffusor - 125 W RMS -	160,89	160,89	St
BEY-6B30/P	Frequency Speaker: Low/Mid bass	71,91	71,91	St
BEY-6CX200FE	Full range Coaxial Speaker	249,95	249,95	St
BEY-6CX200ND/N	Full range Coaxial Speaker	445,62	445,62	St
BEY-6G40FE	Frequency Speaker: Mid bass	125,91	125,91	St
BEY-6G40ND	Low/mid speaker - 170W AES - 95 dB- Neodymium magn	192,39	192,39	St
BEY-6MCF200ND	Frequency Speaker: Mids	457,42	457,42	St
BEY-6MI100	Mid-range speaker - 250 W RMS - 97 dB	114,39	114,39	St
BEY-6P200FE	Low Freq 8 ohm/200 AES/60 - 9000 Hz/92 dB.	139,40	139,40	St
BEY-6P200ND	Low Freq 8 ohm/200 AES/60 - 9000 Hz/92 dB.	207,78	207,78	St
BEY-8AG/N	Full range Speaker	47,23	47,23	St
BEY-8BR40/N	Frequency Speaker: Low/Mid bass	84,10	84,10	St
BEY-8BX/N	Full range Coaxial Speaker	170,13	170,13	St
BEY-8CX300FE	Full range Coaxial Speaker	333,23	333,23	St
BEY-8CX300ND/N	Full range Coaxial Speaker	502,74	502,74	St
BEY-8G40	bass speaker - 250 W - 95 dB	157,28	157,28	St
BEY-8LW30	bass speaker - 250 W - 95 dB	163,35	163,35	St
BEY-8MC300ND	8" for Low/Mid bass 300 W AES	187,55	187,55	St
bey-8MC500Nd	Low/Mid bass - 500 W AES - 80 - 6000 Hz - 98 dB -	302,43	302,43	St
BEY-8MI100	Mid-range speaker - 250 W RMS - 98 dB	132,69	132,69	St
BEY-8P300FE/N	Frequency Speaker: Low/Mid bass	160,80	160,80	St
BEY-8WR300	8" for Low/Mid bass 300 W AES	141,49	141,49	St
BEY-8WRS300	8" for Low/Mid bass 300 W AES	116,62	116,62	St
BEY-AM-1	Adapter for mounting a 1" bolt-on driver on a 1" screw-on horn.	41,30	41,30	St
BEY-AM21	Tapered adapter for a 1" driver on a 2" horn.	95,84	95,84	St
BEY-CD1014FE	Compression Driver: 1,4"	114,25	114,25	St
bey-CD1014Fe/N	1,4" - 70 W AES - 0,7 - 19 KHz - 110 dB -	139,21	139,21	St
BEY-CD1014ND	Compression Driver: 1,4"	171,51	171,51	St
BEY-CD10FE/N	1" driver for 1" 70 W AES	101,42	101,42	St
BEY-CD10ND/N	1" driver for 1" 70 W AES	235,30	235,30	St
bey-CD-1114Fe	1,4" - 70 W AES - 0,7 - 19 KHz - 109 dB -	162,36	162,36	St
BEY-CD-11FE	1" driver for 1" 70 W AES	122,88	122,88	St
bey-CD-11Fe/S	1" - 70 W AES - 0,7 - 19 KHz - 109 dB -	135,88	135,88	St
bey-CD-11Nd	1" - 70 W AES - 0,7 - 19 KHz - 111 dB -	242,91	242,91	St
BEY-CD-14FE	Compression Driver: 1,4"	219,69	219,69	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BEY-CD-14ND	Compression Driver: 1,4"	374,50	374,50	St
BEY-CD1FE	1" driver for 1" 30 W AES	61,93	61,93	St
BEY-CD1ND	1" driver for 1" 30 W AES	87,88	87,88	St
BEY-CD1S	Compression Driver: 1"	66,36	66,36	St
BEY-CD314ND/TI	CD-314Nd/Ti - Next generation high performance 1,4" (36 mm) exit compression driver	326,70	326,70	St
BEY-CP09	Horn tweeter - 15 W - 104 dB	72,13	72,13	St
BEY-CP10TWTCTID	Diaphragm fits 12CX and 12CX/L	28,00	28,00	St
BEY-CP12/N	Compression Tweeter	60,65	60,65	St
BEY-CP16	Tweeter 40° conical - 15 W - 105 dB	54,18	54,18	St
BEY-CP16TID	diaphragm, also fits CP12 - CP14 - CP15	25,35	25,35	St
BEY-CP21/F	Compression Tweeter	142,03	142,03	St
BEY-CP22	Bullet tweeter 40° conical - 25 W - 109 dB	136,84	136,84	St
BEY-CP240	BEYMA CP240	0,00	0,00	St
BEY-CP30	BEYMA CP30	0,00	0,00	St
BEY-CP350TI	Titanium driver 1 inch - 40 W - 107 dB	190,00	190,00	St
BEY-CP360/K	Membraan CP360/k 16 Ohm	40,40	40,40	St
BEY-CP380/M	Compression Driver: 1"	236,76	236,76	St
BEY-CP385ND	Kapton driver 1 - 50 W - 107 dB - Neodymium magne	340,16	340,16	St
BEY-CP650TID	diaphragm	143,14	143,14	St
BEY-CP750ND	Titanium driver 2 inch - 90 W - 112 dB	524,60	524,60	St
BEY-CP750TI	Titanium driver 2 inch - 90 W - 110 dB	272,25	272,25	St
BEY-CP750/TI	Compression Driver: 2"	294,71	294,71	St
BEY-CP755ND	Titanium driver 2 1/4inch - 90 W - 112 dB	662,09	662,09	St
BEY-CP755ND/AL	Compression Driver: 1,4"	662,09	662,09	St
BEY-CP755/TI	Compression Driver: 1,4"	347,58	347,58	St
BEY-CP800/TI	Compression Driver: 2"	576,99	576,99	St
BEY-CP850ND	Neodymium driver 2 inch - 125 W - 114 dB	951,41	951,41	St
BEY-D18G50	Recone kit 18G50.	253,59	253,59	St
BEY-DCP385/ND	DIAPHRAGM CP385/ND	92,43	92,43	St
BEY-DCP800TI	Diaphragm CP800/Ti - CP850/Nd - CP855/Nd.	254,10	254,10	St
BEY-F100	High-pass filter 6000 Hz - 300 W - 18dB-oct	40,62	40,62	St
BEY-F130	2-way filter for SM-series - 18dB-oct	44,50	44,50	St
BEY-F200	2-way filter 400 Hz - 300 W - 6+12dB-oct	86,00	86,00	St
BEY-FD212	2-way filter 1200 Hz - 500 W - 12dB-oct - HF-att.	134,55	134,55	St
BEY-FD250	2-way filter 2000 Hz - 500 W - 12dB-oct - HF-att.	113,57	113,57	St
BEY-FD2CX	Passive Filter: 2-way	115,35	115,35	St
BEY-FD2CXFE	Passive Filter: 2-way	46,11	46,11	St
BEY-FD2XA	2-way filter 1800 Hz - 600 W - 12dB-oct - HF-att.	120,87	120,87	St
BEY-FD350	3-way filter 2000 Hz - 7000 Hz - 500W - 12dB-oct -	147,04	147,04	St
bey-PIN Ø10 x 20 mm / with safety wire	Line Array Pin - PIN Ø10 x 20 mm / with safety wire - - - -	29,17	29,17	St
bey-PIN Ø12 x 30 mm / with safety wire	Line Array Pin - PIN Ø12 x 30 mm / with safety wire - - - -	68,72	68,72	St
bey-PIN Ø8 x 12 mm	Line Array Pin - PIN Ø8 x 12 mm - - - -	24,53	24,53	St
bey-PIN Ø8 x 16 mm / with safety wire	Line Array Pin - PIN Ø8 x 16 mm / with safety wire - - - -	26,12	26,12	St
BEY-RE8/N	Plastic diffusing grid for 8" P.A. loudspeakers.	19,35	19,35	St
bey-SK07	Shaker - 50 W AES - 20 - 100 Hz - -	229,72	229,72	St
BEY-SM112/N	Frequency Speaker: Low/Mid bass	164,45	164,45	St
BEY-SMC1050/N	Compression Driver: 1"	119,00	119,00	St
BEY-SMC225ND	1 inch driver - 40 W - 108 dB	186,88	186,88	St
BEY-SMC280-ST	Compression Driver: 1"	106,93	106,93	St
BEY-SMC60	2inch driver-titanium membrane- 80 W - 109 dB	297,83	297,83	St
BEY-SMC65	8ohm/ 50 W AES/700-18000 Hz/107 dB/1,4inch	274,37	274,37	St
BEY-SMC65ND	1,4inch driver-titanium membrane- 70 W - 108 dB	456,48	456,48	St
BEY-SMC8060/N	1" driver for 80 x 60Ø horn 50 W AES	132,89	132,89	St
BEY-T2030	Hifi aluminium dome tweeter	78,06	78,06	St
BEY-TD164	Constant directivity horn - 60° x 40° - 1 inch	80,73	80,73	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BEY-TD194	Constant directivity horn - 90° x 40° - 1 inch	82,46	82,46	St
BEY-TD235	(ended) Constant directivity horn - 90° x 40° - 1"	47,00	47,00	St
BEY-TD365	1.4 inch/60° x 50°/800Hz	108,66	108,66	St
BEY-TD385	Constant directivity horn - 80° x 50° - 1.4 inch	108,66	108,66	St
BEY-TD460/N	Horn	277,24	277,24	St
BEY-TD8060	Horn	28,17	28,17	St
BEY-TDWL4TPL	TDWL4 (TPL) - 0,47 x 8,19" - 90° x 20° - Aluminium - -	128,28	128,28	St
BEY-TPL150-BLACK	Pleated Diaphragm Tweeter	802,23	802,23	St
BEY-TPL150/H	Pleated diaphr tweeter 80W AES 102 dB	747,15	747,15	St
BEY-TPL150-SILVER	Pleated Diaphragm Tweeter	747,15	747,15	St
BEY-TPL200B	Pleated Diaphragm Tweeter	857,68	857,68	St
BEY-TPL200H	Pleated Diaphragm Tweeter	922,26	922,26	St
BEY-TPL200S	Pleated Diaphragm Tweeter	857,68	857,68	St
BEY-TPL75	Pleated Diaphragm Tweeter	489,40	489,40	St
BEY-VM30	Plastic back cover 5 inch	8,41	8,41	St
BEY-WL3	3inchx0,4inch exit line array assy-0,8inch driver	608,17	608,17	St
BEY-WL3/FE	WL3/Fe - 0,8" - 70 W AES - 1 - 18 KHz - Ferrite- 102 dB	243,28	243,28	St
BEY-WL4	4inchx0,5inch exit line array assy-0,8inch driver	628,90	628,90	St
BEY-WL4FE/N	Driver with wave guides for 0,8" 70 W AES	322,40	322,40	St
BEY-WL5	3inch driver+line array horn assy - 70 W - 108 dB	1.205,98	1.205,98	St