

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
CLO-35/50	36/50 - 2 Zone Mixer Amplifier - 6 Music Source Connections, plus 1 mic input, f	1.208,79	1.208,79	St
CLO-46/120	46/120 - 4 Zone Mixer Amplifier - Four Independent Zone Integrated Mixer Amplifi	2.176,79	2.176,79	St
CLO-46/120MEDIA	46/120MEDIA - 4 Zone Mixer Amplifier - Four Independent Zone Integrated Mixer Am	2.297,79	2.297,79	St
CLO-46/120T	46/120T - 4 Zone Mixer Amplifier (100 Volt) - Four Independent Zone Integrated M	2.539,79	2.539,79	St
CLO-46/120T-MEDIA	46/120T-MEDIA - 4 Zone Mixer Amplifier (100 Volt) - Four Independent Zone Integr	2.660,79	2.660,79	St
CLO-46/50	46/50 - 4 Zone Mixer Amplifier - Four Independent Zone Integrated Mixer Amplifie	1.511,29	1.511,29	St
CLO-BB960001	BB960001 - 1 Gang Surface Mount Plastic BACKBOX (25mm in depth); For RL-1W/B, RS	9,08	9,08	St
CLO-BB960011	BB960011 - 2 Gang Surface Mount "Metal" BACKBOX (35mm in depth); For CDR-1F/S/B/	18,15	18,15	St
CLO-BB960016	BB960016 - 2 Gang Surface Mount Plastic BACKBOX (37mm in depth); For CDR-1F/B/W/	15,73	15,73	St
CLO-BB960023	BB960023 - 1 Gang Metal "In Wall" BACKBOX (25mm in depth), for Brick, Masonry &	3,63	3,63	St
CLO-BB960078	BB960078 - IP 1 gang opbouwdoos met klep waterproof	168,19	168,19	St
CLO-BB960089	BB960089 - IP 2 gang opbouwdoos met klep waterproof	192,39	192,39	St
CLO-BE-1B	BE-1B - Active Input Plate with Left & Right Balanced Inputs for DCM1: UK Vers.,	192,39	192,39	St
CLO-BE-1W	BE-1W - Active Input Plate with Left & Right Balanced Inputs for DCM1: UK Vers.,	192,39	192,39	St
CLO-BEQ402II	BEQ402II - To optimize Cloud products* for BOSE® Model 402 II loudspeakers	83,49	83,49	St
CLO-BEQ502A	BEQ502A - To optimize Cloud products* for BOSE® Model 502A loudspeakers	83,49	83,49	St
CLO-BEQ502B	BEQ502B - To optimize Cloud products* for BOSE® Model 502B loudspeakers	83,49	83,49	St
CLO-BEQ502BEX	BEQ502BEX - To optimize Cloud products* for BOSE® Model 502BEX loudspeakers	83,49	83,49	St
CLO-BEQ802III	BEQ802III - To optimize Cloud products* for BOSE® Model 802 III loudspeakers	83,49	83,49	St
CLO-BEQFSIIDS100	BEQFSIIDS100 - To optimize Cloud products* for BOSE® Model FSII DS100 loudspeake	83,49	83,49	St
CLO-BEQFSIIDS16	BEQFSIIDS16 - To optimize Cloud products* for BOSE® Model FSII DS16 loudspeakers	83,49	83,49	St
CLO-BEQFSIIDS40	BEQFSIIDS40 - To optimize Cloud products* for BOSE® Model FSII DS40 loudspeakers	83,49	83,49	St
CLO-BEQLT3202IIFR	BEQLT3202IIFR - To optimize Cloud products* for BOSE® Model LT3202 II Full Range	83,49	83,49	St
CLO-BEQLT4402IIFR	BEQLT4402IIFR - To optimize Cloud products* for BOSE® Model LT4202 II Full Range	83,49	83,49	St
CLO-BEQLT9402IIFR	BEQLT9402IIFR - To optimize Cloud products* for BOSE® Model 9402 II Full Range I	83,49	83,49	St
CLO-BEQLT9702IIFR	BEQLT9702IIFR - To optimize Cloud products* for BOSE® Model 9702 II Full Range I	83,49	83,49	St
CLO-BEQLTMB24	BEQLTMB24 - To optimize Cloud products* for BOSE® Model LT MB24 loudspeakers	83,49	83,49	St
CLO-BEQM32/25	BEQM32/25 - To optimize Cloud products* for BOSE® Model 32 & 25 loudspeakers	83,49	83,49	St
CLO-BEQM8	BEQM8 - To optimize Cloud products* for BOSE® Model 8 loudspeakers	83,49	83,49	St
CLO-BEQMA12	BEQMA12 - To optimize Cloud products* for BOSE® Model MA12 loudspeakers	83,49	83,49	St
CLO-BEQMA12S	BEQMA12S - To optimize Cloud products* for BOSE® Model MA12 Single loudspeakers	83,49	83,49	St
CLO-BEQMA12ST	BEQMA12ST - To optimize Cloud products* for BOSE® Model MA12 Stack loudspeakers	83,49	83,49	St
CLO-BEQMB4	BEQMB4 - To optimize Cloud products* for BOSE® Model MB4	83,49	83,49	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	loudspeakers			
CLO-BOX35MMRECESS	BOX 35MM Recess - 2 Gang Metal "In Wall" BACKBOX (35mm in depth), for Brick, Mas	7,26	7,26	St
CLO-CA321034	Service kit (complete PCB assembly)	35,09	35,09	St
CLO-CA340166	CA340166, adapter for EQ2 card voor CXA4/CXA6	14,52	14,52	St
CLO-CA963EQA	CA963EQA, EQ adapter voor 36/50	14,52	14,52	St
CLO-CAM16	8 Stereo in, 16 out Headphone Distribution Processor	1.813,79	1.813,79	St
CLO-CAS16	System expansion unit with 16 outputs	1.571,79	1.571,79	St
CLO-CDI-46	CDI-46 - CDI-46: Option Rear Mounting Card for 46/120(T) & 46/120(T)-Media Multi	453,75	453,75	St
CLO-CDIS100	Voor CX462. Serial interface module, RS232 control	119,79	119,79	St
CLO-CDIS200	Voor CX263. Serial interface module, RS232 control	119,79	119,79	St
CLO-CDR-1B	CDR-1B - Surface Mount Remote Controls for DCM1. Volume Control, Source Selectio	204,49	204,49	St
CLO-CDR-1FB	CDR-1FB - Flush Mount Remote Controls for DCM1. Volume Control, Source Selection	192,39	192,39	St
CLO-CDR-1FS	CDR-1FS - Flush Mount Remote Controls for DCM1. Volume Control, Source Selection	192,39	192,39	St
CLO-CDR-1FW	CDR-1FW - Flush Mount Remote Controls for DCM1. Volume Control, Source Selection	192,39	192,39	St
CLO-CDR-1W	CDR-1W - Surface Mount Remote Controls for DCM1. Volume Control, Source Selectio	204,49	204,49	St
CLO-CS-C3B	CS-C3 B - 3" Inbouw plafond luidsp. met behuizing	119,79	119,79	St
CLO-CS-C3W	CS-C3 W - 3" Inbouw plafond luidsp. met behuizing	119,79	119,79	St
CLO-CS-C5B	CS-C5 B - 5" Inbouw plafond luidsp. met behuizing, 30 Watt / 16 Ohm, 20-10-5-2.5	175,45	175,45	St
CLO-CS-C5W	CS-C5 W - 5" Inbouw plafond luidsp. met behuizing, 30 Watt / 16 Ohm, 20-10-5-2.5	175,45	175,45	St
CLO-CS-C6B	CS-C6 B - 6" Inbouw plafond luidsp. met behuizing, 50 Watt / 16 Ohm, 32-16-8-4 W	199,65	199,65	St
CLO-CS-C6W	CS-C6 W - 6" Inbouw plafond luidsp. met behuizing, 50 Watt / 16 Ohm, 32-16-8-4 W	199,65	199,65	St
CLO-CS-C8B	CS-C8 B - 8" Inbouw plafond luidsp. met behuizing, 75 Watt / 16 Ohm, 64-32-16-8	240,79	240,79	St
CLO-CS-C8W	CS-C8 W - 8" Inbouw plafond luidsp. met behuizing, 75 Watt / 16 Ohm, 64-32-16-8	240,79	240,79	St
CLO-CS-CSUB8B	CS-CSUB8 B - 8" Inbouw subwoofer met behuizing, 100 Watt / 4 Ohm, 100-50-25-13 W	344,85	344,85	St
CLO-CS-CSUB8W	CS-CSUB8 W - 8" Inbouw subwoofer met behuizing, 100 Watt / 4 Ohm, 100-50-25-13 W	344,85	344,85	St
CLO-CS-S3B	CS-S3 B - 3" 2-weg opbouwluuidsp. incl. beugel	119,79	119,79	St
CLO-CS-S3W	CS-S3 W - 3" 2-weg opbouwluuidsp. incl. beugel	119,79	119,79	St
CLO-CS-S4B	CS-S4 B - 4" 2-weg opbouwluuidsp. incl. beugel, 50 Watt / 16 Ohm, 20-10-5-2.5 Wat	192,39	192,39	St
CLO-CS-S4W	CS-S4 W - 4" 2-weg opbouwluuidsp. incl. beugel, 50 Watt / 16 Ohm, 20-10-5-2.5 Wat	192,39	192,39	St
CLO-CS-S6B	CS-S6 B - 6" 2-weg opbouwluuidsp. incl. beugel, 75 Watt / 16 Ohm, 32-16-8-4-2 Wat	264,99	264,99	St
CLO-CS-S6W	CS-S6 W - 6" 2-weg opbouwluuidsp. incl. beugel, 75 Watt / 16 Ohm, 32-16-8-4-2 Wat	264,99	264,99	St
CLO-CX163	2 zones. 6 Stereo line inputs, 1 mic inputs	664,29	664,29	St
CLO-CX261	1 zone. 5+1 MP3 Stereo line inputs, 2 mic inputs	664,29	664,29	St
CLO-CX263	Cloud CX263 - 3 zones, 6 Stereo line inputs, 2 mic inputs	845,79	845,79	St
CLO-CX335	Split band stereo Compressor-Limiter	966,79	966,79	St
CLO-CX462	1 zone. Audio system controller, 6 music inputs	882,09	882,09	St
CLO-CXA450	4 Channel power amplifier, 50 watts per channel	966,79	966,79	St
CLO-CXA6	6 Channel power amplifier, 120 watts per channel	1.934,79	1.934,79	St
CLO-CXA850	8 Channel power amplifier, 50 watts per channel	1.511,29	1.511,29	St
CLO-CXL-100T	CXL-100T - CXL-100T (100w) High Quality Toroidal Transformers	78,65	78,65	St
CLO-CXL1600	2U rack housing to accommodate up to 8 or 4 transf	192,39	192,39	St
CLO-CXL-200T	CXL-200T - CXL-200T (200w) High Quality Toroidal Transformers	168,19	168,19	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
CLO-CXL-3120	CXL-3120 - CXL-3120: 3 X 40 Watt 100V or 70V line transformer module for 36/50 (192,39	192,39	St
CLO-CXL-400T	CXL-400T - CXL-400T (400w) High Quality Toroidal Transformers	228,69	228,69	St
CLO-CXL-40T	CXL-40T - CXL-40T (40w) High Quality Toroidal Transformers	71,39	71,39	St
CLO-CXL-4160	CXL-4160 - CXL-4160: 4 X 40 Watt 100V or 70.7V line transformer module for 46/5	228,69	228,69	St
CLO-CXL-46T	CXL-46T - CXL-46T: Option 100 Volt trafo, Line Output High Quality Toroidal Tra	90,75	90,75	St
CLO-CXL-50T	CXL-50T - CXL-50T: 50Watt, 70/100V optional internal fit toroidal transformer fo	83,49	83,49	St
CLO-CXL800	Rack housing to accommodate up to 8 toroidal trans	131,89	131,89	St
CLO-CXV225	2 x 250W @ 40 Ohms, 100V line amplifier	1.329,79	1.329,79	St
CLO-CXV425	4 x 250W @ 40 Ohms, 100V line amplifier	2.176,79	2.176,79	St
CLO-DCM1-8	DCM1- 8 Zone Digital Mixer - 8 Stereo Line Inputs. 8 Balanced Line Outputs (2 St	1.934,79	1.934,79	St
CLO-DCM1E-8	DCM1e- 8 Zone Digital Mixer - As DCM1 with Ethernet Port, allowing Setup Configu	2.418,79	2.418,79	St
CLO-DM-1	DM-1 - Active Input & Remote Plate (2 Mic Ins, Mic Level & HF/LF Controls & Musi	180,29	180,29	St
CLO-EQ-AIWX	EQ-AIWX - To optimise Cloud products* for AMINA Speakers AIWX - (www.amina.co.uk	95,59	95,59	St
CLO-EQ-LFIT	EQ-LFIT - To optimise Cloud products* for AMINA Speakers LFIT - (www.amina.co.uk	95,59	95,59	St
CLO-EQ-R100CEQ	EQ-R100CEQ - To optimise Cloud products* for Active Audio Ray-On® 100 Speakers (95,59	95,59	St
CLO-EU-PSU	EU-PSU - Optional External PSU for use with PM/CDPM Mics & CDR1/F Remotes	42,35	42,35	St
CLO-FPA1	Cloud FPA-1 Facility Port Adapter	119,79	119,79	St
CLO-LE-1B	LE-1B - Active Input Plate with 1 Stereo Line Input (Phono and 3.5mm Jack Socket	192,39	192,39	St
CLO-LE-1W	LE-1W - Active Input Plate with 1 Stereo Line Input (Phono and 3.5mm Jack Socket	192,39	192,39	St
CLO-LM-2/EUB	LM-2 EU-Black - Active Input & Remote Plate (Line & Mic Inputs + RSL-6 Function)	291,31	291,31	St
CLO-LM-2/EUW	LM-2 EU-White - Active Input & Remote Plate (Line & Mic Inputs + RSL-6 Function)	270,52	270,52	St
CLO-LM-2/UKB	LM-2 UK-Black - Active Input & Remote Plate (Line & Mic Inputs + RSL-6 Function)	228,69	228,69	St
CLO-LM-2/UKW	LM-2 UK-White - Active Input & Remote Plate (Line & Mic Inputs + RSL-6 Function)	228,69	228,69	St
CLO-MA60MEDIA	MA60 MEDIA - 60 watts, Single-Zone Mixer Amp	603,79	603,79	St
CLO-ME-1B	ME-1B - Active Input Plate with Dual Mic Input, Mic Level Control & 2 Band EQ fo	192,39	192,39	St
CLO-ME-1W	ME-1W - Active Input Plate with Dual Mic Input, Mic Level Control & 2 Band EQ fo	192,39	192,39	St
CLO-MPA120	120 Watts RMS output into 4ohms or 25/70/100V	954,69	954,69	St
CLO-MPA240	240 Watts RMS output into 4ohms or 25/70/100V	1.184,59	1.184,59	St
CLO-MPA60	60 Watts RMS output into 4ohms or 25/70/100V	821,59	821,59	St
CLO-PM-1	PM-1 - Analogue Single Zone Push to Talk Paging Mic.	156,09	156,09	St
CLO-PM-12	PM-12 - 12 Zone Digital & Analogue Paging Microphone with Zone Grouping & Remote	543,29	543,29	St
CLO-PM-16	PM-16 - 16 Zone Digital & Analogue Paging Microphone with Zone Grouping & Remote	579,59	579,59	St
CLO-PM-4	PM-4 - 4 Zone Digital & Analogue Paging Microphone with Zone Grouping & Remote T	422,29	422,29	St
CLO-PM-4SA	PM-4SA - 4 Zone Digital Message Announcers with Paging Mic. Internal SD Card/MP3	567,49	567,49	St
CLO-PM-8	PM-8 - 8 Zone Digital & Analogue Paging Microphone with Zone Grouping & Remote T	482,79	482,79	St
CLO-PM-8SA	PM-8SA - 8 Zone Digital Message Announcers with Paging Mic. Internal SD Card/MP3	664,29	664,29	St
CLO-RE-L	RE-L - 19" Rackmount kit for fitting 1x MA60 or MA60Media Mixer	83,49	83,49	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	Amplifiers into			
CLO-RE-S	RE-S - 19" Rackmount kit for fitting 2x MA60 or MA60Media Mixer	83,49	83,49	St
	Amplifiers into			
CLO-RH-8C	RH-8c - Personal remote controller for CAM/CAS16 Audio Distribution Processor. D	78,65	78,65	St
CLO-RL-1B	RL-1 Black - Remote Level Control Plate. Type: 1 Gang UK	35,09	35,09	St
CLO-RL-1W	RL-1 White - Remote Level Control Plate. Type: 1 Gang UK	35,09	35,09	St
CLO-RL-1X8B	RL-1x8 Black - Remote Level Control Plate for 8 zones. Type: 2 Gang UK	278,30	278,30	St
CLO-RL-1X8W	RL-1x8 White - Remote Level Control Plate for 8 zones. Type: 2 Gang UK	278,30	278,30	St
CLO-RSL-4B	RSL-4 Black - Remote Music Source & Level Control Plate. Type: 1 Gang	59,29	59,29	St
CLO-RSL-4W	RSL-4 White - Remote Music Source & Level Control Plate. Type: 1 Gang	59,29	59,29	St
CLO-RSL-6B	RSL-6 Black - Remote Music Source & Level Control Plate. Type: 1 Gang	59,29	59,29	St
CLO-RSL-6W	RSL-6 White - Remote Music Source & Level Control Plate. Type: 1 Gang	60,32	60,32	St
CLO-RSL-6X4B	RSL-6x4 Black - Remote Music Source & Level Control Plate 4 zones. Type: 2 Gang	338,80	338,80	St
CLO-RSL-6X4W	RSL-6x4 White - Remote Music Source & Level Control Plate 4 zones. Type: 2 Gang	338,80	338,80	St
CLO-TILEBRIDGE	Tile Bridge - Inbouwframe voor 5, 6 en 8" inbouw luidsprekers, prijs en verpakki	108,90	108,90	St
CLO-VCA-2	VCA-2 - VCA Module, controls two channels of CX-A6 or CX-A4; requires 1 or 2 RL-	102,85	102,85	St
CLO-VCA-5	VCA-5 - VCA Module, controls one channels of the CX-A850; requires 1 RL-1	71,39	71,39	St
CLO-VTX4120	VTX4120 (4x120w) - Power Amps	1.511,29	1.511,29	St
CLO-VTX4240	VTX4240 (4x240w) - Power Amps	1.934,79	1.934,79	St
CLO-VTX4400	VTX4400 (4x400w) - Power Amps	2.297,79	2.297,79	St
CLO-VTX-WM1	VTX-WM1 - Web monitoring card for VTX - allows for monitoring and surveillance o	204,49	204,49	St
CLO-WP-8B/W	WP-8B/W - 1 Gang Zintec steel, powder coated wall mounting personal control unit	102,85	102,85	St
CLO-XLR-F1B	XLR-F1 Black - XLR wall plate with female 3 pin XLR latching connector. Type: 1	59,29	59,29	St
CLO-XLR-F1W	XLR-F1 White - XLR wall plate with female 3 pin XLR latching connector. Type: 1	59,29	59,29	St
CLO-XLR-M1B	XLR-M1 Black - XLR wall plate with male 3 pin XLR latching connector. Type: 1 Ga	59,29	59,29	St
CLO-XLR-M1W	XLR-M1 White - XLR wall plate with male 3 pin XLR latching connector. Type: 1 Ga	59,29	59,29	St
CLO-Z4III	Z4III - 4 Zone Venue Mixer - 4 Zone mono mixer with 6 Music inputs with gain con	1.179,75	1.179,75	St
CLO-Z8III	Cloud Z8III - 8 Zone Venue Mixer - 8 Zone mono mixer	1.571,79	1.571,79	St