

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
CRO-135MA	Contractor serie mixer amplifier, 3 input, 1x 35W/8 ohm 70/100V	356,51998	294,65998 St
CRO-160MA	160 MA - ELA mixer amplifier, 4 inputs including 1x micro, one output zone, 60 watts at 8 ohms or 700/100 volts, priority circuit for micro, 2-band EQ for output, music on hold function, 4.2 kg	561,98998	464,46998 St
CRO-CDI21200	Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro	3.078,36	2.544,10 St
CRO-CDI21200BL	CDI21200BL - Installation amplifier, BLU-Link Audio Transport, DSP (EQ, X-Over, Limiter, Dela	3.505,84	2.897,39 St
CRO-CDI2300	CDI2300 - Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro	1.567,85	1.295,74 St
CRO-CDI2300BL	CDI2300BL - Installation amplifier, BLU Link Audio Transport, DSP (EQ, X-Over, Limiter, Dela	1.994,08	1.648,00 St
CRO-CDI2600	CDI2600 - Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro	1.994,08	1.648,00 St
CRO-CDI2600BL	CDI2600BL - Installation amplifier, BLU Link Audio Transport, DSP (EQ, X-Over, Limiter, Dela	2.422,81	2.002,32 St
CRO-CDI41200	CDI41200 - Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro	4.663,65	3.854,26 St
CRO-CDI41200BL	Installationsverstärker, BLU-Link Audio Transport, DSP (EQ, X-Over, Limiter, Del	5.089,89	4.206,52 St
CRO-CDI4300	CDI4300 - Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro	2.640,91	2.182,57 St
CRO-CDI4300BL	CDI4300BL - Installation amplifier, BLU Link Audio Transport, DSP (EQ, X-Over, Limiter, Dela	3.067,14	2.534,83 St
CRO-CDI4600	CDI4600 - Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro	3.647,92	3.014,81 St
CRO-CDI4600BL	CDI4600BL - Installation amplifier, BLU-Link audio transport, DSP (EQ, X-Over, Limiter, Dela	4.074,15	3.367,07 St
CRO-CT4150	COMTECH serie amplifier, 4 x 150W/8 ohm	1.630,23998	1.347,31998 St
CRO-CT475	COMTECH serie amplifier, 4 x 75W/8 ohm	1.425,84998	1.178,39998 St
CRO-CT8150	COMTECH serie amplifier, 8 x 150W/8 ohm	3.242,94998	2.680,13998 St
CRO-CT875	COMTECH serie amplifier, 8 x 75W/8 ohm	2.269,58998	1.875,70998 St
CRO-CXM2000	Monitoring unit and DSP with 8 channels (7.1) for cinema applications, system ca	1.454,42	1.202,00 St
CRO-DCI21250	Crown DCI2-1250 - Digital 2-channel amplifier, DriveCore chip, 1,250 watts	4.276,06	3.533,93 St
CRO-DCI21250N	Digital 2-channel amplifier, DriveCore chip, 1,250 watts per channel at 4/8 ohms	5.359,09	4.429,00 St
CRO-DCI22400N	Digital 2-channel amplifier, DriveCore chip, 2400 watts per channel at 4 ohms	8.481,07	7.009,15 St
CRO-DCI2300	Digital 2-channel amplifier for installations, DriveCore chip, 300 watts per ch	1.925,53	1.591,35 St
CRO-DCI2300N	Digital 2-channel amplifier, DriveCore chip, 300 watts per channel into 4/8 ohms	2.849,04	2.354,58 St
CRO-DCI2600	Digital 2-channel amplifier for installations, DriveCore chip, 600 watts per ch	2.849,04	2.354,58 St
CRO-DCI2600N	Digital 2-channel amplifier, DriveCore chip, 600 watts per channel into 4/8 ohms	3.704,00	3.061,16 St
CRO-DCI41250	Digital 4-channel amplifier for installations, DriveCore chip, 1,250 watts per c	6.627,82	5.477,54 St
CRO-DCI41250DA	Digital 4-channel amplifier with Dante Network Audio and AES67, DriveCore chip	7.982,55	6.597,15 St
CRO-DCI41250N	Digital 4-channel amplifier, DriveCore chip, 1,250 watts per channel at 4/8 ohms	7.982,55	6.597,15 St
CRO-DCI41250ND	Digital 4-channel amplifier with AVB, DriveCore chip, 1,250 watts per channel in	8.780,18	7.256,35 St
CRO-DCI42400N	Digital 4-channel amplifier, DriveCore chip, 2,400 watts per channel into 4 ohms	12.829,41	10.602,82 St
CRO-DCI4300	Digital 4-channel amplifier for installations, DriveCore chip, 300 watts per ch	3.135,69	2.591,48 St
CRO-DCI4300DA	Digital 4-channel amplifier with Dante Network Audio and AES67, DriveCore chip	4.347,09	3.592,64 St
CRO-DCI4300N	Digital 4-channel amplifier, DriveCore chip, 300 watts per channel into 4/8 ohms	4.347,09	3.592,64 St
CRO-DCI4600	Digital 4-channel amplifier for installations, DriveCore chip, 600 watts per ch	4.703,54	3.887,22 St
CRO-DCI4600DA	Digital 4-channel amplifier with Dante Network Audio and AES67, DriveCore chip	6.058,26	5.006,83 St
CRO-DCI4600N	Digital 4-channel amplifier, DriveCore chip, 600 watts per channel into 4/8 ohms	6.058,26	5.006,83 St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
CRO-DCI8300	Digital 8-channel amplifier for installations, DriveCore chip, 300 watts per ch	6.271,38	5.182,96	St
CRO-DCI8300DA	Digital 8-channel amplifier with Dante Network Audio and AES67, DriveCore chip	7.841,72	6.480,76	St
CRO-DCI8300N	Digital 8-channel amplifier, DriveCore chip, 300 watts per channel into 4/8 ohms	7.841,72	6.480,76	St
CRO-DCI8600	Digital 8-channel amplifier for installations, DriveCore chip, 600 watts per ch	9.408,32	7.775,47	St
CRO-DCI8600DA	Digital 8-channel amplifier with Dante Network Audio and AES67, DriveCore chip	11.689,05	9.660,37	St
CRO-DCI8600N	Digital 8-channel amplifier, DriveCore chip, 600 watts per channel into 4/8 ohms	11.689,05	9.660,37	St
CRO-DCI8600ND	Digital 8-channel amplifier with AVB, DriveCore chip, 600 watts per channel into	12.484,78	10.318,00	St
CRO-DSI1000	Cinema amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), with presets for JBL ci	884,51	884,51	St
CRO-DSI2000	Cinema amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), with presets for JBL ci	1.257,19	1.257,19	St
CRO-DSI4000	Cinema amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), with presets for JBL ci	1.835,57	1.835,57	St
CRO-DSI6000	Cinema amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), with presets for JBL ci	3.049,20	3.049,20	St
CRO-DSI8M	Switching and monitoring unit with 8 channels (7.1) for cinema applications, con	1.655,28	1.368,00	St
CRO-IT12000HD	2x 4,500 watts into 4 ohms, 1x 9,000 watts (mono bridge) into 8 ohms, BSS OmniDr	11.423,59	9.440,98	St
CRO-IT43500HD	IT 4x3500 HD - 4x 3,000 watts into 4 ohms (1 kHz 20 ms burst), 2x 6000 watts (2x mono bridge) into 8 ohms, 4 inputs, 4 BSS OmniDrive HD DSP, 4 outputs, IIR and FIR filters, analog, Cobranet & AES/EBU input, HiQnet capable, additional USB connector, i	12.781,30998	9.999,07998	St
CRO-IT4X3500HD	Crown I-Tech 4X3500HD - 4x 3,000 watts into 4 ohms	13.559,74	11.206,40	St
CRO-IT5000HD	Crown I-Tech 5000HD - 2x 2.500 Watt into 4 Ohm, 1x 5.000 Watt (Mono Bridge) into 8 Ohm	7.618,63	6.296,39	St
CRO-IT9000HD	2x 3.500 Watt into 4 Ohm, 1x 7.000 Watt (Mono Bridge) into 8 Ohm, BSSOmniDrive	9.201,43	7.604,49	St
CRO-MA12000I	2x 4,000 watts into 4 ohms, input compressor, various limiters, HiQNet network	8.015,04	8.015,04	St
CRO-MA5000I	2x 2,000 watts into 4 ohms, input compressor, various limiters, HiQNet network	4.975,52	4.975,52	St
CRO-MA9000I	2x 3,000 watts into 4 ohms, input compressor, various limiters, HiQNet network	6.807,46	6.807,46	St
CRO-MAI12000	MA 12000i - 2x 4,000 watts into 4 ohms, input compressor, various limiters, HiQNet network compatible, 10 presets, no DSP, 12.7 kg	8.015,11998	6.999,07998	St
CRO-MAI5000	MA 5000i - 2x 2,000 watts into 4 ohms, input compressor, various limiters, HiQNet network compatible, 10 presets, no DSP, 12.7 kg	4.975,59998	4.299,07998	St
CRO-MAI9000	MA 9000i - 2x 3,000 watts into 4 ohms, input compressor, various limiters, HiQNet network compatible, 10 presets, no DSP, 12.7 kg	6.807,53998	5.999,07998	St
CRO-RM1	Single rackmount kit for mounting a single MA unit in a rack	43,69998	36,12998	St
CRO-RM2	Double rackmount kit for mounting two MA units side by side in a rack	29,98998	24,79998	St
CRO-XFMR-4	Transmitter/transformer for 70/100 Volt lines, suitable for Crown CT 4150 or CT	543,39	449,08	St
CRO-XLC21300	Cinema amplifier with 2x 1300 watts into 4 ohms, potentiometers on the back, con	1.235,41	1.021,00	St
CRO-XLC2500	Cinema amplifier with 2x 500 watts into 4 ohms, efficient DriveCore technology,	654,61	541,00	St
CRO-XLC2800	Cinema amplifier with 2x 800 watts into 4 ohms, efficient DriveCore technology,	998,25	825,00	St
CRO-XLI1500	Crown XLI1500 - no 2 Ohm support, 2 x 450W/4 ohm - 2 x 330W/8 ohm	597,21998	386,07998	St
CRO-XLI2500	Crown XLI2500 - NO 2 Ohm support, 2 x 750W/4 ohm - 2 x 500W/8 ohm	824,62998	555,07998	St
CRO-XLI3500	Crown XLI3500 - NO 2 Ohm support, 2 x 1350W/4 ohm - 2 x 1000W/8 ohm	1.532,29998	975,07998	St
CRO-XLI800	Crown XLI800 - NO 2 Ohm support, 2 x 300W/4 ohm - 2 x 200W/8 ohm	514,62998	339,07998	St
CRO-XLS1002	Crown XLS1002 - DriveCore series amp 2 x 350W/4 ohm - 2 x 215W/8 ohm	608,64998	416,07998	St
CRO-XLS1502	Crown XLS1502 - DriveCore series amp 2 x 525W/4 ohm - 2 x 300W/8 ohm	753,48998	481,07998	St
CRO-XLS2002	Crown XLS2002 - DriveCore series amp 2 x 650W/4 ohm - 2 x 375W/8 ohm	1.004,37998	563,07998	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
CRO-XLS2502	Crown XLS2502 - DriveCore series amp 2 x 775W/4 ohm - 2 x 440W/8 ohm	1.026,63998	675,07998 St
CRO-XTI1002	Crown XTI1002 - 2x 500W/4 ohm - 2 x 275W/8 ohm, DSP speaker presets	837,58998	569,07998 St
CRO-XTI2002	Crown XTI2002 - 2x 800W/4 ohm - 2 x 475W/8 ohm, DSP speaker presets	1.150,40998	775,07998 St
CRO-XTI4002	Crown XTI4002 - 2x 1200W/4 ohm - 2 x 650W/8 ohm, DSP speaker presets	1.713,73998	1.155,07998 St
CRO-XTI6002	Crown XTI6002 - 2x 2100W/4 ohm - 2 x 1200W/8 ohm, DSP speaker presets	3.292,79998	2.169,07998 St