

| Code              | Naam                                                                                                                                                                                                                                                         | Catalogusprijs | Uw nettoprijs | Eenheid |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|---------|
|                   |                                                                                                                                                                                                                                                              | Inclusief BTW  | Inclusief BTW |         |
| ECL-1UHRMKIT      | ECLER 1UHRMKIT is a kit that enables a half-width and 1U height rack device (ePL                                                                                                                                                                             | 32,67          | 32,67         | St      |
| ECL-2UHRMKIT      | Rack mount kit for the CA200z. installation in half-width rack frames or 19" sta                                                                                                                                                                             | 43,63998       | 43,63998      | St      |
| ECL-ACCLASSCAN6L  | Optional kit (2 units) for IC6CLASS-54 model. It features a low profile back can                                                                                                                                                                             | 60,50          | 60,50         | St      |
| ECL-ADP           | Cargo restraint double stud                                                                                                                                                                                                                                  | 30,32998       | 30,32998      | St      |
| ECL-ALMA24        | 19" 1 unit rack DSP including EclerCOMM software. 2 inputs and 4 outputs, 24 bit                                                                                                                                                                             | 759,88         | 759,88        | St      |
| ECL-ALMA26        | Digital loudspeaker manager including 2IN 6out                                                                                                                                                                                                               | 1.038,18       | 1.038,18      | St      |
| ECL-ARQ108UBBK    | ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 108 mode                                                                                                                                                                             | 54,45          | 54,45         | St      |
| ECL-ARQ108UBWH    | ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 108 mode                                                                                                                                                                             | 54,45          | 54,45         | St      |
| ECL-ARQ110UBBK    | ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 110 mode                                                                                                                                                                             | 66,55          | 66,55         | St      |
| ECL-ARQ110UBWH    | ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 110 mode                                                                                                                                                                             | 66,55          | 66,55         | St      |
| ECL-ARQ112UBBK    | ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 112 mode                                                                                                                                                                             | 72,60          | 72,60         | St      |
| ECL-ARQ112UBWH    | ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 112 mode                                                                                                                                                                             | 72,60          | 72,60         | St      |
| ECL-ARQIS 105IWH  | Ecler 2-way (5,25" woofer and 1" HF tweeter) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 70 WRMS @ 8 Ω. 280W Peak power. Its smart wall bracket (included), allows for pan&tilt adjustment, employing a single     | 300,08         | 300,08        | St      |
| ECL-ARQIS 106IBK  | Ecler 2-way (6,5" woofer and 1" rotatable HF Compressor Driver) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 120 WRMS@8Ω. 480W Peak power. Its smart wall bracket (included), allows for pan&tilt adjustment, emplo | 408,98         | 408,98        | St      |
| ECL-ARQIS 106IWH  | Ecler 2-way (6,5" woofer and 1" rotatable HF Compressor Driver) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 120 WRMS@8Ω.480W Peak power. Its smart wall bracket (included), allows for pan&tilt adjustment, employ | 408,98         | 408,98        | St      |
| ECL-ARQIS 108IWH  | Ecler 2-way (8" woofer and 1" HF Compression Driver) wooden loudspeaker cabinet with a compact format, stylish aesthetics, excellent sound quality and long term reliability, featuring 150 WRMS @ 8 Ω. 600W Peak power. Its smart wall bracket (included)   | 484,00         | 484,00        | St      |
| ECL-ARQIS 110IBK  | Ecler 2-way (10" woofer and 1" rotatable HF Compression Driver) wooden loudspeaker cabinet with a compact format, stylish aesthetics and long term reliability, featuring 300 WRMS @ 8 ohm. 1200W Peak power. 35 mm mount socket and 8 x M10 rigging points, | 641,30         | 641,30        | St      |
| ECL-ARQIS 110IWH  | Ecler 2-way (10" woofer and 1" rotatable HF Compression Driver) wooden loudspeaker cabinet with a compact format, stylish aesthetics and long term reliability, featuring 300 WRMS @ 8 ohm. 1200W Peak power. 35 mm mount socket and 8 x M10 rigging points  | 641,30         | 641,30        | St      |
| ECL-ARQIS 112IWH  | Ecler 2-way ( 12" woofer and 1,4" rotatable HF Compression Driver) wooden loudspeaker cabinet with a compact format, stylish aesthetics and long term reliability, featuring 500 WRMS @ 8 Ω. 2000W Peak power. 35 mm mount socket and 8 x M10 rigging points | 946,22         | 946,22        | St      |
| ECL-ARQIS 205IWH  | Ecler 2-way (2x 5,25" woofer and 1" HF rotatable Compression Driver) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 140 WRMS @ 8 Ω. 560W Peak power. Double INPUT/STACK connector, Euroblock + Speakon© type, 8 x M8  | 476,74         | 476,74        | St      |
| ECL-ARQIS 208IWH  | Ecler 2-way (2 x 8" woofer and 1" HF Compression Driver) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 300 WRMS @ 8 Ω. 1200W Peak power. Double INPUT/STACK connector, Euroblock + Speakon© type, 8 x M8 cabinet f   | 734,47         | 734,47        | St      |
| ECL-ARQIS SB10IWH | Ecler Wooden wall-mount subwoofer reinforcement cabinet with a slim and compact format and long term reliability, featuring a 10" driver (150 WRMS @ 8 ohm, 600W peak power) and internal LPF (OFF/ 120Hz/150Hz). Euroblock connector, wall mount and 12 x   | 654,61         | 654,61        | St      |
| ECL-ARQIS SB12IBK | Ecler Wooden sub-woofer reinforcement cabinet with a compact format and long term reliability, featuring 300 WRMS @ 8 Ω and a 12" LF driver.                                                                                                                 | 874,83         | 874,83        | St      |

| Code              | Naam                                                                                                                                                                                                                                                                                                                                                                                    | Catalogusprijs | Uw nettoprijs | Eenheid |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|---------|
|                   |                                                                                                                                                                                                                                                                                                                                                                                         | Inclusief BTW  | Inclusief BTW |         |
| ECL-ARQIS SB15IBK | 1200W Peak power. Double INPUT/STACK connector, Speakon® type.<br>8 x M8 rigging points included. Dimensions (Wx<br>Ecler Wooden sub-woofer reinforcement cabinet with a compact format<br>and long term reliability, featuring 600 WRMS @ 8 Ω and a 15" LF driver.<br>2400W Peak power. Double INPUT/STACK connector, Speakon® type.<br>35 mm top-hat pole mount socket and 8 x M8 rig | 1.107,15       | 1.107,15      | St      |
| ECL-ARQISSB6TIWH  | Ecler Wooden wall-mount subwoofer reinforcement cabinet, featuring a<br>6,5" driver and a passive 6,5" radiator. 480W peak power, 120 WRMS<br>power @ 8 ohm and integrated 70/100V line transformer with 60 and<br>120W taps. Internal LPF with OFF, 120HZ and 150                                                                                                                      | 641,30         | 641,30        | St      |
| ECL-ATA11R        | Telephone adapter send & receive                                                                                                                                                                                                                                                                                                                                                        | 532,47998      | 532,47998     | St      |
| ECL-AUDEO103B     | Giugiaro design speaker 3,5inch + dome coax 50W                                                                                                                                                                                                                                                                                                                                         | 147,69998      | 147,69998     | St      |
| ECL-AUDEO103-WH   | 3,5"+13 mm ABS speaker. 25 W RMS / 8 ?/ 100 V multitap, bracket incl.<br>Unit price                                                                                                                                                                                                                                                                                                     | 147,69998      | 147,69998     | St      |
| ECL-AUDEO106B     | Giugiaro design speaker 6,5inch + dome coax 100W                                                                                                                                                                                                                                                                                                                                        | 220,29998      | 220,29998     | St      |
| ECL-AUDEO106PWHB  | self powered audeo 106 white                                                                                                                                                                                                                                                                                                                                                            | 284,42998      | 284,42998     | St      |
| ECL-AUDEO106W     | Giugiaro design speaker 6,5inch + dome coax 100W                                                                                                                                                                                                                                                                                                                                        | 220,29998      | 220,29998     | St      |
| ECL-AUDEOSB110P   | Selfpowered 10inch - 150W RMS Subwoofer                                                                                                                                                                                                                                                                                                                                                 | 720,02998      | 720,02998     | St      |
| ECL-AVICCAN6L     | AVICCAN6L Low Profile Back Can VIC6/VIC6X                                                                                                                                                                                                                                                                                                                                               | 45,98          | 45,98         | St      |
| ECL-AVICCAN8L     | AVICCAN8L Low Profile Back Can VIC8/VIC8X                                                                                                                                                                                                                                                                                                                                               | 55,66          | 55,66         | St      |
| ECL-AVICRG6BK     | Ecler Printable round grill for VIC series (6 inches compatible). Black.<br>Magnetic fixation. White colour. Delivered by master carton of 2 units.<br>Price per pair.                                                                                                                                                                                                                  | 41,14          | 41,14         | St      |
| ECL-AVICRG6WH     | Ecler Printable round grill for VIC series (6 inches compatible). White.<br>Magnetic fixation. Black colour. Delivered by master carton of 2 units.<br>Price per pair.                                                                                                                                                                                                                  | 41,14          | 41,14         | St      |
| ECL-AVICRG8       | Ecler Printable round grill for VIC series (8 inches compatible). Magnetic<br>fixation. White colour. Delivered by master carton of 2 units. Price per<br>pair.                                                                                                                                                                                                                         | 45,98          | 45,98         | St      |
| ECL-AVICSG        | AVICSG Paintable squared grill for VIC series                                                                                                                                                                                                                                                                                                                                           | 43,56          | 43,56         | St      |
| ECL-CA120         | Ecler 2 x 60 WRMS @ 4Ω stereo compact amplifier with a MIC/LINE<br>input (includes phantom power, Talkover and noise gate) and 2 LINE<br>inputs. AUX output. Control features: 2 band control tone, IR remote<br>control included, serial RS-232 port (EclerCOMM an                                                                                                                     | 607,42         | 607,42        | St      |
| ECL-CA120HZ       | 1 x 120 W RMS @ 70/100V line level. Mixer-amplifier in compact format<br>with ligh                                                                                                                                                                                                                                                                                                      | 654,61         | 654,61        | St      |
| ECL-CA40          | Ecler CA40 - 2 x 20W RMS/4 micro mixer-amplifier                                                                                                                                                                                                                                                                                                                                        | 413,89998      | 413,89998     | St      |
| ECL-CNXAC8RM      | Ecler 8 x Schuko sockets rack mount AC strip + ON/OFF switch, 1 RU.                                                                                                                                                                                                                                                                                                                     | 50,82          | 50,82         | St      |
| ECL-CNXEBEB1      | Ecler Euroblock 3 pin to Euroblock 3 pin premade cable, 1 metre length.                                                                                                                                                                                                                                                                                                                 | 25,41          | 25,41         | St      |
| ECL-CNXEBEB2M5    | Ecler Euroblock 3 pin to Euroblock 3 pin premade cable, 2.5 metre<br>length.                                                                                                                                                                                                                                                                                                            | 26,62          | 26,62         | St      |
| ECL-CNXEBLINK4    | Ecler Euroblock 3 pin to Euroblock 3 pin, 4 connectors premade link<br>cable (amplifiers, preamps and mixers inputs link wire, to share the same<br>audio signal).                                                                                                                                                                                                                      | 25,41          | 25,41         | St      |
| ECL-CNXEBRCA1     | Ecler Double Euroblock 3 pin to double RCA male and female<br>connection premade cable including RCA to Euroblock unbalancing, 1<br>metre length.                                                                                                                                                                                                                                       | 30,25          | 30,25         | St      |
| ECL-CNXMJXLR2     | Ecler 2m lenght minijack ST to mono XLR male. Includes an internal<br>resistance for overload protection and a proper sum of the signals.                                                                                                                                                                                                                                               | 30,25          | 30,25         | St      |
| ECL-CNXRCAEBAD    | Ecler Euroblock 3 pin to RCA MONO female adapter including RCA to<br>Euroblock unbalancing.                                                                                                                                                                                                                                                                                             | 22,99          | 22,99         | St      |
| ECL-CNXXLRFEB     | Ecler Euroblock 3 pin to XLR female connection premade cable, 0.5<br>metre length.                                                                                                                                                                                                                                                                                                      | 20,57          | 20,57         | St      |
| ECL-CNXXLRXLR1    | Ecler XLR male to XLR female cable, 1 metre length.                                                                                                                                                                                                                                                                                                                                     | 22,99          | 22,99         | St      |
| ECL-CNXXLRXLR10   | Ecler XLR male to XLR female cable, 10 metre length.                                                                                                                                                                                                                                                                                                                                    | 66,55          | 66,55         | St      |
| ECL-CNXXLRXLR5    | Ecler XLR male to XLR female cable, 5 metre length.                                                                                                                                                                                                                                                                                                                                     | 42,35          | 42,35         | St      |
| ECL-COLORPAINT    | COLORPAINT: launching of painting loudspeakers in a colour (RAL)                                                                                                                                                                                                                                                                                                                        | 289,19         | 289,19        | St      |
| ECL-CORE          | WiSpeak CORE Transmitter Master Unit                                                                                                                                                                                                                                                                                                                                                    | 583,22         | 583,22        | St      |
| ECL-CUBE          | Ecler WiSpeak CUBE is a self-powered 5" loudspeaker cabinet with<br>wireless audio reception and control capabilities under the control of the<br>Master unit, featuring an AUX output (Euroblock) and a installation<br>system which is compatible with ceiling li                                                                                                                     | 597,74         | 597,74        | St      |

| Code                 | Naam                                                                                                                                                                                                                                                       | Catalogusprijs | Uw nettoprijs | Eenheid |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|---------|
|                      |                                                                                                                                                                                                                                                            | Inclusief BTW  | Inclusief BTW |         |
| ECL-DAM614           | Digital Audio Mixer - 6 Audio Inputs (2 Stereo LINE + 4 MIC/LINE Inputs)                                                                                                                                                                                   | 1.116,83       | 1.116,83      | St      |
| ECL-DN44BOB          | Ecler 4 inputs/4 outputs DANTE (Audio Over IP) Break Out Box. It allows to convert 4 analogue audio signals into 4 DANTE channels and send them into an Ethernet LAN, as well as to take 4 DANTE channels from the Ethernet network and convert them to an | 1.481,04       | 1.481,04      | St      |
| ECL-DROP6            | Ecler ECLER DROP6 is a 2-way 6.5", 75W@8ohm pendant loudspeaker with a stylish design, including a 70/100V line transformer with 60/30/15 and 7,5W power selections, available at both high and low impedance levels. Dimensions (without accessories) Ø27 | 369,05         | 369,05        | St      |
| ECL-DUONET<br>PLAYER | Ecler Double audio sound source that features full EclerNet compatibility (UCP control system, WPNETTOUCH remote management, TP-NET protocol, etc.). It includes 2 independent stereo media players, each one being able to play Internet audio streams an | 1.277,76       | 1.277,76      | St      |
| ECL-EAMBIT103WH      | Ecler Ultra compact 2-way (3.5" woofer and 0.5" tweeter) loudspeaker cabinet with neutral an discreet design, suitable for 70/100V (2.5/5/7.5/15 W) and low impedance (25 WRMS @8Ω) audio lines. IP54 certified. Includes on-wall hardware, safety sling,  | 84,70          | 84,70         | St      |
| ECL-EAMBIT106BK      | Ecler Ultra compact 2-way (6.5" woofer and 1" tweeter) loudspeaker cabinet with neutral an discreet design, suitable for 70/100V (5/7.5/15/30 W) and low impedance(50 WRMS @8Ω) audio lines. IP54 certified. Includes on-wall hardware, safety sling, scre | 140,36         | 140,36        | St      |
| ECL-ECA120           | Ecler ECA120 - 2 x 60 WRMS @ 4 Ω stereo micro-amplifier                                                                                                                                                                                                    | 492,47         | 492,47        | St      |
| ECL-ECA120HZ         | Ecler Mono micro-amplifier delivering 1 x 120 WRMS @ 70V / 100 V line level (high impedance), built in a very compact format and a light and silent (fanless) design. It features 1 LINE ST input (RCA/Euroblock), AUTO STANDBY function and volume remote | 556,60         | 556,60        | St      |
| ECL-ECA120HZDN       | ECLER eCA120HZDN is a 120 WRMS @ 100V efficiency (class D) mono compact amplifie                                                                                                                                                                           | 1.066,01       | 1.066,01      | St      |
| ECL-ECMP12           | eCMP12 Musical Projector                                                                                                                                                                                                                                   | 828,85         | 828,85        | St      |
| ECL-ECMP8            | eCMP8 Musical Projector                                                                                                                                                                                                                                    | 515,46         | 515,46        | St      |
| ECL-ECOMPACT4BT      | Ecler eCOMPACT4BT - Installation Analogue Mixer with Bluetooth                                                                                                                                                                                             | 1.055,12       | 1.055,12      | St      |
| ECL-ECS803           | ECLER eCS803 is a column loudspeaker, featuring 8 x 3" woofer transducers, 100 W                                                                                                                                                                           | 192,39         | 192,39        | St      |
| ECL-EGPA2150         | Stereo, 2x150 WRMS @ 4 ?, high efficiency amplifier (class D). Auto stand-by fun                                                                                                                                                                           | 632,83         | 632,83        | St      |
| ECL-EGPA2300         | Stereo, 2x310 WRMS @ 4 ?, high efficiency stereo amplifier (class D). Auto stand                                                                                                                                                                           | 845,79         | 845,79        | St      |
| ECL-EGPA4150         | 4x150 WRMS @ 4 ?, high efficiency multichannel amplifier (class D). Auto stand-b                                                                                                                                                                           | 952,27         | 952,27        | St      |
| ECL-EGPA8150         | 8x150 WRMS @ 4 ?, high efficiency multichannel amplifier (class D). Auto stand-b                                                                                                                                                                           | 1.841,62       | 1.841,62      | St      |
| ECL-EHMA120          | Ecler Stereo, Self-powered audio mixer including 3x MIC/LINE ST and 1x LINE ST input. It features a 95W powered mono output that supports both low (4Ω) and high impedance (70/100V) loudspeaker lines, with 2-ZONE ON/OFF switches. Includes audio priori | 642,51         | 642,51        | St      |
| ECL-EHMA250          | eHMA250 Self-powered Audio Mixer                                                                                                                                                                                                                           | 1.007,93       | 1.007,93      | St      |
| ECL-EHMA60           | ECLER ESSENTIALS eHMA60 is a powered audio mixer including one MIC input and two                                                                                                                                                                           | 434,39         | 434,39        | St      |
| ECL-EHSA2-150        | Ecler Stereo amplifier with 2 x 150 WRMS @ 70/100V (high impedance) powered outputs. Its noiseless convection cooling, a very high efficiency and its auto stand-by function provide this amplifier with a true green profile. Dimensions 440 x 44(1RU) x  | 906,29         | 906,29        | St      |
| ECL-EHSA2500         | Multichannel amplifier with 2 x 500 WRMS @ 100V (high impedance) powered outputs                                                                                                                                                                           | 1.136,19       | 1.136,19      | St      |
| ECL-EHSA4-150        | Ecler Multichannel amplifier with 4 x 150 WRMS @ 70/100V (high impedance) powered outputs. Its noiseless convection cooling, a very high efficiency and its auto stand-by function provide this amplifier with a true green profile. Dimensions 440 x 44(1 | 1.326,16       | 1.326,16      | St      |
| ECL-EHSA4500         | Multichannel amplifier with 4 x 500 WRMS @ 100V (high impedance) powered outputs                                                                                                                                                                           | 1.641,97       | 1.641,97      | St      |
| ECL-EHSA460          | Multichannel amplifier Class D with 4x60 WRMS @ 70/100V (high impedance) powered                                                                                                                                                                           | 906,29         | 906,29        | St      |
| ECL-EIC5154          | ECLER ESSENTIALS eIC5154 is an EN54-24 certified 1 way in-ceiling loudspeaker. I                                                                                                                                                                           | 91,96          | 91,96         | St      |

| Code            | Naam                                                                                                                                                                                                                                                       | Catalogusprijs | Uw nettoprijs | Eenheid |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|---------|
|                 |                                                                                                                                                                                                                                                            | Inclusief BTW  | Inclusief BTW |         |
| ECL-EIC51FM     | Fast installation in-ceiling loudspeaker. It features a 5,25" woofer, 6 WRMS @ 8                                                                                                                                                                           | 26,62          | 26,62         | St      |
| ECL-EIC52       | ECLER eIC52 is a 2 way cost-effective in-ceiling loudspeaker with a great sound                                                                                                                                                                            | 49,61          | 49,61         | St      |
| ECL-EIC52MS     | ECLER ESSENTIALS eIC52MS is a 2 way in-ceiling loudspeaker suitable for installa                                                                                                                                                                           | 73,81          | 73,81         | St      |
| ECL-ELPA21400   | Stereo amplifier delivering 2 x 1400 WRMS @ 4?. Have 2 XLR balanced inputs, 2 Sp                                                                                                                                                                           | 1.297,12       | 1.297,12      | St      |
| ECL-ELPA2350    | Stereo amplifier delivering 2 x 345 WRMS @ 4?. Have 2 XLR balanced inputs, 2 Spe                                                                                                                                                                           | 761,09         | 761,09        | St      |
| ECL-ELPA2650    | Stereo amplifier delivering 2 x 630 WRMS @ 4?. Have 2 XLR balanced inputs, 2 Spe                                                                                                                                                                           | 976,47         | 976,47        | St      |
| ECL-ELPA2950    | Stereo amplifier delivering 2 x 950 WRMS @ 4?. Have 2 XLR balanced inputs, 2 Spe                                                                                                                                                                           | 1.148,29       | 1.148,29      | St      |
| ECL-EMBASE      | ECLER eMBASE is a desktop connection base for the eMCN1 and eMCN2 microphones, a                                                                                                                                                                           | 102,85         | 102,85        | St      |
| ECL-EMCN1       | ECLER eMCN1 is a condenser gooseneck microphone, with a perfect profile for mess                                                                                                                                                                           | 135,52         | 135,52        | St      |
| ECL-EMCN2       | ECLER eMCN2 is a condenser gooseneck microphone, with a perfect profile for mess                                                                                                                                                                           | 135,52         | 135,52        | St      |
| ECL-EMCONTROL1  | Ecler eMCONTROL1 Digital Remote Control                                                                                                                                                                                                                    | 234,74         | 234,74        | St      |
| ECL-EMCTROL1US  | Digital control panel for the eMIMO1616 matrix with a wall format with USA frame                                                                                                                                                                           | 234,74         | 234,74        | St      |
| ECL-EMHH1       | ECLER eMHH1 is an affordable handheld dynamic microphone, with a robust design t                                                                                                                                                                           | 79,86          | 79,86         | St      |
| ECL-EMHS1BG     | ECLER eMHS1BG is a headset condenser mini-microphone in beige colour and with a                                                                                                                                                                            | 166,98         | 166,98        | St      |
| ECL-EMICFIT2    | eMICFIT2 is a robust headset condenser microphone, including a water and sweat r                                                                                                                                                                           | 159,72         | 159,72        | St      |
| ECL-EMOTUS5ODBK | ECLER ESSENTIALS eMOTUS5ODBK is a 5" (40WRMS @ 8?) loudspeaker cabinet ready for                                                                                                                                                                           | 173,03         | 173,03        | St      |
| ECL-EMOTUS5ODWH | ECLER ESSENTIALS eMOTUS5ODWH is a 5" (40WRMS @ 8?) loudspeaker cabinet ready for                                                                                                                                                                           | 173,03         | 173,03        | St      |
| ECL-EMOTUS5PBWH | Ecler Stereo loudspeaker kit (2 x 25 WRMS @ 8Ω) including an active and a passive cabinet. eMOTUS5PBBK performs BT connection, balanced and unbalanced audio inputs. Includes an IR remote control and 0-10VDC remote port. Features: source selection, 2  | 408,98         | 408,98        | St      |
| ECL-EMOTUS5PWH  | Ecler Stereo loudspeaker kit (2 x 25 WRMS @ 8Ω) including an active and a passive cabinet and performing 2 audio inputs: balanced and unbalanced. Suitable for low impedance audio lines, includes source selection, 2 band tone control, stereo/mono swit | 313,39         | 313,39        | St      |
| ECL-EMOTUS8ODBK | 8" woofer and 1" tweeter (100 WRMS @ 8?) loudspeaker cabinet ready for outdoor i                                                                                                                                                                           | 341,22         | 341,22        | St      |
| ECL-EMOTUS8ODWH | 8" woofer and 1" tweeter (100 WRMS @ 8") loudspeaker cabinet ready for outdoor                                                                                                                                                                             | 341,22         | 341,22        | St      |
| ECL-EMPAGE      | eMPAGE Digital Paging Station                                                                                                                                                                                                                              | 729,63         | 729,63        | St      |
| ECL-EMSP50TI    | Ecler ESSENTIALS eMSP50Ti is a 50WRMS 2-way musical horn carefully selected for                                                                                                                                                                            | 260,15         | 260,15        | St      |
| ECL-EMWE        | ECLER eMWE is a wireless UHF beltpack transmitter, compatible with the mini-XLR                                                                                                                                                                            | 189,97         | 189,97        | St      |
| ECL-EMWH        | ECLER eMWH is a wireless UHF handheld microphone transmitter, compatible with th                                                                                                                                                                           | 197,23         | 197,23        | St      |
| ECL-EMWR        | ECLER eMWR is a wireless UHF microphone receiver, compatible with the eMWE (belt                                                                                                                                                                           | 358,16         | 358,16        | St      |
| ECL-EPHS30TI    | Ecler ESSENTIALS ePHS30Ti is a 30WRMS horn loudspeaker carefully selected for th                                                                                                                                                                           | 125,84         | 125,84        | St      |
| ECL-EPRS10TI    | Ecler ESSENTIALS ePRS10Ti is a 10WRMS sound projector carefully selected for the                                                                                                                                                                           | 93,17          | 93,17         | St      |
| ECL-EPRS20TI    | Ecler ESSENTIALS ePRS20Ti is a 20WRMS sound projector carefully selected for the                                                                                                                                                                           | 99,22          | 99,22         | St      |
| ECL-ERK108      | ECLER eRK108 is an outdoor and cost-effective ground loudspeaker, ready to be in                                                                                                                                                                           | 203,28         | 203,28        | St      |
| ECL-ESAM402     | Ecler Installation audio mixer in standard rack format, featuring 3                                                                                                                                                                                        | 469,48         | 469,48        | St      |

| Code           | Naam                                                                                                                                                                                                                                                       | Catalogusprijs Uw nettoprijs Eenheid |                |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------|
|                |                                                                                                                                                                                                                                                            | Inclusief BTW                        | Inclusief BTW  |
|                | MIC/LINE ST inputs, 1 LINE ST input, 1 main mix balanced output and one AUX/REC additional output. It includes a 3 band tone control section, Talkover (priority) function assignable                                                                      |                                      |                |
| ECL-ESAM603    | Ecler 6 inputs and 3 outputs installation audio mixer. Inputs: 1x MIC, 4x MIC/LINE ST, 1x LINE ST. Outputs: 1x ST (A/B) and 1x MONO (C). A/B output can operates in ST/MONO mode. Each input can be routed to output A, B and/or C. It includes a 3 band t | 646,14                               | 646,14 St      |
| ECL-ESAM702    | Ecler Installation audio mixer in standard rack format, featuring 6 MIC/LINE ST inputs, 1 LINE ST input, 1 main mix balanced output and one AUX/REC additional output. It includes a 3 band tone control section, Talkover (priority) function assignable  | 620,73                               | 620,73 St      |
| ECL-ESASBT     | Stereo audio source including FM tuner, USB slot, SD slot and Bluetooth connecti                                                                                                                                                                           | 326,70                               | 326,70 St      |
| ECL-ETH232AD   | Ecler ETH232AD serial interface for bidirectional transparent transmission                                                                                                                                                                                 | 258,94                               | 258,94 St      |
| ECL-EUC106BK   | ECLER eUC106 is a spherical pendant loudspeaker featuring a 6,5" woofer, 0.5" tw                                                                                                                                                                           | 171,82                               | 171,82 St      |
| ECL-EUC106WH   | Ecler Spherical pendant loudspeaker featuring a 6,5" woofer, 0.5" tweeter. 40 WRMS @ 8Ω and 70/100V transformer.(32/ 16/ 8/ 4 W @ 100V). Dimensions (without accessories) ø270 x 215 (H). Weight 3 kg Stripped wire connection (3m). White colour.         | 171,82                               | 171,82 St      |
| ECL-GLOBE      | Ecler WiSpeak GLOBE is a self-powered 2-way full range sphere loudspeaker cabinet with wireless audio reception and control capabilities under the control of a WiSpeak CORE Master unit, featuring a pendant installation system. Includes a 5" woofer an | 565,07                               | 565,07 St      |
| ECL-GPA2400ES  | Stereo amplifier delivering 2 x 350 WRMS @ 4 ?. True green profile: high efficie                                                                                                                                                                           | 1.148,29                             | 1.148,29 St    |
| ECL-GPA2800    | Stereo amplifier delivering 2 x 720 WRMS @ 4 ?, and ready to drive 1000 WRMS @ 2                                                                                                                                                                           | 1.571,79                             | 1.571,79 St    |
| ECL-HMA120     | 120W (8OHM, 100V) public address mixer-amplifier                                                                                                                                                                                                           | 779,24                               | 779,24 St      |
| ECL-HSA2400ES  | Stereo amplifier with low and high impedance powered outputs (2x400 WRMS). Inclu                                                                                                                                                                           | 1.462,89                             | 1.462,89 St    |
| ECL-HSA300     | Mono 300W - 100V power amplifier                                                                                                                                                                                                                           | 945,08998                            | 945,08998 St   |
| ECL-HUB1408    | HUB1408 8 outputs digital zoner with DSP                                                                                                                                                                                                                   | 1.442,32                             | 1.442,32 St    |
| ECL-HUB1616    | HUB1616 16 outputs digital zoner with DSP                                                                                                                                                                                                                  | 1.943,26                             | 1.943,26 St    |
| ECL-HZA4120F   | Flexipower 4x120W up to 1x480W-100V power ampli                                                                                                                                                                                                            | 1.583,96998                          | 1.583,96998 St |
| ECL-IC3        | Ecler 1-way loudspeaker is the perfect option for 70/100 V (0.75/1.5/3/6 W) and low impedance sound solutions. It mounts a 3" woofer in a discreet design. Cutout size 90mm. Internal diameter 88mm. External diameter 105mm. Required depth 90mm. Weight  | 58,08                                | 58,08 St       |
| ECL-IC6        | 6inch 90W 8ohm 100V ceiling loudspeaker (par piece)                                                                                                                                                                                                        | 82,35998                             | 82,35998 St    |
| ECL-IC6BK      | ECLER IC6 2-way loudspeaker is the perfect option for 70/100 V and low impedance                                                                                                                                                                           | 82,28                                | 82,28 St       |
| ECL-IC6CLASS54 | Low (75 WRMS @16?) and high impedance (3/7.5/15/20/30W) 2-way loudspeaker (6" ke                                                                                                                                                                           | 330,33                               | 330,33 St      |
| ECL-IC6CLASSTR | Low (75 WRMS @16?) and high impedance (3, 7.5, 15, 20, 30 W) 2-way loudspeaker (                                                                                                                                                                           | 274,67                               | 274,67 St      |
| ECL-IC8        | 8inch 120W 8ohm 100V ceiling loudspeaker                                                                                                                                                                                                                   | 111,39998                            | 111,39998 St   |
| ECL-IC-TB6     | Ecler Tile bridge compatible with IC6 in-ceiling loudspeakers. Sold in kits of 2 units. Price per kit.                                                                                                                                                     | 91,96                                | 91,96 St       |
| ECL-IC-TB8     | Ecler Tile bridge compatible with IC8 and IC6CLASS series in-ceiling loudspeakers. Sold in kits of 2 units. Price per kit.                                                                                                                                 | 99,22                                | 99,22 St       |
| ECL-IG108      | IP65 outdoor speaker, mushroom shape, 100W/8ohm, 100V , security ground bracket i                                                                                                                                                                          | 549,34                               | 549,34 St      |
| ECL-IW103      | ECLER IW103 is a 3" in-ceiling / in-wall installation loudspeaker featuring a re                                                                                                                                                                           | 93,17                                | 93,17 St       |
| ECL-LABI1C100I | LABI1-C100i is a versatile and discreet column loudspeaker, designed for indoor                                                                                                                                                                            | 1.617,77                             | 1.617,77 St    |
| ECL-LABI1CAC   | Column-adapter-column, to connect vertically two LABI1-C100i column loudspeakers                                                                                                                                                                           | 254,10                               | 254,10 St      |
| ECL-LABI1CFC   | Column-Flight-Case. Flight case for 2 LABI1-C100i + wiring + mounting accessorie                                                                                                                                                                           | 1.143,45                             | 1.143,45 St    |
| ECL-LABI1HBC   | Horizontal-Bracket-Column. High-density foam pieces to let LABI1-C100i                                                                                                                                                                                     | 43,56                                | 43,56 St       |

| Code            | Naam                                                                                               | Catalogusprijs | Uw nettoprijs | Eenheid |
|-----------------|----------------------------------------------------------------------------------------------------|----------------|---------------|---------|
|                 |                                                                                                    | Inclusief BTW  | Inclusief BTW |         |
|                 | rest on t                                                                                          |                |               |         |
| ECL-LABI1ODCNX  | Outdoor kit to cover LABI1-C100i connections and make it ready for outdoor appli                   | 88,33          | 88,33         | St      |
| ECL-LABI1PACK1  | Pack consisting of 2x LABI1-SB18p, 4x LABI1-C100i, 2x LABI1-SAC, 2x LABI1-CAC, 2                   | 17.264,28      | 17.264,28     | St      |
| ECL-LABI1PACK2  | Pack consisting of 1x LABI1-SB18p, 2x LABI1-C100i, 1x LABI1-SAC, 1x LABI1-CAC, 1                   | 8.632,14       | 8.632,14      | St      |
| ECL-LABI1PBC    | Pole-Bracket-Column. Pole adaptor to install LABI1-C100i loudspeakers in a 35mm                    | 261,36         | 261,36        | St      |
| ECL-LABI1SAC    | Subwoofer-adaptor-column, to install the LABI1-C100i satellite loudspeaker on LA                   | 212,96         | 212,96        | St      |
| ECL-LABI1SB18   | LABI1-SB18 is an 18? passive subwoofer, 500W AES 8?, designed for fixed installa                   | 1.892,44       | 1.892,44      | St      |
| ECL-LABI1SB18P  | LABI1-SB18p is an 18? powered subwoofer, designed for fixed installations and po                   | 3.823,60       | 3.823,60      | St      |
| ECL-LABI1SPC    | Subwoofer-Protection-Cover. Nylon protection cover for LABI1-SB18/18p subwoofer                    | 231,11         | 231,11        | St      |
| ECL-LABI1SWK    | Subwoofer-Wheel-Kit. 4 wheel kit for LABI1-SB18/18p subwoofer                                      | 187,55         | 187,55        | St      |
| ECL-LABI1TBC    | Truss-Bracket-Column. Support to install a LABI1-C100i loudspeaker to truss                        | 153,67         | 153,67        | St      |
| ECL-LABI1WBC    | Wall-Bracket-Column. LABI1-C100i wall mount bracket                                                | 173,03         | 173,03        | St      |
| ECL-LABIPACK3   | Ecler LABI1 Loudspeaker kit including: 2x LABI1-SB18p, 4x LABI1-C100i, 2x LABI1-SAC & 2x LABI1-CAC | 14.297,36      | 14.297,36     | St      |
| ECL-LABIPACK4   | Ecler LABI1 Loudspeaker kit including: 2x LABI1-SB18p, 2x LABI1-C100i, 2x LABI1-SAC                | 10.741,17      | 10.741,17     | St      |
| ECL-M40AEC2EXP  | Expansion license +2 AEC processing channels for MIMO4040DN CONFERENCE*up to 8 A                   | 135,52         | 135,52        | St      |
| ECL-M40AEC4EXP  | Expansion license +4 AEC processing channels for MIMO4040DN CONFERENCE*up to 8 A                   | 272,25         | 272,25        | St      |
| ECL-M40AEC6EXP  | Expansion license +6 AEC processing channels for MIMO4040DN CONFERENCE*up to 8 A                   | 408,98         | 408,98        | St      |
| ECL-MBSTAND     | Microphone floor boom stand.                                                                       | 67,76          | 67,76         | St      |
| ECL-MDSTAND     | Microphone desktop stand.                                                                          | 18,15          | 18,15         | St      |
| ECL-MIMO1212SG  | ECLER MIMO1212SG (MIMO1212 SINGLE) is an EclerNet digital audio device that keep                   | 2.444,20       | 2.444,20      | St      |
| ECL-MIMO4040CDN | Digital matrix with native processing of 40 inputs and 40 outputs (8 analogue in                   | 4.877,51       | 4.877,51      | St      |
| ECL-MIMO7272DN  | 64x64 native processing digital matrix with 72 inputs and 72 outputs (8 analogu                    | 4.877,51       | 4.877,51      | St      |
| ECL-MIMO88      | 8x8 OUT digital audio matrix with DSP, programmable, management via Ethernet                       | 3.275,47       | 3.275,47      | St      |
| ECL-MIMO88SG    | 8 IN / 8 OUT digital audio matrix, fully programmable, not linkable to a second                    | 2.124,83998    | 2.124,83998   | St      |
| ECL-MPAGE1R     | ECLER MPAGE1r is a 1-zone desktop paging station, compatible with any device inc                   | 250,47         | 250,47        | St      |
| ECL-MPAGE4      | MPAGE4 Desktop Paging Station                                                                      | 405,42998      | 405,42998     | St      |
| ECL-NUO20       | ECLER NUO 2.0 2 channel analogue mixer                                                             | 412,01         | 412,01        | St      |
| ECL-NXA4200     | 4 in /4 out self-powered digital manager that stays halfway between a digital ma                   | 2.682,57       | 2.682,57      | St      |
| ECL-NXA4400     | 4 x 420 W RMS @ 4 ohms                                                                             | 3.721,96       | 3.721,96      | St      |
| ECL-NXA480      | 4 x 85 W RMS @ 4 ohms                                                                              | 1.926,32       | 1.926,32      | St      |
| ECL-NXA6200     | 6 in /6 out self-powered digital manager that stays halfway between a digital ma                   | 3.219,81       | 3.219,81      | St      |
| ECL-NXA680      | 6 in /6 out self-powered digital manager that stays halfway between a digital ma                   | 2.300,21       | 2.300,21      | St      |
| ECL-PAGENETDN   | PAGENETDN EclerNet Dante Paging Station                                                            | 2.709,19       | 2.709,19      | St      |
| ECL-PAINT100S   | UNTPAINT100: painting by unit when there are 100 or more units.                                    | 16,94          | 16,94         | St      |
| ECL-PAINT10S    | UNTPAINT10: painting by unit when there are less than 10 units                                     | 24,20          | 24,20         | St      |
| ECL-PAINT1S     | UNTPAINT1: painting by unit when there are less than 10 units                                      | 47,19          | 47,19         | St      |
| ECL-PKIC6       | ECLER PKIC6 is an accessory for personalizing the IC6 ceiling loudspeaker. The k                   | 48,40          | 48,40         | St      |
| ECL-PKIC8       | ECLER PKIC8 is an accessory to personalize the IC8 ceiling                                         | 48,40          | 48,40         | St      |

| Code            | Naam                                                                                                                                                                                                                                                                               | Catalogusprijs | Uw nettoprijs | Eenheid |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|---------|
|                 |                                                                                                                                                                                                                                                                                    | Inclusief BTW  | Inclusief BTW |         |
| ECL-PLAYER ONE  | loudspeaker. The kit<br>Ecler Compact audio player with a stereo output that can play music contents from local storage media (USB/MicroSD card), Internet streams or digital sharing streams (DLNA and Airplay compatible). It includes Ethernet port, WiFi connection, USB and M | 595,32         | 595,32        | St      |
| ECL-POLE01      | Pole for UMA SB118 and UMA 12 or UMA 15                                                                                                                                                                                                                                            | 50,89998       | 50,89998      | St      |
| ECL-PUM3        | Minirack extension piece                                                                                                                                                                                                                                                           | 21,85998       | 21,85998      | St      |
| ECL-RAILAPTOR   | Ecler RAILAPTOR is an adapter for hanging compatible loudspeakers from a ceiling light rail. It is suitable for eMOTUS5OD, AUDEO103 and AUDEO106 cabinets and light rails performing 4 wire 3 circuit track system such as Global Track Pro, Eutrac or oth                         | 29,04          | 29,04         | St      |
| ECL-SAM412T     | 19" stereo mixer. 4 MIC/LINE inputs. Individual 3band EQ, MIX input. OUT and REC                                                                                                                                                                                                   | 686,14998      | 686,14998     | St      |
| ECL-SAM612T     | ECLER SAM612T is an installation audio mixer in standard rack format, featuring                                                                                                                                                                                                    | 716,32         | 716,32        | St      |
| ECL-SR12        | Wall bracket for UMA 12. It allows to install it on the wall.                                                                                                                                                                                                                      | 43,63998       | 43,63998      | St      |
| ECL-TRAIL103BK  | ECLER TRAIL103BK is a 3" lamp style loudspeaker cabinet, featuring an installati                                                                                                                                                                                                   | 269,83         | 269,83        | St      |
| ECL-TRAIL103WH  | ECLER TRAIL103WH is a 3" lamp style loudspeaker cabinet, featuring an installati                                                                                                                                                                                                   | 269,83         | 269,83        | St      |
| ECL-TRAILSB6TBK | TRAILSB6T is a wooden subwoofer reinforcement cabinet with a very compact format                                                                                                                                                                                                   | 537,24         | 537,24        | St      |
| ECL-TRIPO1      | Loudspeaker floor stand with 35 MM pole.Delivered by master carton of 2 units. P                                                                                                                                                                                                   | 90,75          | 90,75         | St      |
| ECL-TUBE        | Ecler WiSpeak TUBE is a self-powered 3" lamp style loudspeaker with wireless audio reception and control capabilities under the control of the Master unit, featuring an AUX output (Euroblock) and a installation system which is compatible with ceiling                         | 474,32         | 474,32        | St      |
| ECL-TUBE SMA    | Ecler TUBESMA is a surface mount adapter to allow installing a TUBE unit in locations where there is no available lighting rail.                                                                                                                                                   | 45,98          | 45,98         | St      |
| ECL-UBWPACNXJRC | UBWPaCNX-JRC is a connection wall-panel, in US single gang bare format                                                                                                                                                                                                             | 89,54          | 89,54         | St      |
| ECL-UBWPAVOL    | UBWPaVOL is a remote wall panel control for one volume management, in US single                                                                                                                                                                                                    | 95,59          | 95,59         | St      |
| ECL-VIC6        | VIC6 In-ceiling Loudspeaker                                                                                                                                                                                                                                                        | 127,05         | 127,05        | St      |
| ECL-VIC6X       | 2-way loudspeaker is the perfect option for 70/100 V (2,5/5/10/20/40 W) and low                                                                                                                                                                                                    | 202,07         | 202,07        | St      |
| ECL-VIC8        | VIC8 In-ceiling Loudspeaker                                                                                                                                                                                                                                                        | 160,93         | 160,93        | St      |
| ECL-VIC8X       | 2-way loudspeaker is the perfect option for 70/100 V (3,75/7,5/15/30/60 W) and l                                                                                                                                                                                                   | 286,77         | 286,77        | St      |
| ECL-VICSB8      | Ecler Sub-woofer reinforcement loudspeaker is the perfect option for 70/100 V (3,75/7,5/15/30/60 W) and low impedance sound solutions. It mounts an 8" providing 80 WRMS power in a discreet design.Dimensions (ØxD): 282x135mm. Weight 3,1kg. Delivered b                         | 286,77         | 286,77        | St      |
| ECL-VICSB8X     | Sub-woofer reinforcement loudspeaker is the perfect option for 70/100 V (3,75/7,                                                                                                                                                                                                   | 413,82         | 413,82        | St      |
| ECL-WARM2       | ECLER WARM2 - 2-channel analogue rotary DJ mixer                                                                                                                                                                                                                                   | 689,00         | 689,00        | St      |
| ECL-WARM4       | ECLER WARM4 - 4-channel analogue rotary DJ mixer                                                                                                                                                                                                                                   | 1.489,00       | 1.433,00      | St      |
| ECL-WP22DN      | WP22DN Dante digital audio wall panel interface                                                                                                                                                                                                                                    | 902,66         | 902,66        | St      |
| ECL-WP24-PSU    | Ecler 24VDC 0.5A external PSU. International AC plugs set. Coaxial connector (+ center), compatible with eMPAGE and DN44BOB                                                                                                                                                        | 58,08          | 58,08         | St      |
| ECL-WPA2FMBOX   | Ecler WPa2FMBOX is a double Flush-Mount box, compatible with the WPa wall panel                                                                                                                                                                                                    | 61,71          | 61,71         | St      |
| ECL-WPA2SMBOX   | Ecler WPa2SMBOX Double Surface-Mount Box                                                                                                                                                                                                                                           | 61,71          | 61,71         | St      |
| ECL-WPABT       | Class 1 bluetooth receiver (range 25m) A2DP profile, which keeps the standard wa                                                                                                                                                                                                   | 291,61         | 291,61        | St      |
| ECL-WPACNX-CBO  | Ecler Connection wall plate with Female 3 pin XLR connector + Jackk ST (combo connector). Screw-type connector at the back (no solder needed). Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.                                                      | 101,64         | 101,64        | St      |
| ECL-WPACNX-JRCA | Ecler Connection wall plate with 1 x stereo minijack and 2 x RCA connectors. Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.                                                                                                                        | 95,59          | 95,59         | St      |

| Code            | Naam                                                                                                                                                                                                                                                       | Catalogusprijs | Uw nettoprijs | Eenheid |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|---------|
|                 |                                                                                                                                                                                                                                                            | Inclusief BTW  | Inclusief BTW |         |
| ECL-WPAH-AT100  | Ecler 70 / 100V line attenuator with integrated 24 VDC priority relay. 100W maximum output power. Universal surface-mount installation box included. Dimensions 172 x 38 x 86 mm.                                                                          | 142,78         | 142,78        | St      |
| ECL-WPAHAT40    | 70 / 100V line attenuator with integrated 24 VDC priority relay. 40W maximum out                                                                                                                                                                           | 133,10         | 133,10        | St      |
| ECL-WPAH-AT6    | Ecler 70 / 100V line attenuator with integrated 24 VDC priority relay. 6W maximum output power. Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.                                                                             | 111,32         | 111,32        | St      |
| ECL-WPAMIX-T    | Ecler 2 channel micro-mixer which keeps the standard wall-panel format of the WPm series. It allows to a mix a stereo unbalanced signal (2xRCA) with a microphone signal (XLR), getting a balanced mono output that can be sent to a preamplifier, amplifi | 168,19         | 168,19        | St      |
| ECL-WPAMIX-TUS  | Ecler 2 channel micro-mixer which keeps the standard wall-panel format of the WPm series, but with USA frame. It allows to a mix a stereo unbalanced signal (2xRCA) with a microphone signal (XLR), getting a balanced mono output that can be sent to a p | 168,19         | 168,19        | St      |
| ECL-WPAVOL      | Ecler WPaVOL Remote Wall Panel Control                                                                                                                                                                                                                     | 90,75          | 90,75         | St      |
| ECL-WPAVOL-J    | Ecler Remote wall panel control for one volume management and a front panel stereo mini-jack connector. Compatible with all ECLER 0-10V DC REMOTE control port, like MPA-R, ALMA, MIMO88 / SG, NXA series, CA series, GPA series, etc.                     | 106,48         | 106,48        | St      |
| ECL-WPAVOL-SR   | Ecler Remote wall panel control for one volume management + source or preset selection. Compatible with all Ecler 0-10V DC REMOTE control port, like MPA-R, ALMA, MIMO88 / SG, NXA series, CA series, GPA series, etc. Universal surface-mount installatio | 129,47         | 129,47        | St      |
| ECL-WPAVOL-SR-J | Ecler Same features as WPaVOL-SR + front panel stereo mini-jack connector. Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.                                                                                                  | 135,52         | 135,52        | St      |
| ECL-WPAVOL-SRUS | Ecler Remote wall panel control with USA frame for one volume management + source or preset selection. Compatible with all Ecler 0-10V DC REMOTE control port, like MPA-R, ALMA, MIMO88 / SG, NXA series, CA series, GPA series, etc. Dimensions 116.5x114 | 129,47         | 129,47        | St      |
| ECL-WPAVOLUS    | Remote wall panel control with USA frame for one volume management. Compatible w                                                                                                                                                                           | 105,27         | 105,27        | St      |
| ECL-WPNET4KV    | Ecler EclerNet compatible wall panel. It features a LCD screen, encoder and 4 selection keys. Works perfectly to enable volume control, source and preset selection functions. Ethernet interface. PoE or local power supply.                              | 475,53         | 475,53        | St      |
| ECL-WPNET8K     | EclerNet compatible wall panel. It features a LCD screen and 8 selection keys. W                                                                                                                                                                           | 475,53         | 475,53        | St      |
| ECL-WPNETEX     | EclerNet compatible digital wall panel, including an LCD screen, a digital rotar                                                                                                                                                                           | 577,17         | 577,17        | St      |
| ECL-WPNETTOUCH  | WPNETTOUCH EclerNet Control Touch-Screen                                                                                                                                                                                                                   | 1.287,44       | 1.287,44      | St      |
| ECL-WPPSU       | Wall plus PSU for WPTOUCH and WPVOL-IR                                                                                                                                                                                                                     | 77,51998       | 77,51998      | St      |