

LED & Laser effects

NEW PRODUCTS






THE LIGHT-EXPERIENCE...

The Showtec Star Force is a new generation moonflower with a high power LED light source. Just one 10W 4-in-1 RGBW LED chip will take care of a powerful burst of beams that will take you into a colorful tunnel of light. The Showtec Star Force is just like many other Showtec light effects equipped with IMC. IMC stands for Intelligent Music Control, this is a special sound-to-light module that reacts to your music like a real light-jockey. If you are playing easy-listening music different nice slow programs will be selected. If you are playing party music the IMC will select uplifting programs and different strobe patterns to entertain your audience. Auto, sound to light, Master/slave and DMX setups can easily be set by the menu with 4-digit display. The menu display can be mirrored and shut down after you make your settings. This new generation moonflower has all the options that you need.



- Lasersharp beams
- Intelligent Music Control
- 10W RGBW 4-in1 LED
- IEC In- and output



Technical Information

Power Input: 100-230V 50/60 Hz
 Power Consumption: 36W
 Light Source: 1 x 10W 4-in1 RGBW Chip
 Control: Auto, Sound, Custom, Master/Slave, DMX
 DMX Channels: 4
 Control Display: 4 Digits LED

Power Connector: IEC In/Out
 Data Connector: In/Out (XLR 3 Pin)
 Dimensions: 247 x 195 x 170mm (excl. bracket)
 Weight: 2.8Kg
 Optional Accessories: IEC cables, 90465, 90466, 90446

NEW!
PRODUCT

43096

Star Dancer**Showtec**

The Star Dancer is a scanner version of the Star Force. The same brilliant tunnel beam effect combined with a scanner mirror. It has a powerful 20W 4-in-1 RGBW LED light source and 1.8 degree X and Y stepping motors. The IMC sound-to-light mode with master/slave functionality provides excellent control without using a DMX controller. In DMX mode you have 6 channels to get total control of a functionality. With the DMX and IEC in-& output makes it easy to make a setup with multiple units.



- 20W 4-in-1 RGBW LED
- IEC In- & Output
- Intelligent Music Control
- 6 DMX Channels

Technical Information

Power Input: 100-230V 50/60 Hz
Power Consumption: 50W
Light Source: 1 x 20W 4-in-1 LED
Control: Auto, Custom, Master/Slave, DMX
DMX Channels: 8
Control Display: 4 Digits LED

Power Connector: IEC In/Out
Data Connector: In/Out (XLR 3 Pin)
Dimensions: 160 x 197 x 395mm (excl bracket)
Weight: 3,5Kg
Optional accessories: IEC couple cables, 90465, 90466, 90446

Showtec

Showtec



Blade Runner

43086

**NEW
PRODUCT**

The Showtec Blade Runner is a LED light-effect with 4 separate outputs that creates a wide range of beams and will cover a big size dance floor. It is equipped with IMC, Intelligent Music Control, this is a special sound-to-light module that reacts to your music like a real light-jockey. If you are playing easy-listening music different nice slow patterns will be selected. If you are playing party music the IMC will select the uplifting patterns to entertain your audience. It is a full option light effect that can be controlled by 2 different DMX modes, has custom settings and can be used as plug-and-play effect with the built-in programs or IMC module. Two big advantages of the Blade Runner are long LED lifetime and no moving parts inside, this makes the unit maintenance free.

- 256 LEDs, Red Green Blue White and Amber colors
- IEC In- and output
- Intelligent Music Control
- No moving parts inside



Technical Information

Power Input: 100-230V 50/60 Hz
 Power Consumption: 40W
 Light Source: 256 Ultra Bright 5mm LEDs (R:64, G:64, B:64, W:32, A:32)
 Control: Auto, Sound, Custom, Master/Slave, DMX
 DMX Channels: 2 and 3 Channel mode

Control Display: 4 Digits LED
 Power Connector: IEC In/Out
 Data Connector: In/Out (XLR 3 Pin)
 Dimensions: 500 x 340 x 170 mm (excl. bracket)
 Weight: 4.5Kg
 Optional Accessories: IEC cables, 90465, 90466, 90446

Showtec


NEW
PRODUCT

43087

Cyclone 4**Showtec**

The Cyclone 4 is a compact dynamic light effect with a big coverage on the dance floor. It has a 4-in-1 10W RGBW LED light source and creates laser-sharp beams by 8 optimized lenses. The Cyclone 4 is equipped with IMC, Intelligent Music Control, this is a special sound-to-light module that reacts to your music like a real light-jockey. If you are playing easy-listening music different nice slow programs will be selected. If you are playing party-music the IMC will select uplifting programs and different strobe patterns to entertain your audience. The Cyclone also has built-in programs and if you like to control it yourself you can use the DMX mode. DMX control will give you full control over Operation mode, Colors, Strobe and Motor speed. It is very user-friendly due to the menu with 4 digit display. DMX & IEC in- and output with the Master/Slave mode will make this unit easy linkable.

- **Intelligent Music Control**
- **10W RGBW 4-in1 LED**
- **IEC In- and output**
- **Auto and sound programs selectable by DMX**

**Technical Information**

Power Input: 100-230V 50/60 Hz
Power Consumption: 36W
Light Source: 1 x 10W 4-in1 RGBW Chip
Control: Auto, Sound, Custom, Master/Slave, DMX
DMX Channels: 4
Control Display: 4 Digits LED

Power Connector: IEC In/Out
Data Connector: In/Out (XLR 3 Pin)
Dimensions: 270 x 248 x 200 mm (excl. bracket)
Weight: 3,6 Kg
Optional Accessories: IEC cables, 90465, 90466, 90446

Showtec


Showtec**Adrenaline**

43093

NEW!
PRODUCT

The Showtec Adrenaline is a light-effect based on a LED matrix board that has many different dynamic built in patterns. It will fill your room with colorful beams created by 256 x 5mm LEDs (RGBW). The extreme big lens will make sure that it can handle large dance floors. The Showtec Adrenaline is just like many other Showtec light effects equipped with IMC. IMC stands for Intelligent Music Control, this is a special sound-to-light module that reacts to your music like a real light-jockey. If you are playing easy-listening music different nice slow programs will be selected. If you are playing party music the IMC will select the uplifting programs and different strobe patterns to entertain your audience. Due to the menu with 4-digit display it is easy to make your desired setup: Sound active, Master Slave, Auto program or DMX mode. It has 3 DMX-channel mode to control the patterns and colors or a 256 DMX-channel mode to control each LED separately.

- IEC In- and output
- Intelligent Music Control
- 256 x 5mm power LEDs
- Extra wide beams due to big lens

R G B W
COLOUR
DMX
CONTROLLABLE
STROBE
EFFECT
IMC
TECHNOLOGY
PATTERN
PATTERNS


Technical Information

Power Input: 100-230V 50/60 Hz
 Power Consumption: 52W
 Light Source: 256 x 5mm LEDs(64xR,64xB,64xW)
 Beam angle: 35 degrees
 Control: Auto, Sound, Custom, Master/Slave, DMX
 DMX Channels: 3 or 256

Control Display: 4 Digits LED
 Power Connector: IEC In/Out
 Data Connector: In/Out (XLR 3 Pin)
 Dimensions: 302 x 302 x 240mm
 Weight: 3.2Kg
 Optional Accessories: IEC cables, 90465, 90466, 90446

Showtec

**NEW
PRODUCT**

43094

Inversion**Showtec**

The Showtec Inversion is a 4-in-1 scanner effect with LED matrix-based gobo's. It has 60 x 5mm LEDs and RGBA Colors. In 17 channel DMX mode you can control every scanner separately and select 10 patterns, patterns speed, pattern rotate, and strobe for each output. The 8 channel DMX mode gives you control over built-in scanner scenes patterns strobe rotate and speed. If you don't want to use DMX control, the Built-in programs, Master Slave and Sound active mode with IMC give you all the possibilities you need. IMC stands for Intelligent Music Control, this is a special sound-to-light module that reacts to your music like a real light jockey. The Showtec Inversion proves that a professional and complete lightshow can be very compact.



- 4-in-1 Scanner effect
- Intelligent Music Control
- RGBA Colors
- Full control of 4 separate scanners



Technical Information

Power Input: 100-230V 50/60 Hz
Power Consumption: 40W
Light Source: 60 x 5mm LEDs(16xR, 20xG, 20xB, 4xA)
Control: Auto, Sound, Master/Slave, DMX
DMX Channels: 8 or 17
Control Display: 4 Digits LED

Power Connector: IEC
Data Connector: In/Out (XLR 3 Pin)
Dimensions: 620 x 270 x 100mm
Weight: 7,5Kg

Showtec

Showtec

Swing 4

43085

NEW!
PRODUCT

If you can't choose between a moonflower effect or a derby effect this, is what you need. The Swing 4 is a creative combination of a moonflower with 4 derby effects. Both light-effects have their own led light sources. 2 x 3W 3-in-1 RGB led for the derby effect and a LED matrix board of 108 pcs RGB LEDs for the moonflower effect. All functionality you need is on board like DMX, Sound control, Master/Slave functionality and Auto programs.

- 2-in-1 Light effect
- 2 x 3Watt 3-in-1 LEDs for Derby
- 108 LEDs UV and White LEDs for moonflower
- 6 DMX channels



Technical Information

Power Input: 100-230V 50/60 Hz
 Power Consumption: 45W
 Light Source: 2 x 3W 3-in-1 RGB LEDs Derby
 108 RGB LEDs for Moonflower
 Control: Auto, Sound, Master/Slave, DMX
 DMX Channels: 6

Control setting: Dipswitch
 Power Connector: IEC
 Data Connector: In/Out (XLR 3 Pin)
 Dimensions: 250 x 250 x 260mm
 Weight: 3,6Kg

Showtec



showtec

Disco Star

43088

NEW
PRODUCT

- 3 x 3Watt RGB 3-in1 LEDs
- 140° coverage
- No external moving parts
- Glow and beam effects due to transparent housing




showtec

Scat Moon

43084

NEW
PRODUCT

- Wide beam angle
- Plug & Play
- RGBW Colors
- High output



showtec

Showtec

Dream Dancer


43092

**NEW
PRODUCT**

The Showtec Dream Dancer is a gobo flower with a powerful 10Watt Cool white LED light source. It has 15 gobo's with 6 different dichro's. It is plug-and-play and has three modes; auto, static or sound active. Both gobo and mirror dish can be set into these three different modes. Like many other Showtec light effects it has IEC in- and output which makes it easy to connect multiple Showtec effects on one power source.



- 15 gobo's
- 10 Watt LED light source
- Plug and play
- Auto, Static or Sound mode



Technical Information

Power Input: 230V /50 Hz
 Power Consumption: 19W
 Light Source: 1 x 10W LED Chip
 Beam angle: 30 degrees
 Control: Auto, static, Sound
 (both mirror dish & gobo)

Power Connector: IEC In/Out
 Dimensions: 250 x 193 x 110mm (excl. bracket)
 Weight: 2.2Kg
 Optional Accessories: IEC cables, 90465, 90466, 90446



Showtec

**NEW
PRODUCT****Showtec****Dream Dancer DMX****43097**

The Showtec Dream Dancer is a gobo flower with a powerful 15Watt Cool white LED light source. It has 14 gobo's with 6 different multicolor dichro's. It can work Stand alone, has DMX control, Master Slave and IMC, (Intelligent Music Control). Both gobo and mirror dish can be controlled in DMX mode. Like many other Showtec light effects it has IEC in- and output which makes it easy to connect multiple Showtec effects on one power source.



- 15W LED light source
- Intelligent Music Control
- 3 DMX channels
- IEC In/Output

**Technical Information**

Power Input: 100-230V 50/60 Hz
 Power Consumption: 20W
 Light Source: 1 x 15W LED
 Beam angle: +/- 35 Degrees
 Control: Auto, Sound, Custom, Master/Slave, DMX
 DMX Channels: 3
 Control Display: 4 Digits LED

Power Connector: IEC In/Out
 Data Connector: In/Out (XLR 3 Pin)
 Dimensions: 274 x 225 x 120mm (excl bracket)
 Weight: 3.5Kg
 Optional accessories: IEC couple cables, 90465, 90466, 90446

Showtec


Show Tec

Hydrogen

43091

NEW
PRODUCT

- Plug and play water effect
- Manual focus
- 10W 4-in-1 RGBW LED
- Strong light output



Show Tec

Hydrogen DMX

43095



NEW
PRODUCT

- 15W LED Source
- White, Orange, Green, Blue, Yellow, Purple colors
- 2 DMX channels
- Multi-voltage



Technical Information

Power Input: 100-230V 50/60 Hz
Power Consumption: 20W
Light Source: 1 x 15W LED
Beam angle: +/- 30 Degrees
Control: Auto, Custom, Master/Slave, DMX
DMX Channels: 2
Control Display: 4 Digits LED

Power Connector: IEC In/Out
Data Connector: In/Out (XLR 3 Pin)
Dimensions: 267 x 231 x 122mm (excl bracket)
Weight: 2.8Kg
Optional accessories: IEC couple cables, 90465, 90466, 90446

Show Tec



NEW
PRODUCT

40185

Phantom 25 LED Spot

The Phantom 25 LED Spot is a compact and powerful LED moving head spot. It is equipped with a white 25W LED light source and has 9 colors and 9 gobos with shake effect. The eight automatic and eight sound-to-light programs with master / slave function will ensure a quick and easy setup. It has a 6 and a 11 channel DMX personality. The weight is only 4,3 Kg and it has a single clamp bracket which makes it easy to handle and position in truss systems. The phantom 25LED spot is introduced together with the 25LED Wash and 50LEDspot. All units are from one range with different functionalities. This makes it easy to combine them.

- Compact with powerful output
- 9 Gobo's & 9 Colors
- 13.300 Lux @ 1 M
- Built in programs selectable by DMX

LED **DMX** **STROBE**
TECHNOLOGY CONTROLLABLE EFFECT



Technical Information

Output
Lux @ 1m: 13,300
Beam Angle: 13°
Light Source: 1 x 25W White LED

Electrical
Input Voltage: 100-240 VAC
Power consumption: 59W max. at full output
Control:
On-Board: Display for auto and Sound control
Control Protocol: DMX512
Control Personality: Advanced 11ch / Basic 6ch

Optical system
Dimmer: 0-100%
Strobe: 0-20Hz
Focus: Manual focus

Movement
Pan: 540°
Tilt: 270°
Pan/Tilt resolution: 16 bit
Special: Pan / Tilt movement blackout
User-selectable Pan & Tilt ranges, 540°/360°/180° Reverse Pan / Tilt movement

Gobos & Colors
Gobo: 9 metal gobo's
Gobo functions: Gobo-flow effect, Gobo shake
Colors: 9 dichroic-filters + White
Color functions: Split colors, Rainbow-flow effect

Physical
Color: Black
Fixture Connection: XLR Data in/out, IEC Power in
Dimensions: 205 x 210 x 310mm (W x D x H)
Weight: 4,3 kg





Phantom 25 LED Wash

40186

NEW
PRODUCT

The Phantom 25 LED Wash is a compact and powerful LED moving wash head spot. It is equipped with a 50W 4-in-1 LED light source that brings 4200Lux @ 1m. Besides the RGBW color settings it also has an adjustable color temperature setting. The eight automatic and eight sound to light programs with master / slave function will ensure a quick and easy setup. It has a 6 and 15 channel DMX personality. With his 3,6 Kg and one clamp bracket this wash light is very ergonomic which makes it easy to handle and position in truss systems. The 25LED wash has all the functionality you desire from a moving wash light. The phantom 25LED wash is introduced together with the 25LED spot and 50LED spot. All units are from one range but with different functions. This makes it easy to combine the Phantom LED series.



- Compact wash with powerful output
- 4-in-1 50W LED light source
- Adjustable Color Temperature
- Built in programs selectable by DMX



Technical Information

Output
Lux @ 1m: 4200
Beam Angle: 25°
Light Source: 1 x 50W 4-in-1 LED

Electrical
Input Voltage: 100-240 VAC
Power consumption: 67W max. at full output
Control
On-Board: Display for auto and Sound control
Control Protocol: DMX512
Control Personality: Advanced 15ch /Basic 6ch

Optical system
Dimmer: 0-100%
Strobe: 0-20Hz

Movement
Pan: 540°
Tilt: 270°
Pan/Tilt resolution: 16 bit
Special: Pan / Tilt movement blackout
User-selectable Pan & Tilt ranges,
540°/360°/180°
Reverse Pan / Tilt movement

Colors
Colormix: RGBW
Options: Color Macros, Adjustable color temperature

Physical
Color: Black
Fixture Connection: XLR Data in/out, IEC Power in
Dimensions: 205 x 210 x 255mm (W x D x H)
Weight: 3,6 kg





**NEW
PRODUCT**

40187

Phantom 50 LED Spot

Show Tec

- **13.300 Lux @ 1 M**
- **8 Rotating Gobo's & 9 Colors**
- **3-fact prism**
- **Built in programs selectable by DMX**

LED TECHNOLOGY **DMX** CONTROLLABLE **STROBE** EFFECT

The Phantom 50LED Spot is the bigger brother of the 25LED Spot and has a 50W white LED light source. Besides the stronger output the 50LED spot also has some extra functionalities like rotating gobo's and a 3-facet prism. The 50LED spot has 8 gobos with shake effect and the 9 dichros are the same as the 25LED Spot. This makes them easy to combine. The 50LED Spot can also be used as a master for the 25LED spot in a master / slave setup. It has 2 personalities, an advanced 13-channel and a basic 6-channel setting. The weight is 5,6 Kg and it has only one clamp bracket which makes it easy to handle and position in truss systems. This little moving head will surprise you with its complete functionality and strong light output.



Technical Information

Output

Lux @ 1m: 18.500
Beam Angle: 17°
Light Source: 1 x 50W White LED

Electrical

Input Voltage: 100-240 VAC
Power consumption: 84W max. at full output
Control

On-Board: Display for auto and Sound control
Control Protocol: DMX512
Control Personality: Advanced 13ch / Basic 8ch

Optical system

Dimmer: 0-100%
Strobe: 0-20Hz
Focus: Manual focus
Prism: 3-facet prism

Movement

Pan: 540°
Tilt: 270°
Pan/Tilt resolution: 16 bit
Special: Pan / Tilt movement blackout
User-selectable Pan & Tilt ranges, 540°/360°/180°
Reverse Pan / Tilt movement

Gobos & Colors

Gobo: 2 glass + 5 metal gobo's
Gobo functions: Gobo-flow effect, Gobo shake
Rotation: Bi-directional
Colors: 8 dichroic-filters + White
Color functions: Split colors, Rainbow-flow effect

Physical

Color: Black
Fixture Connection: XLR Data in/out, IEC Power in
Dimensions: 205 x 210 x 340 mm (W x D x H)
Weight: 5,6 kg

Show Tec

Showtec Galactic B300 Value Line 51320

NEW
PRODUCT

Laser colors:



The B300 is the single blue color laser of the Galactic Value Line. It is equipped with a 300mW 450nm laser-diode. Just like the G40 it has 8 DMX channels and a total of 32 different patterns.



- Compact housing, 300mW blue output
- Same personality as Galactic G40 Value Line
- Master/Slave possibility with other value line units
- Auto and sound programs selectable by DMX

Technical Information

Power Input:	AC 100-240V, 50/60Hz
Power Consumption:	17 Watt
Laser color:	Blue
Laser Power:	300mW 450nm
Laser Modulation:	TTL
Laser Class:	3B
Scanner:	Stepping motor
Scan Angle:	+/-30°
Control Modes:	Auto, Sound, Master/Slave, DMX

Control Display:	4 Digits LED
DMX Channels:	8
Data Connector:	In/Out (XLR 3Pin)
Safety Features:	Key switch, Interlock, Safety eye
Laser Safety:	EN/IEC 60825-1 Ed 2, 2007-03
Dimensions:	160 x 145 x 80mm (excl. bracket)
Weight:	1.3Kg
Accessories:	2 Keys, Interlock test connector

Showtec Galactic G40 Value Line

NEW
PRODUCT

Laser colors:



The G40 is the single green color laser of the Galactic Value Line. It is equipped with a 40mW 532nm laser-diode. Just like the B300 it has 8 DMX channels and a total of 32 different patterns.






- Compact housing 40mW Green output
- Same personality as the Galactic B300 Value Line
- Master / Slave possibility with other value line units
- Auto and sound programs selectable by DMX

Technical Information

Power Input:	AC 100-240V, 50/60Hz
Power Consumption:	15 Watt
Laser Color:	Green
Laser Power:	40mW 532nm
Laser Modulation:	TTL
Laser Class:	3B
Scanner:	Stepping motor
Scan Angle:	+/-30°
Control Modes:	Auto, Sound, Master/Slave, DMX

Control Display:	4 Digits LED
DMX Channels:	8
Data Connector:	In/Out (XLR 3Pin)
Safety Features:	Key switch, Interlock, Safety eye
Laser Safety:	EN/IEC 60825-1 Ed 2, 2007-03
Dimensions:	160 x 145 x 80mm (excl. bracket)
Weight:	1.3Kg
Accessories:	2 Keys, Interlock test connector



Galactic RVP250 Value Line 51322 **NEW!**

- Compact housing
- 32 Patterns and built-in shows
- Red, Violet and Purple colors with total 250mW
- Master / Slave possibility with other value line units



Lasercolors:



Galactic RGY140 Value Line 51323 **NEW!**

- Compact housing
- 32 Patterns and built-in shows
- 140mW, Red, Green and Yellow colors
- Master / Slave possibility with other value line units



Lasercolors:



Galactic GVC-190 Value Line 51324 **NEW!**

- Compact housing
- 32 Patterns and built-in shows
- 190mW, Green, Violet and Cyan colors
- Master / Slave possibility with other value line units



Lasercolors:



Technical Information

RVP250

Power Input: AC 100-240V, 50/60Hz
Power Consumption: 15 Watt
Laser Color: Red, Green, Yellow
Laser Power: 140mW (100mW 650nm Red, 40mW 532nm Green)
Laser Modulation: TTL
Laser Class: 3B
Scanner: Stepping motor
Scan Angle: +/-30°

Control Modes: Auto, Sound, Master/Slave, DMX
Control Display: 4 Digits LED
DMX Channels: 10
Data Connector: In/Out (XLR 3Pin)
Safety Features: Key switch, Interlock, Safety eye
Laser Safety: EN/IEC 60825-1 Ed 2, 2007-03
Dimensions: 145 x 160 x 80mm (excl. bracket)
Weight: 1.3Kg
Accessories: 2 Keys, Interlock test connector

RGY140

Power Input: AC 100-240V, 50/60Hz
Power Consumption: 15 Watt
Laser Color: Green, Violet, Cyan
Laser Power: 190mW (40mW 532nm Green, 150mW 405nm Violet)
Laser Modulation: TTL
Laser Class: 3B
Scanner: Stepping motor
Scan Angle: +/-30°

Control Modes: Auto, Sound, Master/Slave, DMX
Control Display: 4 Digits LED
DMX Channels: 10
Data Connector: In/Out (XLR 3Pin)
Safety Features: Key switch, Interlock, Safety eye
Laser Safety: EN/IEC 60825-1 Ed 2, 2007-03
Dimensions: 145 x 160 x 80mm (excl. bracket)
Weight: 1.3Kg
Accessories: 2 Keys, Interlock test connector

GVC-190

Power Input: AC 100-240V, 50/60Hz
Power Consumption: 20 Watt
Laser Color: Red, Yellow, Green, Blue, Purple, Cyan, White
Laser Power: 600mW (120mW 650nm Red, 180mW 532nm Green, 300mW 450nm Blue)
Laser Modulation: TTL
Laser Class: 4
Scan Speed: 15K
Scan Angle: +/-40°





Control Modes: Auto, Sound, Master/Slave, DMX
Control Display: 4 Digits LED
DMX Channels: 17
Data Connector: In/Out (XLR 3Pin)
Safety Features: Key switch, Interlock, Safety eye
Laser Safety: EN/IEC 60825-1 Ed 2, 2007-03
Dimensions: 250 x 204 x 99mm (excl. bracket)
Weight: 2.8Kg
Accessories: 2 Keys, Interlock test connector




The Galactic Value Line is a 5 model family of compact lasers with the same functionalities but different colors. They all have the same control modes and programs. This makes it easy to create a versatile laser-show with different units. The Galactic Value line has one auto and one sound to light program integrated and they can be selected manually or by DMX. In DMX mode you also have total control of all Patterns, X-Y movements, zooming, speed and rotation. All Galactic value line models are equipped with optimized optics for the best laser performance.

The Galactic value line makes it possible to create a cost effective professional laser-show with one or multiple units.

Compatible Galactic Value line series:

- 51320 B300, Blue 300mW
- 51321 G40, Green 40mW
- 51322 RVP 250, Red Violet Purple 250mW
- 51323 RGY-140, Red Green Yellow 140mW
- 51324 GVC-190, Green Violet Cyan 190mW







**NEW
PRODUCT****Galactic RGB600 Value Line 51325**

Lasercolors:



- Red, Green, Yellow, Blue, Purple, Cyan and White colors
- 80 Patterns
- 600mW, 15K Scanning
- Different auto and sound shows integrated

The Galactic RGB 600 is the top model of the Galactic Value Line series. It has a full color output of 600mw created by 3 separate laser-diodes, Red, Green and Blue. With these three laser-diodes you can create Red, Green, Yellow, Blue, Purple, Cyan and White colors by TTL modulation. The RGB-600 has 80 patterns and different auto or sound to light programs which are selectable by DMX. Besides the higher power and more possibilities than the other models of the Galactic Value Line, the RGB-600 is also equipped with a 15K Scanner pair. This makes it possible to have faster and bigger projections with less flickering. If you want to have total control of all 80 patterns, X-Y movements, scrolling, zooming, speed and rotation you can use the 17 Channel DMX mode.

**Technical Information**

Power Input: AC 100-240V, 50/60Hz
 Power Consumption: 20 Watt
 Laser Color: Red, Yellow, Green, Blue, Purple, Cyan, White
 Laser Power: 600mW (120mW 650nm Red, 180mW 532nm Green, 300mW 450nm Blue)
 Laser Modulation: TTL
 Laser Class: 4
 Scan Speed: 15K
 Scan Angle: +/-40°


Control Modes: Auto, Sound, Master/Slave, OMX
 Control Display: 4 Digits LED
 DMX Channels: 17
 Data Connector: In/Out (XLR 3Pin)
 Safety Features: Key switch, Interlock, Safety eye
 Laser Safety: EN/IEG 60825-1 Ed 2, 2007-03
 Dimensions: 250 x 204 x 99mm (excl. bracket)
 Weight: 2.8Kg
 Accessories: 2 Keys, Interlock test connector

Showtec

**NEW
PRODUCT****Compact Power Lightset MKII 30271**

- 4 high power LED spots with 7x 3-in-1 RGB LEDs
- T-Bar with built-in controller
- Footswitch included (30267)
- Stand included
- Carrying bag included

The perfect solution for all musicians, mobile DJ's and small rental companies. The Compact Power Lightset brings you a complete lightset including all accessories in only one package. It comes complete with 4 high power and compact LED spots. Each spot contains 7 3-in-1 RGB LEDs in order to create a high light-output. The spots are mounted on the T-Bar which has a built-in controller and power-pack. The T-Bar can be controlled either by the included footswitch or by DMX. Delivery is including carrying bag, stand and footswitch. So ready to use.

**Technical Information**

LEDs: per spot: 7x 3-in-1 RGB LEDs 3W
Power supply: AC 100-240V/50-60Hz multivoltage
Power cons.: 90 W
Beam angle: 40 degrees
Control: By Footswitch (Auto run, Sound, Freeze, Black Out) DMX-512
DMX, Auto running, Master/Slave, Sound

DMX: 7 modes: (2, 3, 4, 7, 8, 14, 15 Channel Mode)
Stand height: 2,5 meter
Weight: 16 kg

NEW!
PRODUCT

showtec

LED Par 56 Eco Set

30271

The popular LED par 56 is now combined with a road proof flightcase. These 4 LED pars can work stand alone or together in a master/slave setup, to get full control you can connect them by DMX with the Showtec LED operator 4 controller. (50716, not included) For an easy plug-and-play set up you can use the built in auto program or the sound active mode. Each LED par has 153 LED's (51 x red, 51 x green and 51 x blue) with a extremely long lifetime and very low power consumption.

This combo set of 4 pieces LED Par 56 with flightcase will save you money and keep your LED pars save.

This set includes:

- 1 x D7594, Flightcase for 4 pcs LED Par56
- 4 x 42417, LED Par 56 Short ECO Black



DMX
CONTROLABLE

R G B
COLOUR

- Cost effective combination set
- Optimal protection for your LED pars
- Low power consumption, long lifetime
- Stand alone, Master slave, Sound to light and DMX mode



Technical Information

Specifications LED Par 56

Power Supply: 230V/50 Hz
Power consumption: 15W
Power connector: Shuko plug, 50 cm cable
LEDs: 153, 51 x red, 51 x green, 51 x blue
Control: DMX-512, Auto, Music, Master Slave
DMX: 6 Channels
Addressing: Dipswitch

Dimensions: 220 x 220 x 260 mm (LxWxH)
Weight: 2,3 Kg

Specifications Flightcase:

Outer dimensions: 450 x 450 x 320 mm (LxWxH)
Inner dimension: 205 x 200 x 250 mm (LxWxH each)
Weight: 8,3 Kg

Showtec

Showtec

Atmos 500

60870

- Compact and stylish design
- Perfect price / performance ratio
- 500W Heater
- Including wired remote control
- Including hanging bracket



Showtec

Atmos 1000

60871

- Compact and stylish design
- Perfect price / performance ratio
- Compact size
- Suitable for DJ, Bands and Clubs
- 1000W Heater
- Including remote control
- Including hanging bracket



Showtec

Atmos 1500

60872

- Powerful Output
- Perfect price / performance ratio
- Stylish design
- Wireless Remote Control Included
- 1500W Heater
- Including Wired Remote Controller
- Suitable for Club, DJ, Stage




Showtec

Showtec

Atmos 2000

60873

- Powerful Output
- Perfect price / performance ratio
- Stylish design
- Wireless Remote Control Included
- DMX-512 Control
- Including Timer/Remote Controller
- 2000W Heater



Showtec

Atmos F-350

60880

- Powerful Output
- Perfect price / performance ratio
- Stylish design
- Wireless Remote Control included
- DMX Control
- Create a thin haze of fog



Showtec

Showtec

LED FX

YOUR CHOICE FOR AFFORDABLE P

Showtec

X-Ray Wave

430711

- Combines glow & beam effects in one unit
- Floor-to-ceiling, wall-to-wall coverage due to 32 lenses
- Auto run selectable by DMX
- 5 Operation modes
- Light weight, low power consumption, long lifetime

3 in 1 DMX STROBE
CONTROLLABLE EFFECT



Showtec

X-Ray Derby

430731

- Combines glow & beam effects in one unit
- Auto run selectable by DMX
- 5 Operation modes
- Light weight, low power consumption, long lifetime

3 in 1 DMX STROBE
CONTROLLABLE EFFECT



Showtec

X-Ray Duo Moon

430721

- Combines glow & beam effects in one unit
- Separate output and RGBW matrix LED control
- No moving parts, long lifetime
- High power output by 98 LEDs
- Light weight, low power consumption, long lifetime

RGBW DMX STROBE MATRIX
COLOUR CONTROLLABLE EFFECT PATTERNS



Showtec

Ask your dealer to get more information about these products!

tec®

LIGHT

PROFESSIONAL LED LIGHT EFFECTS

Show Tec

X-Ray Double Derby

430701

- Combines glow & beam effects in one unit
- Individual strobe & RGB control
- 5 Operation modes
- Auto run selectable by DMX
- Light weight, low power consumption, long lifetime



Show Tec


X-Ray Dreamer

430691

- Combines glow & beam effects in one unit
- 7 Bright colors created by 90 LEDs
- Individual RGB control within each cluster
- Sound active selectable by DMX
- Light weight, no moving parts & long lifetime LEDs



Your Showtecdealer:



THE LIGHT EXPERIENCE

WWW.LEDFX.NL