

**INOUT is specialized in solid state
memory advanced audio devices and
advanced power amplification systems.**



Digital Players



NP-2

Product Code	Description	List Price
NP-2	DIN Player - Stereo MP3 Player <ul style="list-style-type: none"> • 1 Stereo unbalanced line level output, • 1 Stereo unbalanced line level input, • 15W Mono power amplifier, • 8 opto-isolated logic inputs, 1 opto-isolated logic output, • Works with MicroSD Card • LAN 10/100, web based interface • Required power 12-24VDC (PSU included) 	€ 800,00



NP-5

NP-5	Panel Player - Stereo MP3 Player <ul style="list-style-type: none"> • 1 Stereo unbalanced line level output, • 1 Stereo unbalanced line level input, • 2 x 20W power amplifier (1 x 40W in bridge mode) • 8 opto-isolated logic inputs, 1 relay outputs, 1 input for motion • RS-485 serial port for remote control, • LAN 10/100, web based interface and 3rd party control • Ducking function, 5-bands EQ • Works with MicroSD Card • Required power 12-24 VDC or 12-15 VAC (PSU included) 	€ 815,00
------	---	----------



NP-10/E

NP-10/E	Stereo Amplified Audio Player (MP3 / WAV) <ul style="list-style-type: none"> • 1 Stereo unbalanced line level output, • 2 x 20W power amplifier, • microSD card slot, • 8 individually configurable logic ports, • Reserved input for infrared motion sensor, 1 relay output, • Advanced scheduler with integrated real time clock, • Playlist management and mixing functions, • Ducking function and 5-bands EQ, • RJ45 Ethernet Port: configurable via Web interface, • 4 front panel Play, Stop, FFW & RW and Volume buttons, • Remote control via Telnet or RS485, • PSU included 	€ 1 050,00
---------	--	------------



NP-20R/E

NP-20R/E	Advanced Network Audio Player <ul style="list-style-type: none"> • Balanced and unbalanced stereo output, • Support most popular audio formats, • Based on Linux OS, • Enterprise grade internal HDD, • Advanced scheduler, playlist management, • An application for Windows, MAC and Linux is freely provided, • TCP/UDP commands transmission, reports via email (SMTP), TCP/IP Third party control protocol, DHCP client, NTP server/client, • 1\2 rack U enclosure compatible with optional RM-30 (rack mount tray) and FP30 (filling panel) accessories, • Internal power supply. 	€ 1 770,00
----------	--	------------

All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

Pricing VAT 21% Excl.

Amplifier & Switcher

Product Code	Description	List Price
DA 480-R/E	4-channel Compact Power Amplifier (EOL)	€ 980,00



DA-480-R/E

- 4 x 80W @ 4 ohms or 2 x 160w @ 8 ohms (bridge mode),
- 4 x Balanced line inputs with trim pot,
- HPF filter 30\160Hz on each channel,
- 4 VCA remote level control ports,
- Fault TTL logic output and relay contact,
- RS 485 serial port,
- 1\2 rack U enclosure compatible with optional RM-30 (rack mount tray) and FP30 (filling panel) accessories,
- Internal Power Supply

RS-8R MKII	Relay switching unit,	€ 2 040,00
------------	-----------------------	------------



RS-8R MKII

In case of failure on an amplifier, through serial commands or logic inputs, you can disconnect the line of this amplifier and connect it to the backup amplifier.

- 8 inputs for connection of 8 amplifiers,
- 2 inputs for connecting the back-up amplifiers,
- 8 output to speaker lines,
- Max power for 4/8 Ohms lines: 600 W
- Max power for 70/100V lines: 800 W
- Internal Power Supply

The image displays two screenshots of the Minout web interface. The top screenshot shows the 'Scheduler' page, which includes a sidebar with navigation options like 'Device info', 'Device Configuration', 'Uploader', 'Player', 'Playlist', 'Playlist Creator', 'Scheduler', 'Audio settings', 'I/O settings', 'Relay settings', 'Data&Time settings', 'LAN settings', 'RS485 settings', 'Login', 'Firmware update', and 'Service'. The main content area shows a 'Scheduler' section with a 'demoschedule' file, an 'Enabled' toggle, and a 'Timeline' section with a list of scheduled events.

The bottom screenshot shows the 'Playlist Creator' page, which includes a sidebar with the same navigation options. The main content area shows a 'Playlist Creator' section with a 'Media control' section containing sliders for 'Volume OUT (dB)', 'Amp: Mute', 'Bass Level (dB)', and 'Treble Level (dB)'. Below this is an 'Audio Tracks' section with a 'Run Playlist' button and a 'Playlist - Anastacia Ultimate Collection.m3u' section with a list of tracks and a 'Show Tracks by Title' section with a search bar.

All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

Pricing VAT 21% Excl.

Microphones



SM-1-P

Product Code	Description	List Price (Ex VAT)
SM-1-P	Sensing microphone for ANC application (omni-directional, 9-48V)	€ 80,00



SM-1-LP

SM-1-LP	Heavy-duty Sensing microphone for ANC application (omni-directional, 9-48V)	€ 95,00
---------	---	---------

Exciters



ST-25

Product Code	Description	List Price (Ex VAT)
ST-25	15W Exciter Frequency Response: 125Hz-12kHz (Material dependent) Nominal impedance: 8 Ohm	€ 95,00



ST-30

ST-30	30W Exciter Frequency response: 80Hz-16kHz (Material dependent) Nominal impedance: 4 Ohm	€ 160,00
-------	--	----------

Background Music



Alerting & Security



Retail



Museums & Infopoint



All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

Pricing VAT 21% Excl.

In-Out Accessories

	Product Code	Description	List Price (Ex VAT)
	FP-30	1\2U 19" rack filling panel, to be used with RM 30	€ 55,00
	RM-30	1U 19" rack space tray, to install 2 Players or just 1 and a FP30 filling panel	€ 80,00
	APP-02/EK	NP-10, Panel, DIN Player, 85-264VAC, 24VDC\40W PSU with EU\UK adapters.	€ 95,00
	APP-03/EK	NP-2, 85-264VAC, 24VDC\40W Din Mountable PSU.	€ 70,00
	APP-05/EK	NP-5, 85-264VAC, 24VDC\40W PSU with EU\UK adapters.	€ 90,00
	PYR-S5	Passive IR motion Sensor max 5m, TTL Outputs Suitable for NP-10, NP-5, NP-2 players Available in white (PYR-S5/W) or dark gray (PYR-S5/D) colors	€ 160,00
	PYR-S12	Passive IR motion Sensor max 12m, TTL Outputs Suitable for NP-10, NP-5, NP-2 players Available in white (PYR-S12/W) or dark gray (PYR-S12/D) colors	€ 185,00
	PYR-L12	Passive IR motion Sensor max 12m, Relay Outputs Universal application Available in white (PYRL12/W) or dark gray (PYR-L12/D) colors	€ 240,00

All pricing can be subjected to changes without prior notice. Pricing excluding disposal fee, Recupel, BeBat (if applicable).

Pricing VAT 21% Excl.