

PELI GUARANTEE OF EXCELLENCE

Peli Products S.L.U. guarantees its products against breakage or defects in workmanship. Peli™ injection moulded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) unless otherwise stated if properly closed with undamaged o-ring in place. Peli's liability is limited to the case and not its contents or foam. This guarantee does not cover the lamp or batteries (rechargeable or alkaline) for lights. Any liability, either expressed or implied, is limited to replacement of the product. This guarantee is void if the Peli product has been abused beyond normal and sensible wear and tear. This guarantee does not cover shark bite, bear attack or damage caused by children under five.

Guarantee does not cover Roto moulded products. Refer to www.peli.com for full details.

U.S.A.**U.S.A. & GLOBAL HEADQUARTERS**

23215 Early Avenue
Torrance, CA 90505 USA
Tel 310.326.4700
800.473.5422 (Outside CA)
Fax 310.326.3311

DEERFIELD

PELI HARDIGG CASES
USA HEADQUARTERS
147 North Main Street
South Deerfield, MA 01373
Tel (800) 542-7344
Fax (413) 665-8330
www.peli.com

EUROPE**FOR INFORMATION ON PELI LIGHTS, PELI CASES AND PELI STORM CASES IN EUROPE:****EUROPE, MIDDLE EAST & AFRICA HQ**

PELI PRODUCTS, S.L.U.
c/ Casp, 33-B Pral.
08010 • Barcelona, Spain
Tel +34 934 674 999
Fax +34 934 877 393
www.peli.com

FRANCE

PELI PRODUCTS FRANCE S.A.S.
487 rue Léopold Le Hon
01000 • Bourg en Bresse, France
Tel +33 4 74 22 80 40
Fax +33 4 74 22 09 34
www.peli.com

GERMANY

PELI PRODUCTS GERMANY GmbH
Graf-Adolf-Platz 15
40213 • Düsseldorf, Germany
Tel +49 (0) 211 882 42 401
Fax +49 (0) 211 882 42 200
www.peli.com

ADVANCED AREA LIGHTING GROUP

PELI AALG LTD.
4 Chater Court
Halifax Drive • Market Deeping
Peterborough PE6 8AH, United Kingdom
Tel +44 (0) 1778 349000
Fax +44 (0) 1778 349004
aalg.peli.com

UAE

PELICAN PRODUCTS
MIDDLE EAST FZE
P.O. Box 10559 • Ras Al Khaimah
United Arab Emirates
Tel +971 (0) 7 2076282
Fax +971 (0) 7 2076283

* We also have offices in Canada, Japan, China and Australia.

FOR INFORMATION ON PELI HARDIGG CASES IN EUROPE:**PELI-HARDIGG FRANCE CASE CENTER**


103-105 rue Charles Michels
Bât.C
93200 Saint-Denis
France
Tel + 33 1 48 13 15 50

PELI-HARDIGG UK CASE CENTER

Unit 4, Brookfield Industrial Estate
Leacon Road
Ashford Kent TN23 4TU
United Kingdom
Tel +44 (0) 1233 895895


PELI | CASE CATALOGUE

PELI™ CASES ■ PELI™ STORM CASES ■ PELI™-HARDIGG ROTO-PACK



PELI GUARANTEE OF EXCELLENCE



Lyndon Faulkner, President and CEO

Dear Customer,

You may have heard that Peli began the year by announcing our acquisition of Hardigg Industries. You'll find the results in the pages of this catalogue in the form of 23 new injection moulded cases called Peli Storm and 24 roto moulded cases under the Peli Hardigg brand.

Now users can choose between Peli's trusted Double Step Latches, or the simple Press & Pull® Latches found on Peli Storm cases. And, with the synergies between our respective market channels, that means more choices in more locations than ever before. Even bigger news is the release of a standardised set of roto moulded products we've named the Roto-Pack

offering. You'll find this group under the Peli Hardigg brand in this catalogue, and it includes an amazing array of single lid cases, extra large shipping containers, rack-mount cases for electronics and specialty products such as the mobile field desk. By bringing these products under the Peli brand we have created the largest offering of Protector™ Cases in the world.

But the most important change this year is the way we do business. With this acquisition Peli has tapped into over 30 years of customisation experience and a business model that literally executes on the promise "whatever the customer wants". With one call, you can bring the expertise of more than 70 engineers,

manufacturing facilities on both coasts of the USA and Europe, and strategically located case centres to any technical challenge or deadline you face.

As I have said, these are exciting times at Peli and we look forward to earning your business with every successful project we embark on together.

Respectfully,
Lyndon Faulkner
President and CEO

MARKETS SERVED



LAW ENFORCEMENT



FIRE



INDUSTRIAL



MILITARY



OUTDOOR

> CONTENTS

Message from the President and CEO		2
PELI CASES		
Peli Case Section and Features		4-5
New Peli Cases		6
Micro Case Series™	1010 i1010 N 1015 N i1015 1020 1030 1040 1050 1060	7-8
Small Cases	1120 1150 N 1170 1200 1300 1400	9-10
Medium Cases	1450 N 1460 N 1460 EMS 1500 1500EMS 1510 1510LOC 1520 1550 1550EMS	11-12
Laptop Cases	1080 1090 1470 1490 1495 1430 1440	13-16
Large Cases	1560 1600 1600EMS 1610 1620 1630 1640 1650 1660 1690 1730 1780T 0340 0350 0370 N 0450 N 0500 N 0550	17-21
Long Cases	1700 1720 N 1740 1750 N 1770 1780HL 1780RF	22-23
N PELI STORM CASES		
Peli Storm Case Section and Features		32-33
Small Cases	iM2050 iM2075 iM2100	34
Medium Cases	iM2200 iM2300 iM2306 iM2370 iM2400 iM2450 iM2500 iM2600 iM2620	35-36
Large Cases	iM2700 iM2720 iM2750 iM2875 iM2950 iM2975 iM3075	37-38
Long Cases	iM3100 iM3200 iM3220 iM3300	39
PELI-HARDIGG® CASES (PELI-Hardigg Roto-Pack Cases)		
Roto Moulding Technology and Design Product Overview		44-46
BlackBox™ Rack Mount Cases	BB0030 BB0040 BB0050 BB0070 BB0090 BB00110 BB00140	47-48
Specialty Products	FD3121 Single Field Desk FD3429 Double Field Desk TL3619 Trunklocker FT3317 Footlocker MC3000 Medchest 3 MC4100 Medchest 4 Drawer MC8100 Medchest 8 Drawer	49-51
Single Lid Cases	AL1616 AL2013 AL2624 AL3018 AL3418 AL4024 AL5415 AL3834 AL5424 AL6912	52-53
Case Dimensions Table/Specifications and Accessories	Peli Cases p 26-30 Peli Storm Cases p 42-43 Peli-Hardigg Cases p 54-55	
Padded Dividers and Lid Organisers	Peli Cases p 24-25 Peli Storm Cases p 40-41	
Miscellaneous and Peli Lighting Tools		31

KEY TO SYMBOLS

- N** NEW PRODUCTS
- WHEELED PROTECTOR™ CASE

> NEW SERVICES: UNLIMITED SOLUTIONS.



Custom protection services



Portable Rackmount protection



Specialised medical applications



Mobile command centre solutions



Innovative cradle suspension systems for delicate equipment



> ANATOMY OF A PELI™ CASE

STRONGER BY DESIGN

Peli Protector Cases™ are made from Copolymer Polypropylene, using an open cell core and solid wall construction, which is actually stronger and lighter than a solid core wall. Stainless Steel pins are used for hinges and handles.

WATERTIGHT

The secret is the tongue and groove fit with a polymer o-ring acting as a waterproof seal.



EASY ROLLER

Stainless steel ball bearing wheels (on selected cases) last longer and ride smoother. The nylon hub adjacent to the stainless steel is made to resist heat. Result: less wear and tear on the polyurethane wheel.

REINFORCED PADLOCK PROTECTORS

Metal reinforced padlock protectors provide added strength and extra security against cutting and theft.



DOUBLE-STEP LATCHES

Their Double-Step latches are smarter and easier to open: the patented design works like a pry bar to start the release and offers plenty of leverage to open with a light pull.

FOAM

All protector cases come standard with PICK 'N' PLUCK™ foam, except Micro Cases, Long Cases and 0450 models. 1700, 1720, 1750, 1780 come standard with 3-piece foam set. To order Protector™ Cases without foam add NF to the end of the catalogue number.

NAMEPLATE

Custom engraved nameplates are available for a nominal fee.

COOL UNDER PRESSURE

The Automatic Pressure Equalisation Valve releases built-up air pressure while keeping water molecules out, resulting in a watertight case that is even easier to open after pressure changes.

COLOURS:



■ PELI CASE SECTION



i1015
MICRO
CASE



0450
MOBILE
TOOL
CHEST



1740
LONG
CASE



0500
TRANSPORT
CASE

ULTIMATE EQUIPMENT PROTECTION

For more than 30 years Peli has built a reputation for manufacturing the toughest Protector™ Cases in the world. As a matter of fact, we invented the category. Over these years we've seen our cases used for some pretty crazy ideas... and important ones, too.

The Peli Protector™ Case has been thrown out of helicopters in Iraq, towed along frigid fjords in Norway, and rolled over by SUVs in Tanzania. With only a few

scratches to show on the outside, contents are left unscathed. Minor war wounds for major bragging rights. And that is really what it's all about. Getting your gear from point A to point B in the condition it's meant to be in: intact and functional. Because it could contain that large format camera that will shoot next month's magazine cover, or a heart defibrillator that could produce results you can't put a price on.

N > NEW PELI CASES



1015 Micro Case
The Micro Case Series™ has a new member. The 1015 Micro Case protects your miniature valuables.




i1015 Case
The new i1015 Case is engineered to protect your iPhone™ or iPod® touch while listening to your favourite tunes with the external headphone jack.



1170 Case
From protecting your inventory data control to housing personal cameras, you can count on the new 1170 Case for protecting your equipment in any harsh environment.



1460EMS
To offer EMS professionals a tough, portable medical supply protection solution, Peli Products has introduced the 1460EMS Case. It features a three-level, fully customisable tray system that lifts out of the case on reinforced stainless steel brackets.



0450 Mobile Tool Chest
The 0450 Mobile Tool Case (tools and foam not included) can be configured with up to 7 shelves (and a top tray) to contain a variety of tool combinations. A retractable handle and built in wheels keep you moving when the job is done. Loaded with resourceful features to make your job easier.



1740 Long Case
The 1740 is your ideal method for protecting a telescope, jack hammer, rifles, chainsaw, tripods and lights, and other long gear. We developed the 1740 for easy one person transport and its depth and length allow for infinite storage possibilities.



1770 Long Case
When you need protection for longer equipment and weapons such as .50 caliber guns and survey drill kits, the 1770 Long Case is Peli's longest case to date.



0500 Transport Case
The 0500 Transport Case is a unique all-in-one package solution. It is the only large case that offers three different possible uses; it is a storage and transport case and a pallet in itself.



0550 Transport Case
Perfect for transporting and protecting sensitive equipment (such as flat screen displays, hard drive towers, server nodes, air compressor kits, power tools, hazmat equipment, emergency medical supplies, spare manufacturing equipment or trade show equipment).

*Tools not included

*Tools and foam not included

MICRO CASES™



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
STANDARD COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES



i1010 Case™
14.9 x 10.3 x 5.4 cm (5.88" x 4.06" x 2.12")
11.1 x 7.3 x 4.3 cm (4.37" x 2.87" x 1.68")
1.8 cm/2.4 cm (0.69"/0.94")
0.19 kg (0.41 lbs.)

iPod not included. iPod is a registered trademark of Apple Inc.

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
STANDARD COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES



1015 Micro Case™
17 x 9.9 x 4.7 cm (6.68" x 3.88" x 1.86")
13.1 x 6.7 x 3.5 cm (5.14" x 2.64" x 1.37")
1.1 cm/2.4 cm (0.43"/0.94")
0.21 kg (0.46 lbs.)

IP67

1010 Micro Case™

14.9 x 10.3 x 5.4 cm (5.88" x 4.06" x 2.12")
11.1 x 7.3 x 4.3 cm (4.37" x 2.87" x 1.68")
1.8 cm/2.4 cm (0.69"/0.94")
0.19 kg (0.41 lbs.) WITH FOAM, 0.18kg (0.4 lbs.) NO FOAM
Pick N Pluck™ Foam Insert
IP67



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
STANDARD COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES



i1015 Case™
17 x 9.9 x 4.7 cm (6.68" x 3.88" x 1.86")
13.1 x 6.7 x 3.5 cm (5.14" x 2.64" x 1.37")
1.1 cm/2.4 cm (0.43"/0.94")
0.22 kg (0.49 lbs.)

iPhone not included. iPhone is a registered trademark of Apple Inc.

Case contents not included | All Micro Cases are available in solid colours or clear with coloured liners

1020 Micro Case™

17.3 x 12.1 x 5.4 cm (6.82" x 4.75" x 2.12")	EXTERIOR DIMENSIONS
13.5 x 9 x 4.3 cm (5.31" x 3.56" x 1.68")	INTERIOR DIMENSIONS
1.8 cm/2.4 cm (0.69"/0.94")	LID/BOTTOM DEPTH
0.25 kg (0.56 lbs.) WITH FOAM, 0.25 kg (0.55 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
Pick N Pluck™ Foam Insert	AVAILABLE ACCESSORIES
IP67	CERTIFICATES



1040 Micro Case™

19 x 12.8 x 5.4 cm (7.50" x 5.06" x 2.12")	EXTERIOR DIMENSIONS
16.5 x 9.8 x 4.4 cm (6.50" x 3.87" x 1.75")	INTERIOR DIMENSIONS
1.8 cm/2.4 cm (0.69"/0.94")	LID/BOTTOM DEPTH
0.32 kg (0.71 lbs.) WITH FOAM, 0.32 kg (0.7 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
Pick N Pluck™ Foam Insert	AVAILABLE ACCESSORIES
IP67	CERTIFICATES



1030 Micro Case™

19 x 9.8 x 6.2 cm (7.50" x 3.87" x 2.43")	EXTERIOR DIMENSIONS
16.2 x 6.7 x 5.2 cm (6.37" x 2.62" x 2.06")	INTERIOR DIMENSIONS
1.8 cm / 3.2 cm (0.69"/1.25")	LID/BOTTOM DEPTH
0.28 kg (0.61 lbs.) WITH FOAM, 0.27 kg (0.6 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
Pick N Pluck™ Foam Insert	AVAILABLE ACCESSORIES
IP67	CERTIFICATES




1050 Micro Case™

19 x 12.8 x 7.9 cm (7.50" x 5.06" x 3.12")	EXTERIOR DIMENSIONS
16 x 9.3 x 7 cm (6.31" x 3.68" x 2.75")	INTERIOR DIMENSIONS
1.8 cm / 4.9 cm (0.69"/1.94")	LID/BOTTOM DEPTH
0.38 kg (0.83 lbs.) WITH FOAM, 0.37 kg (0.81 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
Pick N Pluck™ Foam Insert	AVAILABLE ACCESSORIES
IP67	CERTIFICATES



1060 Micro Case™

23.8 x 14.1 x 6.7 cm (9.37" x 5.56" x 2.62")	EXTERIOR DIMENSIONS
20.9 x 10.8 x 5.7 cm (8.25" x 4.25" x 2.25")	INTERIOR DIMENSIONS
1.8 cm/3.7 cm (0.69"/1.44")	LID/BOTTOM DEPTH
0.47 kg (1.03 lbs.) WITH FOAM, 0.45 kg (1 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
Pick N Pluck™ Foam Insert	AVAILABLE ACCESSORIES
IP67	CERTIFICATES



Case contents not included | All Micro Cases are available in solid colours or clear with coloured liners



SMALL CASES

1120 Case

20.6 x 16.7 x 9 cm (8.12" x 6.56" x 3.56")	EXTERIOR DIMENSIONS
18.4 x 12.1 x 7.8 cm (7.25" x 4.75" x 3.06")	INTERIOR DIMENSIONS
1.3 cm/6.5 cm (0.50"/2.56")	LID/BOTTOM DEPTH
0.56 kg (1.23 lbs) WITH FOAM 0.53 kg (1.17 lbs) NO FOAM	WEIGHT
	STANDARD COLOURS
Special Application Panel Frame • 3 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



1150 Case

23.2 x 19.2 x 11.1 cm (9.12" x 7.56" x 4.37")	EXTERIOR DIMENSIONS
20.8 x 14.4 x 9.2 cm (8.18" x 5.68" x 3.62")	INTERIOR DIMENSIONS
1.9 cm/7.3 cm (0.75"/2.87")	LID/BOTTOM DEPTH
0.9 kg (1.98 lbs.) WITH FOAM, 0.8 kg (1.76 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
Special Application Panel Frame • 3 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



> Shown with panel frame option for special application usage

1170 Case

29.6 x 21.2 x 9.6 cm (11.64" x 8.34" x 3.78")	EXTERIOR DIMENSIONS
26.8 x 15.3 x 8 cm (10.54" x 6.04" x 3.16")	INTERIOR DIMENSIONS
2.7 cm/5.3 cm (1.08"/2.08")	LID/BOTTOM DEPTH
0.95 kg (2.10 lbs.) WITH FOAM, 0.89 kg (1.96 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
3 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67	CERTIFICATES



Similarly sized Peli Storm Case: iM2050

Case contents not included | * = : Available upon minimum quantities | ** = and : Available upon minimum quantities

1200 Case

27 x 24.6 x 12.4 cm (10.62" x 9.68" x 4.87")	EXTERIOR DIMENSIONS
23.5 x 18.1 x 10.5 cm (9.25" x 7.12" x 4.12")	INTERIOR DIMENSIONS
3 cm/7.4 cm (1.18"/2.93")	LID/BOTTOM DEPTH
1.3 kg (2.87 lbs.) WITH FOAM, 1.2 kg (2.65 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
Special Application Panel Frame • 3 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES





Similarly sized
Peli Storm Case: iM2075

1300 Case

27 x 24.6 x 17.4 cm (10.62" x 9.68" x 6.87")	EXTERIOR DIMENSIONS
25.1 x 17.8 x 15.5 cm (9.87" x 7.00" x 6.12")	INTERIOR DIMENSIONS
3 cm/12.5 cm (1.18"/4.93")	LID/BOTTOM DEPTH
1.6 kg (3.53 lbs.) WITH FOAM, 1.4 kg (3.09 lbs.) NO FOAM	WEIGHT
■ ■ ■ ■ *	STANDARD COLOURS
Special Application Panel Frame • 4pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

> Shown with panel frame option for special application usage

Photo by Marek Arcimowicz



Case contents not included | * = ■ : Available upon minimum quantities

Similarly sized
Peli Storm Case: iM2100

1400 Case



33.9 x 29.5 x 15.2 cm (13.37" x 11.62" x 6.00")	EXTERIOR DIMENSIONS
30 x 22.5 x 13.2 cm (11.81" x 8.87" x 5.18")	INTERIOR DIMENSIONS
3 cm/10.2 cm (1.18"/4.00")	LID/BOTTOM DEPTH
2 kg (4.41 lbs.) WITH FOAM, 1.8 kg (3.97 lbs.) NO FOAM	WEIGHT
■ ■ ■ ■ ■ ■	STANDARD COLOURS
Special Application Panel Frame • 3 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • DEF STAN 81-41/ STANAG 4280 • ATA 300	CERTIFICATES

MEDIUM CASES



Similarly sized Peli Storm Case: iM2200

1450 Case



40.6 x 33 x 17.4 cm (16.00" x 13.00" x 6.87")	EXTERIOR DIMENSIONS
37.1 x 25.8 x 15.2 cm (14.62" x 10.18" x 6.00")	INTERIOR DIMENSIONS
4.4 cm/10.8 cm (1.75"/4.25")	LID/BOTTOM DEPTH
2.9 kg (6.39 lbs.) WITH FOAM, 2.5 kg (5.51 lbs.) NO FOAM	WEIGHT
■ ■ ■ ■ ■ ■	STANDARD COLOURS
Special Application Panel Frame • Padded Divider Set Only • 3 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • DEF STAN 81-41/ STANAG 4280	CERTIFICATES

Similarly sized Peli Storm Case: iM2300

1500 Case



47 x 35.7 x 17.6 cm (18.50" x 14.06" x 6.93")	EXTERIOR DIMENSIONS
42.5 x 28.4 x 15.5 cm (16.75" x 11.18" x 6.12")	INTERIOR DIMENSIONS
4.6 cm/10.9 cm (1.81"/4.31")	LID/BOTTOM DEPTH
3.2 kg (7.05 lbs.) WITH FOAM, 2.9 kg (6.39 lbs.) NO FOAM	WEIGHT
■ ■ ■ ■ ■ ■	STANDARD COLOURS
Special Application Panel Frame • Padded Divider Set • Photo Lid Organiser • Lid Organiser • 3 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • DEF STAN 81-41/ STANAG 4280 • ATA 300	CERTIFICATES

Case contents not included | * = ■ : Available upon minimum quantities

1460 Case



52.9 x 32.3 x 32.4 cm (20.85" x 12.73" x 12.75")	EXTERIOR DIMENSIONS
47.1 x 25.2 x 27.7 cm (18.54" x 9.92" x 10.92")	INTERIOR DIMENSIONS
12.5 cm/15.3 cm (4.91"/6.01")	LID/BOTTOM DEPTH
5.66 kg (12.48 lbs.) WITH FOAM, 3.97 kg (8.75 lbs.) NO FOAM	WEIGHT
■ ■ *	STANDARD COLOURS
Replacement Foam Set	AVAILABLE ACCESSORIES
IP67	CERTIFICATES

1460EMS



EMS Cases come with a specially engineered lid organiser with clear pockets, and padded divider to quickly spot medical supplies in any emergency

52.9 x 32.3 x 32.4 cm (20.85" x 12.73" x 12.75")	EXTERIOR DIMENSIONS
47.1 x 25.2 x 27.7 cm (18.54" x 9.92" x 10.92")	INTERIOR DIMENSIONS
12.5 cm/15.3 cm (4.91"/6.01")	LID/BOTTOM DEPTH
8.26 kg (18.2 lbs)	WEIGHT
■ ■	STANDARD COLOURS
	AVAILABLE ACCESSORIES
IP66	CERTIFICATES

Similarly sized Peli Storm Case: iM2300



EMS Cases come with a specially engineered lid organiser with clear pockets, and padded divider to quickly spot medical supplies in any emergency

1500EMS Case

47 x 35.7 x 17.6 cm (18.50" x 14.06" x 6.93")	EXTERIOR DIMENSIONS
42.5 x 28.4 x 15.5 cm (16.75" x 11.18" x 6.12")	INTERIOR DIMENSIONS
4.6 cm/10.9 cm (1.81"/4.31")	LID/BOTTOM DEPTH
4.54 kg (10 lbs.)	WEIGHT
	STANDARD COLOURS
EMS Accessory Set (Lid Organiser and Divider Set Only)	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • STANAG 4280 • ATA 300	CERTIFICATES

Similarly sized Peli Storm Case: iM2400



> Shown with panel frame option for special application usage

1520 Case

48.5 x 39.2 x 19.2 cm (19.12" x 15.43" x 7.56")	EXTERIOR DIMENSIONS
45.4 x 32.4 x 17.1 cm (17.87" x 12.75" x 6.75")	INTERIOR DIMENSIONS
4.6 cm/12.5 cm (1.81"/4.93")	LID/BOTTOM DEPTH
4.24 kg (9.35 lbs.) WITH FOAM, 3.76 kg (8.29 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
Special Application Panel Frame • 3 pc. Replacement Foam Set • Padded Divider Set Only • Lid Organiser	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • DEF STAN 81-41/ STANAG 4280	CERTIFICATES

Similarly sized Peli Storm Case: iM2500



1510 Carry On Case

55.9 x 35.1 x 22.9 cm (22.00" x 13.81" x 9.00")	EXTERIOR DIMENSIONS
50.1 x 27.9 x 19.3 cm (19.75" x 11.00" x 7.60")	INTERIOR DIMENSIONS
4.5 cm/14.7 cm (1.79"/5.79")	LID/BOTTOM DEPTH
6.17 kg (13.6 lbs.) WITH FOAM 5.44 kg (11.99 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
Lid Organiser • Padded Divider Set Only • 4 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

Similarly sized Peli Storm Case: iM2600



1550 Case

52.4 x 42.8 x 20.6 cm (20.62" x 16.87" x 8.12")	EXTERIOR DIMENSIONS
46.8 x 35.5 x 19.3 cm (18.43" x 14.00" x 7.62")	INTERIOR DIMENSIONS
4.4 cm/14.9 cm (1.75"/5.87")	LID/BOTTOM DEPTH
5.4 kg (11.9 lbs.) WITH FOAM, 4.8 kg (10.58 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
Special Application Panel Frame • Padded Divider Set only • 4 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • DEF STAN 81-41/ STANAG 4280 • ATA 300	CERTIFICATES

Similarly sized Peli Storm Case: iM2500



■ 2 in 1 protection: detachable computer sleeve and accessories pouch
■ FAA maximum carry on size
■ Fits notebook computers up to 36,6 L x 28,2 W x 4,3 D cm

1510LOC Laptop Overnight Case

55.9 x 35.1 x 22.9 cm (22.00" x 13.81" x 9.00")	EXTERIOR DIMENSIONS
50.1 x 27.9 x 19.3 cm (19.75" x 11.00" x 7.60")	INTERIOR DIMENSIONS
4.5 cm/14.7 cm (1.79"/5.79")	LID/BOTTOM DEPTH
6.17 kg (13.6 lbs.) WITH FOAM, 5.44 kg (11.99 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

Similarly sized Peli Storm Case: iM2600



■ EMS Cases come with a specially engineered lid organiser with clear pockets, and padded divider to quickly spot medical supplies in any emergency

1550EMS Case

52.4 x 42.8 x 20.6 cm (20.62" x 16.87" x 8.12")	EXTERIOR DIMENSIONS
46.8 x 35.5 x 19.3 cm (18.43" x 14.00" x 7.62")	INTERIOR DIMENSIONS
4.4 cm/14.9 cm (1.75"/5.87")	LID/BOTTOM DEPTH
6.8 kg (15 lbs.)	WEIGHT
	STANDARD COLOURS
EMS Accessory Set (Lid Organiser and Divider Set)	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • STANAG 4280 • ATA 300	CERTIFICATES

Case contents not included



LAPTOP CASES

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
STANDARD COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES




■ Fits notebook computers up to 31,2 L x 23,6 W x 3,8 D cm
■ Will hold 21,6 x 28 cm and A4 documents

1080 Hard Back™ Case

34.9 x 27.8 x 6.5 cm (13.75" x 10.95" x 2.55")	EXTERIOR DIMENSIONS
32.5 x 24.9 x 4.3 cm (12.80" x 9.80" x 1.70")	INTERIOR DIMENSIONS
2.2 cm/2.2 cm (0.85"/0.85")	LID/BOTTOM DEPTH
1.31 kg (2.89 lbs.) WITH FOAM, 1.25 kg (2.76 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
	AVAILABLE ACCESSORIES
IP67	CERTIFICATES

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
STANDARD COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES



■ Fits notebook computers up to 31,2 L x 23,6 W x 3,8 D cm
■ Will hold 21,6 x 28 cm and A4 documents

1080CC Hard Back™ Case (with Computer Case Liner)

34.9 x 27.8 x 6.5 cm (13.75" x 10.95" x 2.55")	EXTERIOR DIMENSIONS
32.5 x 24.9 x 4.3 cm (12.80" x 9.80" x 1.70")	INTERIOR DIMENSIONS
2.2 cm/2.2 cm (0.85"/0.85")	LID/BOTTOM DEPTH
1.31 kg (2.89 lbs.) WITH FOAM, 1.25 kg (2.76 lbs.) WITHOUT FOAM	WEIGHT
	STANDARD COLOURS
Included: Computer Case Liner	AVAILABLE ACCESSORIES
IP67	CERTIFICATES

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
STANDARD COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES




■ Fits notebook computers up to 36,6 L x 28,2 W x 4,3 D cm
■ Will hold 21,6 x 28 cm and A4 documents

1090 Hard Back™ Case

40.2 x 33.3 x 7.3 cm (15.83" x 13.10" x 2.86")	EXTERIOR DIMENSIONS
38.1 x 28.7 x 4.9 cm (15.00" x 11.32" x 1.92")	INTERIOR DIMENSIONS
2.4 cm/2.4 cm (0.96"/0.96")	LID/BOTTOM DEPTH
1.51 kg (3.32 lbs.) WITH FOAM, 1.35 kg (2.98 lbs.) NO FOAM	WEIGHT
	STANDARD COLOURS
Included: Shoulder Strap	AVAILABLE ACCESSORIES
IP67	CERTIFICATES

Case contents not included



1090CC Hard Back™ Case (with Computer Case Liner)	
40.2 x 33.3 x 7.3 cm (15.83" x 13.10" x 2.86")	EXTERIOR DIMENSIONS
38.1 x 28.7 x 4.9 cm (15.00" x 11.32" x 1.92")	INTERIOR DIMENSIONS
2.4 cm/2.4 cm (0.96"/0.96")	LID/BOTTOM DEPTH
1.51 kg (3.32 lbs.) WITH FOAM, 1.35 kg (2.98 lbs.) NO FOAM	WEIGHT
■	STANDARD COLOURS
Included: Shoulder Strap, Computer Case Liner	AVAILABLE ACCESSORIES
IP67	CERTIFICATES

- Fits notebook computers up to 36,6 L x 28,2 W x 4,3 D cm
- Will hold 21,6 x 28 cm and A4 documents



1470 Case	
42.4 x 33.2 x 11.1 cm (16.68" x 13.06" x 4.37")	EXTERIOR DIMENSIONS
39.7 x 26.5 x 9.5 cm (15.62" x 10.43" x 3.75")	INTERIOR DIMENSIONS
3.5 cm/6 cm (1.37"/2.37")	LID/BOTTOM DEPTH
2.5 kg (5.51 lbs.) WITH FOAM, 1.94 kg (4.28 lbs.) NO FOAM	WEIGHT
■	STANDARD COLOURS
Special Application Panel Frame • Shoulder Strap • 3 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP57 • MIL C-4150J	CERTIFICATES

- Double safety locking latches with keys



1490 Case	
50.4 x 35.4 x 11.9 cm (19.87" x 13.93" x 4.68")	EXTERIOR DIMENSIONS
45.1 x 28.9 x 10.5 cm (17.75" x 11.37" x 4.12")	INTERIOR DIMENSIONS
3.8 cm/6.7 cm (1.50"/2.62")	LID/BOTTOM DEPTH
2.95 kg (6.5 lbs.) WITH FOAM, 2.48 kg (5.47 lbs.) NO FOAM	WEIGHT
■	STANDARD COLOURS
Shoulder Strap • Special Application Panel Frame • Computer Lid Organiser Computer Bottom Insert • 3 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

- Double safety locking latches with keys



1495 Case	
54.9 x 43.8 x 12.4 cm (21.62" x 17.25" x 4.87")	EXTERIOR DIMENSIONS
47.9 x 33.3 x 9.7 cm (18.87" x 13.12" x 3.81")	INTERIOR DIMENSIONS
2.8 cm/6.8 cm (1.12"/2.68")	LID/BOTTOM DEPTH
3.8 kg (8.37 lbs.) WITH FOAM, 3.28 kg (7.23 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
Shoulder Strap • 3 pcs. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

- Fits up to 17" laptops
- 3 dial combination lock included



Case contents not included



1490CC1 Laptop Case	
50.4 x 35.4 x 11.9 cm (19.87" x 13.93" x 4.68")	EXTERIOR DIMENSIONS
45.1 x 28.9 x 10.5 cm (17.75" x 11.37" x 4.12")	INTERIOR DIMENSIONS
3.8 cm/6.7 cm (1.50"/2.62")	LID/BOTTOM DEPTH
2.95 kg (6.5 lbs.) WITH FOAM, 2.48 kg (5.47 lbs.) NO FOAM	WEIGHT
■	STANDARD COLOURS
Computer Lid Organiser • Computer Bottom Insert	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

- Fits notebook computers up to 35,6 L x 27,4 W x 6,4 D cm
- Double safety locking latches with keys



1495CC1 Laptop Case	
54.9 x 43.8 x 12.4 cm (21.62" x 17.25" x 4.87")	EXTERIOR DIMENSIONS
47.9 x 33.3 x 9.7 cm (18.87" x 13.12" x 3.81")	INTERIOR DIMENSIONS
2.8 cm/6.8 cm (1.12"/2.68")	LID/BOTTOM DEPTH
5.03 kg (11.1 lbs.)	WEIGHT
■ **	STANDARD COLOURS
Attache/Computer Lid Insert	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

- Fits up to 17" laptops
- 3 dial combination lock included



1490CC2 Laptop Case	
50.4 x 35.4 x 11.9 cm (19.87" x 13.93" x 4.68")	EXTERIOR DIMENSIONS
45.1 x 28.9 x 10.5 cm (17.75" x 11.37" x 4.12")	INTERIOR DIMENSIONS
3.8 cm/6.7 cm (1.50"/2.62")	LID/BOTTOM DEPTH
2.95 kg (6.5 lbs.) WITH FOAM, 2.48 kg (5.47 lbs.) NO FOAM	WEIGHT
■	STANDARD COLOURS
Computer Lid Organiser	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

- Fits notebook computers up to 44 L x 28 W x 8,4 D cm
- Double safety locking latches with keys



Case contents not included | ** = ■ and □ : Available upon minimum quantities




EXTERIOR DIMENSIONS	 <p>■ Fits up to 17" laptops ■ 3 dial combination lock included</p>
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT	
STANDARD COLOURS	
AVAILABLE ACCESSORIES	
CERTIFICATES	

1495CC2 Laptop Case	
EXTERIOR DIMENSIONS	54.9 x 43.8 x 12.4 cm (21.62" x 17.25" x 4.87")
INTERIOR DIMENSIONS	47.9 x 33.3 x 9.7 cm (18.87" x 13.12" x 3.81")
LID/BOTTOM DEPTH	2.8 cm/6.8 cm (1.12"/2.68")
WEIGHT	4.08 kg (8.99 lbs.)
STANDARD COLOURS	■ **
AVAILABLE ACCESSORIES	Attaché/Computer Lid Insert
CERTIFICATES	IP67 • DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS	 <p>■ Unique top loading design</p> <p>> Shown with optional office divider kit</p>
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT	
STANDARD COLOURS	
AVAILABLE ACCESSORIES	
CERTIFICATES	

1430 Top Loader Case	
EXTERIOR DIMENSIONS	43 x 24.4 x 34.1 cm (16.93" x 9.61" x 13.42")
INTERIOR DIMENSIONS	34.4 x 14.6 x 29.7 cm (13.56" x 5.76" x 11.70")
LID/BOTTOM DEPTH	5.1 cm/24.6 cm (2.00"/9.70")
WEIGHT	2.95 kg. (6.5 lbs.) WITH FOAM, 2.54kg (5.6 lbs.) NO FOAM
STANDARD COLOURS	■ **
AVAILABLE ACCESSORIES	Special Application Panel Frame • 5 pc. Replacement Foam Set • Strap Kit • Padded Divider Set Only • Office Divider Kit • Boat Bracket Kit • Lid Organiser
CERTIFICATES	IP67 • DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS	 <p>■ Retractable extension handle</p>
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT	
STANDARD COLOURS	
AVAILABLE ACCESSORIES	
CERTIFICATES	


1440 Top Loader Case	
EXTERIOR DIMENSIONS	50 x 30.5 x 45.7 cm (19.70" x 12.00" x 18.00")
INTERIOR DIMENSIONS	43.4 x 19 x 40.6 cm (17.10" x 7.50" x 16.00")
LID/BOTTOM DEPTH	5.1 cm/35.5 cm (2.00"/14.00")
WEIGHT	7.48 kg. (16.5 lbs.) WITH FOAM, 6.58kg (14.5 lbs.) NO FOAM
STANDARD COLOURS	■ **
AVAILABLE ACCESSORIES	Utility Padded Divider Set & Lid Organiser • Office Divider Set & Lid Organiser • Office Lid Organiser • 6 pc. Replacement Foam Set
CERTIFICATES	IP67 • DEF STAN 81-41/STANAG 4280

Case contents not included | ** = ■ and □ : Available upon minimum quantities



Photo by Krzysztof Franciszewski

LARGE CASES

EXTERIOR DIMENSIONS	 <p>> Shown with padded divider and lid organiser</p>
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT	
STANDARD COLOURS	
AVAILABLE ACCESSORIES	
CERTIFICATES	

1560 Case	
EXTERIOR DIMENSIONS	56 x 45.5 x 26.5 cm (22.06" x 17.93" x 10.43")
INTERIOR DIMENSIONS	51.7 x 39.2 x 22.9 cm (20.37" x 15.43" x 9.00")
LID/BOTTOM DEPTH	5.1 cm/17.8 cm (2.00"/7.00")
WEIGHT	9.07 kg (20 lbs.) WITH FOAM, 7.71 kg (17 lbs.) NO FOAM
STANDARD COLOURS	■ ■
AVAILABLE ACCESSORIES	4 pc. Replacement Foam Set • Padded Divider Set Only • Lid Organiser for 1560 Case
CERTIFICATES	IP67 • DEF STAN 81-41/STANAG 4280

Similarly sized Peli Storm Case: iM2700

EXTERIOR DIMENSIONS	
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT	
STANDARD COLOURS	
AVAILABLE ACCESSORIES	
CERTIFICATES	

1600 Case	
EXTERIOR DIMENSIONS	61.6 x 49.3 x 22 cm (24.25" x 19.43" x 8.68")
INTERIOR DIMENSIONS	54.4 x 41.9 x 20 cm (21.43" x 16.50" x 7.87")
LID/BOTTOM DEPTH	4.4 cm/15.5 cm (1.75"/6.12")
WEIGHT	6.4 kg (14.11 lbs.) WITH FOAM, 5.9 kg (13 lbs.) NO FOAM
STANDARD COLOURS	■ ■ ■ ■ ■ ■
AVAILABLE ACCESSORIES	Padded Divider Set • Lid Organiser • 4 pc. Replacement Foam Set
CERTIFICATES	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300

EXTERIOR DIMENSIONS	 <p>■ EMS Cases come with a specially engineered lid organiser with clear pockets, and padded dividers to quickly spot medical supplies in any emergency</p>
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT	
STANDARD COLOURS	
AVAILABLE ACCESSORIES	
CERTIFICATES	

1600EMS Case	
EXTERIOR DIMENSIONS	61.6 x 49.3 x 22 cm (24.25" x 19.43" x 8.68")
INTERIOR DIMENSIONS	54.4 x 41.9 x 20 cm (21.43" x 16.50" x 7.87")
LID/BOTTOM DEPTH	4.4 cm/15.5 cm (1.75"/6.12")
WEIGHT	8.16 kg (18 lbs.)
STANDARD COLOURS	■
AVAILABLE ACCESSORIES	1605EMS EMS Accessory Set (Lid Organiser and Divider Set)
CERTIFICATES	IP67 • MIL C-4150J • STANAG 4280 • ATA 300

Case contents not included

Similarly sized Peli Storm Case: iM2720



1610 Case

62.7 x 49.7 x 30.3 cm (24.71" x 19.58" x 11.93")	EXTERIOR DIMENSIONS
55 x 42.2 x 26.8 cm (21.68" x 16.62" x 10.56")	INTERIOR DIMENSIONS
5.2 cm/21.6 cm (2.06"/8.50")	LID/BOTTOM DEPTH
10.2 kg (22.49 lbs.) WITH FOAM 9.07 kg (20 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
5 pc. Replacement Foam Set • Padded Divider Set Only • Lid Organiser	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



1640 Transport Case

69.1 x 69.8 x 41.4 cm (27.20" x 27.50" x 16.30")	EXTERIOR DIMENSIONS
60.2 x 60.9 x 35.3 cm (23.70" x 24.00" x 13.90")	INTERIOR DIMENSIONS
5.1 cm/30.2 cm (2.00"/11.90")	LID/BOTTOM DEPTH
17.24 kg (38 lbs.) WITH FOAM, 15.42 kg (34 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
Lid Organiser • Padded Divider Set • 5 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

Similarly sized Peli Storm Case: iM2750



1620 Case

63 x 49.2 x 35.2 cm (24.81" x 19.37" x 13.87")	EXTERIOR DIMENSIONS
54.3 x 41.4 x 31.9 cm (21.37" x 16.31" x 12.56")	INTERIOR DIMENSIONS
5.2 cm/26.7 cm (2.06"/10.50")	LID/BOTTOM DEPTH
11.8 kg (26.01 lbs.) WITH FOAM, 11.1 kg (24.47 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
Lid Organiser • Padded Divider Set Only • 6 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • DEF STAN 81-41/ STANAG 4280	CERTIFICATES

Similarly sized Peli Storm Case: iM2950




1650 Case

80.2 x 52 x 31.6 cm (31.59" x 20.47" x 12.45")	EXTERIOR DIMENSIONS
72.5 x 44.5 x 27 cm (28.57" x 17.52" x 10.65")	INTERIOR DIMENSIONS
4.6 cm/22.4 cm (1.81"/8.84")	LID/BOTTOM DEPTH
12.73 kg (28.06 lbs.) WITH FOAM, 10.9 kg (24.03 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
Padded Divider Set • Photo/Lid Organiser • 4 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • DEF STAN 81-41/ STANAG 4280 • ATA 300	CERTIFICATES



1630 Transport Case

79.4 x 61.5 x 44.4 cm (31.28" x 24.21" x 17.48")	EXTERIOR DIMENSIONS
70.3 x 53.3 x 39.4 cm (27.70" x 20.98" x 15.50")	INTERIOR DIMENSIONS
8.3 cm/30.8 cm (3.25"/12.14")	LID/BOTTOM DEPTH
16.33 kg (36 lbs.) WITH FOAM, 14.06 kg (31 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
Document Container Accessory • Padded Divider Set Only • Lid Organiser • 5 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



1660 Case

80 x 58.1 x 48.2 cm (31.50" x 22.87" x 19.00")	EXTERIOR DIMENSIONS
71.5 x 50.1 x 44.7 cm (28.18" x 19.75" x 17.62")	INTERIOR DIMENSIONS
8.9 cm/35.9 cm (3.50"/14.12")	LID/BOTTOM DEPTH
19.1 kg (42.11 lbs.) WITH FOAM, 15.5 kg (34.17 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
Padded Divider Set Only • Lid Organiser • 5 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
STANDARD COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES



1690 Transport Case

84.7 x 72.2 x 46.3 cm (33.36" x 28.44" x 18.23")	EXTERIOR DIMENSIONS
76.2 x 63.5 x 38.1 cm (30.01" x 25.02" x 15.00")	INTERIOR DIMENSIONS
7.3 cm/30.8 cm (2.86"/12.14")	LID/BOTTOM DEPTH
19.5 kg (43 lbs.) WITH FOAM, 15.42 kg (34 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
Padded Divider Set • Lid Organiser • 5 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
STANDARD COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES



1730 Transport Case

95.2 x 68.9 x 36.5 cm (37.50" x 27.13" x 14.37")	EXTERIOR DIMENSIONS
86.3 x 60.9 x 31.7 cm (34.00" x 24.00" x 12.50")	INTERIOR DIMENSIONS
6.3 cm/25.4 cm (2.50"/10.00")	LID/BOTTOM DEPTH
17.24 kg (38 lbs.) WITH FOAM, 13.61 kg (30 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
5 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67	CERTIFICATES

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
STANDARD COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES



1780T Transport Case

114 x 64.3 x 41.9 cm (44.90" x 25.32" x 16.50")	EXTERIOR DIMENSIONS
106.6 x 55.9 x 38.3 cm (42.00" x 22.00" x 15.10")	INTERIOR DIMENSIONS
19.2 cm/18.5 cm (7.58"/7.30")	LID/BOTTOM DEPTH
22.23 kg (49 lbs.) WITH FOAM, 17.42 kg (38.4 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
6 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
DEF STAN 81-41/STANAG 4280	CERTIFICATES

Case contents not included | ** = ■ and □ : Available upon minimum quantities

Case contents not included | ** = ■ and □ : Available upon minimum quantities



0340 Cube Case	
52 x 52 x 48.9 cm (20.50" x 20.50" x 19.25")	EXTERIOR DIMENSIONS
45.7 x 45.7 x 45.7 cm (18.00" x 18.00" x 18.00")	INTERIOR DIMENSIONS
11.4 cm/34.3 cm (4.50"/13.50")	LID/BOTTOM DEPTH
13.5 kg (29.76 lbs.) WITH FOAM, 10.89 kg (24 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
Padded Divider Set • Lid Organiser • 7 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



0350 Cube Case	
57.1 x 56.9 x 54 cm (22.50" x 22.43" x 21.25")	EXTERIOR DIMENSIONS
50.8 x 50.8 x 50.8 cm (20.00" x 20.00" x 20.00")	INTERIOR DIMENSIONS
12.7 cm/38.1 cm (5.00"/15.00")	LID/BOTTOM DEPTH
14.52 kg (32.01 lbs.) WITH FOAM, 11.79 kg (25.99 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
Padded Divider Set Only • Cube Case Mobility Package • Lid Organiser • 7 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



0370 Cube Case	
67.3 x 67.3 x 64.1 cm (26.50" x 26.50" x 25.25")	EXTERIOR DIMENSIONS
60.9 x 60.9 x 60.9 cm (24.00" x 24.00" x 24.00")	INTERIOR DIMENSIONS
12.7 cm/48.2 cm (5.00"/19.00")	LID/BOTTOM DEPTH
18.6 kg (41 lbs.) WITH FOAM, 14.5 kg (31.97 lbs.) NO FOAM	WEIGHT
■ **	STANDARD COLOURS
Padded Divider Set Only • Cube Case Mobility Package Lid Organiser • 7 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

Case contents not included | ** = ■ and □: Available upon minimum quantities



0450 Mobile Tool Chest	
60.8 x 37.5 x 45.6 cm (23.95" x 14.75" x 17.95")	EXTERIOR DIMENSIONS
52.2 x 27.9 x 32.1 cm (20.56" x 10.97" x 12.65")	INTERIOR DIMENSIONS
N/A	LID/BOTTOM DEPTH
18.82 kg (41.5 lbs.) NO DRAWERS, 14.97 kg (33 lbs.) WITH DRAWERS	WEIGHT
■	STANDARD COLOURS
Deep Drawer • Shallow Drawer • Top Tray • Vertical Tool Pallet • Horizontal Tool Pallet	AVAILABLE ACCESSORIES
MIL-STD-810F	CERTIFICATES

> Shown with custom foam solution for tool inventory and preventing Foreign Object Damage (FOD)



Drawer Configurations:
Choose all shallow, all deep, or mix and match



Trolley Handle and stable wide track wheeled mobility



Metal Hybrid Double Step Butterfly Latches provide additional strength and durability



Two Way Handles: the 0450 can be lifted from the tool chest or transport position



0500 Transport Case	
101.4 x 59.5 x 72.7 cm (39.95" x 23.45" x 28.65")	EXTERIOR DIMENSIONS
88.7 x 46.8 x 64.1 cm (34.95" x 18.45" x 25.25")	INTERIOR DIMENSIONS
5.7 cm/58.4 cm (2.25"/23.00")	LID/BOTTOM DEPTH
26.58 kg (58.6 lbs.) WITH FOAM, 22.68 kg (50 lbs.) NO FOAM	WEIGHT
■	STANDARD COLOURS
Caster Wheel Kit • Pallet Riser Kit • Document Container Accessory • 7 pc. Replacement Foam Set	AVAILABLE ACCESSORIES
	CERTIFICATES





0550 Transport Case	
129.6 x 69.9 x 57.9 cm (51.05" x 27.54" x 22.79")	EXTERIOR DIMENSIONS
120.8 x 61.1 x 44.9 cm (47.57" x 24.07" x 17.68")	INTERIOR DIMENSIONS
8.1 cm/36.8 cm (3.19"/14.49")	LID/BOTTOM DEPTH
N/A	WEIGHT
■	STANDARD COLOURS
Caster Wheel Kit • Pallet Riser Kit • Document Container Accessory	AVAILABLE ACCESSORIES
	CERTIFICATES

Case contents not included



LONG CASES

Similarly sized Peli Storm Case: iM3100

EXTERIOR DIMENSIONS		1700 Long Case 96.8 x 40.6 x 15.5 cm (38.12" x 16.00" x 6.12")
INTERIOR DIMENSIONS		90.8 x 34.3 x 13.3 cm (35.75" x 13.50" x 5.25")
LID/BOTTOM DEPTH		4.4 cm/8.9 cm (1.75"/3.50")
WEIGHT		7.7 kg. (16.98 lbs.) WITH FOAM, 7.3kg (16.09 lbs.) NO FOAM
STANDARD COLOURS		■ **
AVAILABLE ACCESSORIES		3 pc. Replacement Foam Set
CERTIFICATES		IP67 • MIL C-4150J • DEF STAN 81-41/ STANAG 4280

> Shown with custom foam solution designed for a medical endoscope

Similarly sized Peli Storm Case: iM3200

EXTERIOR DIMENSIONS		1720 Long Case 112.7 x 40.6 x 15.5 cm (44.37" x 16.00" x 6.12")
INTERIOR DIMENSIONS		106.6 x 34.3 x 13.3 cm (42.00" x 13.50" x 5.25")
LID/BOTTOM DEPTH		4.4 cm/8.9 cm (1.75"/3.50")
WEIGHT		8.6 kg (18.96 lbs.) WITH FOAM, 7.6 kg (16.76 lbs.) NO FOAM
STANDARD COLOURS		■ **
AVAILABLE ACCESSORIES		3 pc. Replacement Foam Set
CERTIFICATES		DEF STAN 81-41/STANAG 4280

N 1740 Long Case

EXTERIOR DIMENSIONS		112.1 x 40.9 x 35.5 cm (44.16" x 16.09" x 14.00")
INTERIOR DIMENSIONS		104 x 32.8 x 30.8 cm (40.98" x 12.92" x 12.13")
LID/BOTTOM DEPTH		6.5 cm/24.3 cm (2.56"/9.57")
WEIGHT		12.25 kg (27 lbs.) WITH FOAM, 9.98 kg (22 lbs.) NO FOAM
STANDARD COLOURS		■ **
AVAILABLE ACCESSORIES		6 pc. Replacement Foam Set
CERTIFICATES		IP65

■ Four extra-deep base-to-lid locking cleats that ensure maximum stacking stability

Case contents not included | ** = ■ and ■ : Available upon minimum quantities



Similarly sized Peli Storm Case: iM3300

EXTERIOR DIMENSIONS		1750 Long Case 134.6 x 40.6 x 15.5 cm (53.00" x 16.00" x 6.12")
INTERIOR DIMENSIONS		128.2 x 34.3 x 13.3 cm (50.50" x 13.50" x 5.25")
LID/BOTTOM DEPTH		4.4 cm/8.9 cm (1.75"/3.50")
WEIGHT		11.6 kg (25.57 lbs.) WITH FOAM, 10.7 kg (23.59 lbs.) NO FOAM
STANDARD COLOURS		■ **
AVAILABLE ACCESSORIES		3 pc. Replacement Foam Set
CERTIFICATES		IP67 • DEF STAN 81-41/STANAG 4280

1780W HL LONG CASE (WITH RIFLE HARD LINER INSERT)



N 1770 Long Case

EXTERIOR DIMENSIONS		145.8 x 46.9 x 28.5 cm (57.42" x 18.48" x 11.23")
INTERIOR DIMENSIONS		138.6 x 39.6 x 21.9 cm (54.58" x 15.58" x 8.63")
LID/BOTTOM DEPTH		4.8 cm/17.1 cm (1.88"/6.75")
WEIGHT		16.33 kg (36 lbs.) WITH FOAM, 13.15 kg (29 lbs.) NO FOAM
STANDARD COLOURS		■ **
AVAILABLE ACCESSORIES		4 pc. Replacement Foam Set
CERTIFICATES		

1780RF Long Case (with Rifle FOAM Insert)

EXTERIOR DIMENSIONS		114 x 64.3 x 41.9 cm (44.90" x 25.32" x 16.50")
INTERIOR DIMENSIONS		106.6 x 55.9 x 38.3 cm (42.00" x 22.00" x 15.10")
LID/BOTTOM DEPTH		19.2 cm / 18.5 cm (7.58" / 7.30")
WEIGHT		24.04 kg (53 lbs.) WITH RIFLE FOAM
STANDARD COLOURS		■ **
AVAILABLE ACCESSORIES		Rigid polyethylene tray option for 12 firearms
CERTIFICATES		DEF STAN 81-41/STANAG 4280

- Fits M4, M16 firearms
- Fast loading, lockable metal cross bar
- Rigid polyethylene tray option for 12 firearms
- Detachable halves serve as mobile firearm racks
- Humidity gauge changes color above 40%
- 4 heavy duty wheels for one-man mobility

1780W HL Long Case (with Rifle Hard Liner Insert)

EXTERIOR DIMENSIONS		114 x 64.3 x 41.9 cm (44.90" x 25.32" x 16.50")
INTERIOR DIMENSIONS		106.6 x 55.9 x 38.3 cm (42.00" x 22.00" x 15.10")
LID/BOTTOM DEPTH		19.2 cm/18.5 cm (7.58"/7.30")
WEIGHT		31.03 kg (68.4 lbs.)
STANDARD COLOURS		■ **
AVAILABLE ACCESSORIES		High-density foam tray option for 10 firearms with scopes
CERTIFICATES		DEF STAN 81-41/STANAG 4280

- Fits M4, M16 firearms
- Fast loading, lockable metal cross bar
- High-density foam tray option for 10 firearms with scopes
- Detachable halves serve as mobile firearm racks
- Humidity gauge changes colour above 40%
- 4 heavy duty wheels for one-man mobility

Case contents not included | ** = ■ and ■ : Available upon minimum quantities

PADDED DIVIDERS

Main dividers that span the length of the case are complimented by varying sizes of subdividers. Velcro® edges make it easy to reposition these dividers into the spaces you need. See individual accessory configurations product listing for availability.



1510 PELI CASE
 ■ Cat. No. 1514
 Case with divider



1610 PELI CASE
 ■ Cat. No. 1614
 Case with divider
 ■ Cat. No. 1615
 divider set only

PADDED CASE DIVIDER OPTIONS			
CASE	LAYERS	CASE WITH DIVIDERS (CAT. NO.)	DIVIDER SET ONLY (CAT. NO.)
1450	1	1454	1455
1500	1	1504	1505
1510	1	1514	
1520	1	1524	1525
1550	1	1554	1555
1560	1	1564	1565
1600	2	1604	1605
1610	1	1614	1615
1620	1	1624	1625
1630	2	1634	1635
1640	2	1644	1645
1650	1	1654	1655
1660	2	1664	1665
1690	2	1694	
0340	2	0344	0345
0350	2	0354	0355
0370	2	0374	0375

LID ORGANISERS

Made of leather or waterproof ballistic nylon with nylon zippers. A multitude of pockets in various sizes protect and keep your gear organised. Installs with Velcro® strips (included) or self tapping screws.

■ **Mesh Lid Organisers** present an array of compartments with mesh nylon zipper pockets to house, protect, and organise various gear.

■ **Computer Lid Organisers** are styled with deep expandable folder pockets and sleeves for various office-attaché style components.

■ **Photo Lid Organisers** have multiple compartments including an assortment of elastic strapping and mesh nylon zipper pockets to organise and protect photo equipment.

■ **EMS Lid Organiser** is a specially engineered Lid Organiser with clear pockets to quickly spot medical supplies in any emergency.



CASE	MESH	COMPUTER	PHOTO	EMS
1430			1439 Photo ^A	
1440	1449 Mesh ^A			
1490		1498 Computer ^B		
1495		1495 Computer ^B		
1500	1509 Mesh		1508 Photo	1505 EMS ^B
1510	1519 Mesh ^A			
1520	1509 Mesh		1508 Photo ^B	
1550				1555 EMS ^B
1560	1569 Mesh			1555 EMS ^A
1600	1609 Mesh ^B			
1610	1609 Mesh ^B			
1620	1609 Mesh ^B			
1630	1639 Mesh ^A			
1640	0379 Mesh ^A			
1650	1659 Mesh ^A			
1660	1669 Mesh ^A			
1690	1699 Mesh ^A			
0340	0349 Mesh ^A			
0350	0359 Mesh ^A			
0370	0379 Mesh ^A			

A= With mounting screws **B=** With mounting Velcro®

Table with 11 columns: CASE, EXTERIOR, INTERIOR, LID DEPTH, BOTTOM DEPTH, WEIGHT WITH FOAM, WEIGHT WITHOUT FOAM, COLOURS, BUOYANCY MAXIMUM, TEMPERATURE RANGE (MIN/MAX), CERTIFICATES. Rows include cases 1010, i1010, 1015, i1015, 1020, 1030, 1040, 1050, 1060, 1120, 1150, 1170, 1200, 1300, 1400, 1450, 1460.

Table with 11 columns: CASE, EXTERIOR, INTERIOR, LID DEPTH, BOTTOM DEPTH, WEIGHT WITH FOAM, WEIGHT WITHOUT FOAM, COLOURS, BUOYANCY MAXIMUM, TEMPERATURE RANGE (MIN/MAX), CERTIFICATES. Rows include cases 1500, 1510, 1520, 1550, 1080, 1090, 1430, 1440, 1470, 1490, 1495, 1560, 1600, 1610, 1620, 1630, 1640.

All protector cases come standard with PICK 'N'PLUCK™ foam, except Micro Cases, some Long Cases and 0450 models. All Protector™ Cases have a 2 degree draft angle with a bottom radius of 0.66 +/- 0.020. Depth is measured at the center of the case and includes lid depth.

* = Available upon minimum quantities, ** = Available upon minimum quantities.


CASE	EXTERIOR	INTERIOR	LID DEPTH	BOTTOM DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	COLOURS	BUOYANCY MAXIMUM	TEMPERATURE RANGE (MIN/MAX)	CERTIFICATES
1650	80.2 x 52 x 31.6 cm (31.59" x 20.47" x 12.45")	72.5 x 44.5 x 27 cm (28.57" x 17.52" x 10.65")	4.6 cm (1.81")	22.4 cm (8.84")	12.73 kg (28.06 lbs.)	10.9 kg (24.03 lbs.)	■ **	82.1 kg (181 lbs.)	-40 / 99° C (-40 / 210° F)	IP67, MIL C-4150J, DEF STAN 81-41/STANAG 4280, ATA 300
1660	80 x 58.1 x 48.2 cm (31.50" x 22.87" x 19.00")	71.5 x 50.1 x 44.7 cm (28.18" x 19.75" x 17.62")	8.9 cm (3.50")	35.9 cm (14.12")	19.1 kg (42.11 lbs.)	15.5 kg (34.17 lbs.)	■ **	158.8 kg (350.1 lbs.)	-23 / 99° C (-10 / 210° F)	IP67, DEF STAN 81-41/STANAG 4280
1690	84.7 x 72.2 x 46.3 cm (33.36" x 28.44" x 18.23")	76.2 x 63.5 x 38.1 cm (30.01" x 25.02" x 15.00")	7.3 cm (2.86")	30.8 cm (12.14")	19.5 kg (43 lbs.)	15.42 kg (34 lbs.)	■ **	185.97 kg (410 lbs.)	-40 / 99° C (-40 / 210° F)	IP67, DEF STAN 81-41/STANAG 4280
1730	95.2 x 68.9 x 36.5 cm (37.50" x 27.13" x 14.37")	86.3 x 60.9 x 31.7 cm (34.00" x 24.00" x 12.50")	6.3 cm (2.50")	25.4 cm (10.00")	17.24 kg (38 lbs.)	13.61 kg (30 lbs.)	■ **	188.69 kg (416 lbs.)	-40 / 99° C (-40 / 210° F)	IP67
0340	52 x 52 x 48.9 cm (20.50" x 20.50" x 19.25")	45.7 x 45.7 x 45.7 cm (18.00" x 18.00" x 18.00")	11.4 cm (4.50")	34.3 cm (13.50")	13.5 kg (29.76 lbs.)	10.89 kg (24 lbs.)	■ **	100 kg (220.46 lbs.)	-40 / 99° C (-40 / 210° F)	IP67, DEF STAN 81-41/STANAG 4280
0350	57.1 x 56.9 x 54 cm (22.50" x 22.43" x 21.25")	50.8 x 50.8 x 50.8 cm (20.00" x 20.00" x 20.00")	12.7 cm (5.00")	38.1 cm (15.00")	14.52 kg (32.01 lbs.)	11.79 kg (25.99 lbs.)	■ **	122 kg (268.96 lbs.)	-40 / 99° C (-40 / 210° F)	IP67, DEF STAN 81-41/STANAG 4280
0370	67.3 x 67.3 x 64.1 cm (26.50" x 26.50" x 25.25")	60.9 x 60.9 x 60.9 cm (24.00" x 24.00" x 24.00")	12.7 cm (5.00")	48.2 cm (19.00")	18.6 kg (41 lbs.)	14.5 kg (31.97 lbs.)	■ **	211 kg (465.18 lbs.)	-40 / 99° C (-40 / 210° F)	IP67, DEF STAN 81-41/STANAG 4280
0450	60.8 x 37.5 x 45.6 cm (23.95" x 14.75" x 17.95")	52.2 x 27.9 x 32.1 cm (20.56" x 10.97" x 12.65")	N/A	N/A	14.97 kg (33 lbs.)	18.82 kg (41.5 lbs.)	■			MIL-STD-810F
0500	101.4 x 59.5 x 72.7 cm (39.95" x 23.45" x 28.65")	88.7 x 46.8 x 64.1 cm (34.95" x 18.45" x 25.25")	5.7 cm (2.25")	58.4 cm (23.00")	26.58 kg (58.6 lbs.)	22.68 kg (50 lbs.)	■	353.8 kg (780 lbs.)	-40 / 99° C (-40 / 210° F)	
0550	129.6 x 69.9 x 57.9 cm (51.05" x 27.54" x 22.79")	120.8 x 61.1 x 44.9 cm (47.57" x 24.07" x 17.68")	8.1 cm (3.19")	36.8 cm (14.49")	N/A	35.92 kg (79.2 lbs.)	■	371.95 kg (820 lbs.)	-40 / 99° C (-40 / 210° F)	
1700	96.8 x 40.6 x 15.5 cm (38.12" x 16.00" x 6.12")	90.8 x 34.3 x 13.3 cm (35.75" x 13.50" x 5.25")	4.4 cm (1.75")	8.9 cm (3.50")	7.7 kg (16.98 lbs.)	7.3 kg (16.09 lbs.)	■ **	62.1 kg (136.91 lbs.)	-40 / 99° C (-40 / 210° F)	IP67, MIL C-4150J, DEF STAN 81-41/STANAG 4280
1720	112.7 x 40.6 x 15.5 cm (44.37" x 16.00" x 6.12")	106.6 x 34.3 x 13.3 cm (42.00" x 13.50" x 5.25")	4.4 cm (1.75")	8.9 cm (3.50")	8.6 kg (18.96 lbs.)	7.6 kg (16.76 lbs.)	■ **	73 kg (160.94 lbs.)	-40 / 99° C (-40 / 210° F)	DEF STAN 81-41/STANAG 4280
1740	112.1 x 40.9 x 35.5 cm (44.16" x 16.09" x 14.00")	104 x 32.8 x 30.8 cm (40.98" x 12.92" x 12.13")	6.5 cm (2.56")	24.3 cm (9.57")	12.25 kg (27 lbs.)	9.98 kg (22 lbs.)	■ **	121.11 kg (267 lbs.)	-40 / 99° C (-40 / 210° F)	IP65
1750	134.6 x 40.6 x 15.5 cm (53.00" x 16.00" x 6.12")	128.2 x 34.3 x 13.3 cm (50.50" x 13.50" x 5.25")	4.4 cm (1.75")	8.9 cm (3.50")	11.6 kg (25.57 lbs.)	10.7 kg (23.59 lbs.)	■ **	85 kg (187.39 lbs.)	-40 / 99° C (-40 / 210° F)	IP67, DEF STAN 81-41/STANAG 4280
1770	145.8 x 46.9 x 28.5 cm (57.42" x 18.48" x 11.23")	138.6 x 39.6 x 21.9 cm (54.58" x 15.58" x 8.63")	4.8 cm (1.88")	17.1 cm (6.75")	16.33 kg (36 lbs.)	13.15 kg (29 lbs.)	■ **	127.01 kg (280 lbs.)		
1780	114 x 64.3 x 41.9 cm (44.90" x 25.32" x 16.50")	106.6 x 55.9 x 38.3 cm (42.00" x 22.00" x 15.10")	19.2 cm (7.58")	18.5 cm (7.30")	22.23 kg (49 lbs.)	17.42 kg (38.4 lbs.)	■ **	226.8 kg (500 lbs.)	-40 / 99° C (-40 / 210° F)	DEF STAN 81-41/STANAG 4280

* = ■ : Available upon minimum quantities
 ** = ■ and □ : Available upon minimum quantities

CASE	FOAM SET	OPTIONAL CONFIGURATIONS AND ACCESSORIES				
		Padded Dividers	Panel Frame	Lid Organizers	Nameplate	Other
1010	1012	-	-	-	-	-
i1010	-	-	-	-	-	-
1015	-	-	-	-	-	-
i1015	-	-	-	-	-	-
1020	1022	-	-	-	-	-
1030	1032	-	-	-	-	-
1040	1042	-	-	-	-	-
1050	1052	-	-	-	-	-
1060	1062	-	-	-	-	-
1120	1121	-	1120PF	-	-	-
1150	1151	-	1150PF	-	-	-
1170	1171	-	-	-	-	-
1200	1201	-	1200PF	-	-	-
1300	1301	-	1300PF	-	-	-
1400	1401	-	1400PF	-	YES	-
1450	1451	1455	1450PF	-	YES	-
1460	1461	-	-	-	YES	-
1500	1501	1505	1500PF	1508	YES	-
1510	1510	1510	-	1519	YES	-
1520	1521	1525	1520PF	1509	YES	-
1550	1551	1555	1550PF	-	YES	-
1080	-	-	-	-	-	-
1090	-	-	-	-	-	-
1430	1431	1435, 1436 Office	1430PF	1439	YES	1432 Strap Kit • 1438 Boat Bracket Kit
1440	1441	1445 Utility w/LidOrg 1446 Office w/ Lid Org	-	1449 Office	YES	-

CASE	FOAM SET	OPTIONAL CONFIGURATIONS AND ACCESSORIES				
		Padded Dividers	Panel Frame	Lid Organizers	Nameplate	Other
1470	1471	-	1470PF	-	YES	1472 Shoulder Strap
1490	1491	-	1490PF	1498	YES	1472 Shoulder Strap
1495	1481	-	-	1495ALI • Attache/ /Computer Lid Insert	YES	1472 Shoulder Strap
1560	1561	1565	-	1569	YES	-
1600	1611	1605	-	1609	YES	-
1610	1611	1615	-	1609	YES	-
1620	1621	1625	-	1609	YES	-
1630	1631	1635	-	1639	YES	Document container
1640	1641	1645	-	0379	YES	-
1650	1651	1655	-	1659	YES	-
1660	1661	1665	-	1669	YES	-
1690	1691	1695	-	1699	YES	-
0340	0341	0345	-	0349	YES	-
0350	0351	0355	-	0359	YES	0357 Mobility Kit
0370	0371	-	-	0379	YES	0357 Mobility Kit
0450	-	-	-	-	-	0455DD Deep Drawer • 0455DS Shallow Drawer • 0455TT Top Tray • 0456 Vertical Tool Pallet • 0457 Horizontal Tool Pallet
0500	0501	-	-	-	YES	Document Container • 0507 Caster Wheel Kit • 0508 Pallet Riser Kit
0550	-	-	-	-	-	Caster Wheel Kit • Pallet Riser Kit • Document Container Accessory
1700	1701	-	-	-	-	-
1720	1721	-	-	-	YES	-
1730	1731	-	-	-	-	-
1740	1741	-	-	-	-	-
1750	1751	-	-	-	YES	-
1770	1771	-	-	-	YES	-
1780	1781	-	-	-	YES	-

> MISCELANEOUS



CAT. NO. 1500D | PELI™ DESICCANT (SILICA GEL)

Peli Desiccant Silica Gel “drinks” dampness, prevents condensation from trapped air when cases are opened in damp, high humidity climates.

- Fits all Peli Cases.
- Size: 5 x 10,2 cm



CAT. NO. 1506TSA | TSA LOCK

- Special TSA accepted lock
- TSA personnel can safely lock and unlock
- You can set hundreds of combinations
- Fits all Peli Cases



CAT. NO. 1507 | PELI™ QUICK MOUNTS (SET OF 4)

- For mounting special equipment
- Fits all Peli Cases
- Colour: Black

> ADVANCED LIGHTING TOOLS



> MEET THE OTHER HALF OF PELI AT WWW.PELI.COM

The same durability and ingenuity built into every Peli product also sets our lighting tools apart. We're illuminating the world's darkest and most dangerous places with specialised lighting tools.

■ Safety approved lights for hazardous areas



■ Tactical lights for military and law enforcement

■ Specialised lights for fire and rescue operations

■ Submersible lights for scuba diving and other outdoor sports

■ Remote Area Lighting Systems for illuminating large work areas



PELI STORM SECTION




IM2050 PELI STORM CASE



IM2300 PELI STORM CASE



IM2620 PELI STORM CASE



IM3220 PELI STORM CASE



A NEW WAY TO OPEN A PELI™ CASE. 23 NEW SIZES.



PRESS & PULL® LATCHES
Unique Press & Pull Latches open with the push of a button, yet stay closed securely under impact or stress

RESILIENT HPX
High impact shell.

RUGGED IN-LINE WHEELS
Ball bearing wheels provide low-friction, low drag rolling for easy movement of heavy loads. Available on selected models.

DOUBLE-LAYERED, SOFT-GRIP HANDLES
Tested and proven strong, these comfort grips withstand heavy loads.

MOULDED IN HASPS
Unbreakable moulded-in hasps, allow you to add standard size padlocks, offering another measure of security.

ROUNDED DEFLECTIVE CORNERS
The corners of Peli Storm Cases deflect and absorb impact, dispensing kinetic energy throughout the case to ensure contents remain safe drop after drop.

VORTEX® VALVE
Permanently attached Vortex® valve automatically adjusts air pressure without letting in water, and won't unscrew from the case.

> INTRODUCING PELI™ STORM CASES


Light weight and rugged, Peli Storm Cases are the result of years of perfecting and testing in both the laboratory and the field. From the proprietary HPX® plastic resin that is tough during lowtemperature impact testing, to the patented Press & Pull® latch that opens easily. Every facet of these light weight cases has been created to defend your vital gear.

Peli Storm Cases have been designed to meet or exceed military testing requirements and will protect your gear. Many are airline size appropriate. All are internationally shippable and with guarantee of excellence.

COLOURS:



BLACK



YELLOW



OD GREEN

SMALL CASES



Similarly sized Peli Case: 1200

EXTERIOR DIMENSIONS		N iM2050 Peli Storm Case
INTERIOR DIMENSIONS		30 x 24.9 x 11.9 cm (11.80" x 9.80" x 4.70")
LID/BOTTOM DEPTH		24.1 x 19 x 10.8 cm (9.50" x 7.50" x 4.25")
WEIGHT		3.8 cm/7 cm (1.50"/2.75")
COLOURS		1.36 kg (3 lbs.) WITH FOAM 1.22 kg (2.7 lbs.) NO FOAM
SPECIAL ACCESSORIES		<ul style="list-style-type: none"> • Lid Stay • Shoulder Strap • Base Bezel Kit • Padded Dividers
CERTIFICATES	MIL-STD-810F • FED-STD-101C • ATA 300	

Similarly sized Peli Case: 1300

EXTERIOR DIMENSIONS		N iM2075 Peli Storm Case
INTERIOR DIMENSIONS		30 x 24.9 x 19.6 cm (11.80" x 9.80" x 7.70")
LID/BOTTOM DEPTH		24.1 x 19 x 18.4 cm (9.50" x 7.50" x 7.25")
WEIGHT		3.8 cm/14.6 cm (1.50"/5.75")
COLOURS		1.68 kg (3.7 lbs.) WITH FOAM 1.5 kg (3.3 lbs.) NO FOAM
SPECIAL ACCESSORIES		<ul style="list-style-type: none"> • Lid Stay • Shoulder Strap • Base Bezel Kit • Padded Dividers
CERTIFICATES	MIL-STD-810F • FED-STD-101C • ATA 300	

> Shown with panel frame option for special application usage

Similarly sized Peli Case: 1400

EXTERIOR DIMENSIONS		N iM2100 Peli Storm Case
INTERIOR DIMENSIONS		36.1 x 28.9 x 16.5 cm (14.20" x 11.40" x 6.50")
LID/BOTTOM DEPTH		33 x 23.4 x 15.2 cm (13.00" x 9.20" x 6.00")
WEIGHT		5.1 cm/10.2 cm (2.00"/4.00")
COLOURS		2.22 kg (4.9 lbs.) WITH FOAM 1.91 kg (4.2 lbs.) NO FOAM
SPECIAL ACCESSORIES		<ul style="list-style-type: none"> • Lid Stay • Shoulder Strap • Base Bezel Kit • Padded Dividers
CERTIFICATES	MIL-STD-810F • FED-STD-101C • ATA 300	

Case contents not included

MEDIUM CASES



Similarly sized Peli Case: 1450

EXTERIOR DIMENSIONS		N iM2200 Peli Storm Case
INTERIOR DIMENSIONS		41.1 x 32.2 x 16.8 cm (16.20" x 12.70" x 6.60")
LID/BOTTOM DEPTH		38.1 x 26.7 x 15.2 cm (15.00" x 10.50" x 6.00")
WEIGHT		5.1 cm/10.2 cm (2.00"/4.00")
COLOURS		2.77 kg (6.1 lbs.) WITH FOAM 2.22 kg (4.9 lbs.) NO FOAM
AVAILABLE ACCESSORIES		<ul style="list-style-type: none"> • Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers
CERTIFICATES	MIL-STD-810F • FED-STD-101C • ATA 300	

Similarly sized Peli Case: 1500

EXTERIOR DIMENSIONS		N iM2300 Peli Storm Case
INTERIOR DIMENSIONS		46.2 x 34 x 17 cm (18.20" x 13.40" x 6.70")
LID/BOTTOM DEPTH		43.2 x 29.7 x 15.7 cm (17.00" x 11.70" x 6.20")
WEIGHT		5.1 cm/10.7 cm (2.00"/4.20")
COLOURS		3.22 kg (7.1 lbs.) WITH FOAM 2.68 kg (5.9 lbs.) NO FOAM
AVAILABLE ACCESSORIES		<ul style="list-style-type: none"> • Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organiser*
CERTIFICATES	MIL-STD-810F • FED-STD-101C • ATA 300	

> Shown with custom foam solution

Similarly sized Peli Case: 1500

EXTERIOR DIMENSIONS		N iM2306 Peli Storm Case
INTERIOR DIMENSIONS		46.2 x 21.3 x 17 cm (18.20" x 8.40" x 6.70")
LID/BOTTOM DEPTH		43.2 x 16 x 15.7 cm (17.00" x 6.30" x 6.20")
WEIGHT		5.1 cm / 10.7 cm (2.00" / 4.20")
COLOURS		2.13 kg (4.7 lbs.) WITH FOAM 1.95 kg (4.3 lbs.) NO FOAM
AVAILABLE ACCESSORIES		<ul style="list-style-type: none"> • Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers
CERTIFICATES	MIL-STD-810F • FED-STD-101C • ATA 300	


Case contents not included | * Lid Organiser - See Peli Storm Lid Organiser section for available Lid Organiser styles



N iM2370 Peli Storm Laptop Case

- Two Integrated Key Lockable Latches
- Integrated Lid Stay
- Meets Carry-on Regulations


> Shown with Padded Shoulder Strap & Computer Tray. Cat. No. iM2370-X0003

50.8 x 37.3 x 14.7 cm (20.00" x 14.70" x 5.80")	EXTERIOR DIMENSIONS
46.2 x 30.7 x 13.2 cm (18.20" x 12.10" x 5.20")	INTERIOR DIMENSIONS
4.3 cm/8.9 cm (1.70"/3.50")	LID/BOTTOM DEPTH
3.27 kg (7.2 lbs.) WITH FOAM 2.59 kg (5.7 lbs.) NO FOAM	WEIGHT
	COLOURS
Lid Stay • Shoulder Strap • Computer Tray • Padded Dividers • Lid Organiser*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

Similarly sized Peli Case: 1510



N iM2500 Peli Storm Carry On Case


55.1 x 35.8 x 22.6 cm (21.70" x 14.10" x 8.90")	EXTERIOR DIMENSIONS
52 x 29.2 x 18.3 cm (20.50" x 11.50" x 7.20")	INTERIOR DIMENSIONS
5.1 cm/13.2 cm (2.00"/5.20")	LID/BOTTOM DEPTH
6.21 kg (13.7 lbs.) WITH FOAM 5.03 kg (11.1 lbs.) NO FOAM	WEIGHT
	COLOURS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organiser*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

Similarly sized Peli Case: 1520



> Shown with padded divider. Cat. No. iM2400-X0002


N iM2400 Peli Storm Case

48.7 x 38.6 x 18.5 cm (19.20" x 15.20" x 7.30")	EXTERIOR DIMENSIONS
45.7 x 33 x 17 cm (18.00" x 13.00" x 6.70")	INTERIOR DIMENSIONS
5.1 cm/11.9 cm (2.00"/4.70")	LID/BOTTOM DEPTH
3.54 kg (7.8 lbs.) WITH FOAM 2.95 kg (6.5 lbs.) NO FOAM	WEIGHT
	COLOURS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organisers*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

Similarly sized Peli Case: 1550




N iM2600 Peli Storm Case

53.8 x 40.6 x 21.1 cm (21.20" x 16.00" x 8.30")	EXTERIOR DIMENSIONS
50.8 x 35.5 x 19.6 cm (20.00" x 14.00" x 7.70")	INTERIOR DIMENSIONS
5.1 cm/14.5 cm (2.00"/5.70")	LID/BOTTOM DEPTH
5.26 kg (11.6 lbs.) WITH FOAM 3.86 kg (8.5 lbs.) NO FOAM	WEIGHT
	COLOURS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organiser*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES



N iM2450 Peli Storm Case


48.7 x 38.6 x 22.9 cm (19.20" x 15.20" x 9.00")	EXTERIOR DIMENSIONS
45.7 x 33 x 21 cm (18.00" x 13.00" x 8.30")	INTERIOR DIMENSIONS
5 cm/16 cm (2.00"/6.30")	LID/BOTTOM DEPTH
4.04 kg (8.9 lbs.) WITH FOAM 3.36 kg (7.4 lbs.) NO FOAM	WEIGHT
	COLOURS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organisers*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES



Telescoping Handle

> Shown with padded divider. Cat. No. iM2620-X0002

N iM2620 Peli Storm Case


53.8 x 40.6 x 26.9 cm (21.20" x 16.00" x 10.60")	EXTERIOR DIMENSIONS
50.8 x 35.5 x 25.4 cm (20.00" x 14.00" x 10.00")	INTERIOR DIMENSIONS
5.1 cm/20.3 cm (2.00"/8.00")	LID/BOTTOM DEPTH
6.58 kg (14.5 lbs.) WITH FOAM 5.67 kg (12.5 lbs.) NO FOAM	WEIGHT
	COLOURS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organiser*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

Case contents not included | * Lid Organiser - See Peli Storm Lid Organiser section for available Lid Organiser styles




LARGE CASES

Similarly sized Peli Case: 1610



Telescoping Handle

N iM2720 Peli Storm Case


62.5 x 50 x 29.7 cm (24.60" x 19.70" x 11.70")	EXTERIOR DIMENSIONS
55.9 x 43.2 x 25.4 cm (22.00" x 17.00" x 10.00")	INTERIOR DIMENSIONS
5.1 cm/20.3 cm (2.00"/8.00")	LID/BOTTOM DEPTH
9.98 kg (22 lbs.) WITH FOAM 7.62 kg (16.8 lbs.) NO FOAM	WEIGHT
	COLOURS
Lid Stay • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organiser*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

Similarly sized Peli Case: 1620



Telescoping Handle


N iM2750 Peli Storm Case

62.5 x 50 x 36.6 cm (24.60" x 19.70" x 14.40")	EXTERIOR DIMENSIONS
55.9 x 43.2 x 32.2 cm (22.00" x 17.00" x 12.70")	INTERIOR DIMENSIONS
5.1 cm/27.2 cm (2.00"/10.70")	LID/BOTTOM DEPTH
10.61 kg (23.4 lbs.) WITH FOAM 8.39 kg (18.5 lbs.) NO FOAM	WEIGHT
	COLOURS
Lid Stay • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organiser*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

Similarly sized Peli Case: 1600




N iM2700 Peli Storm Case

62.5 x 50 x 21.8 cm (24.60" x 19.70" x 8.60")	EXTERIOR DIMENSIONS
55.9 x 43.2 x 20.3 cm (22.00" x 17.00" x 8.00")	INTERIOR DIMENSIONS
5.1 cm/15.2 cm (2.00"/6.00")	LID/BOTTOM DEPTH
6.53 kg (14.4 lbs.) WITH FOAM 5.03 kg (11.1 lbs.) NO FOAM	WEIGHT
	COLOURS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organiser*	SPECIAL ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES



Telescoping Handle

N 2875 Case Peli Storm Case

63.2 x 60.2 x 33.3 cm (24.90" x 23.70" x 13.10")	EXTERIOR DIMENSIONS
57.1 x 53.6 x 28.9 cm (22.50" x 21.10" x 11.40")	INTERIOR DIMENSIONS
5.1 cm/23.9 cm (2.00"/9.40")	LID/BOTTOM DEPTH
11.16 kg (24.6 lbs.) WITH FOAM 9.12 kg (20.1 lbs.) NO FOAM	WEIGHT
	COLOURS
Lid Stay • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organiser*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

Case contents not included | * Lid Organiser - See Peli Storm Lid Organiser section for available Lid Organiser styles



Similarly sized Peli Case: 1650

N **iM2950 Peli Storm Case**

EXTERIOR DIMENSIONS	 <p>■ Telescoping Handle</p> <p>> Shown with padded divider. CAT. NO. iM2950-X0002</p>	79.5 x 51.8 x 31 cm (31.30" x 20.40" x 12.20")
INTERIOR DIMENSIONS		73.6 x 45.7 x 26.7 cm (29.00" x 18.00" x 10.50")
LID/BOTTOM DEPTH		5.1 cm/21.6 cm (2.00"/8.50")
WEIGHT		13.02 kg (28.7 lbs.) WITH FOAM 9.43 kg (20.8 lbs.) NO FOAM
COLOURS		■ ■ ■
AVAILABLE ACCESSORIES		Lid Stay • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organiser*
CERTIFICATES		MIL-STD-810F • FED-STD-101C • ATA 300


N **iM2975 Peli Storm Transport Case**

EXTERIOR DIMENSIONS	 <p>■ Telescoping Handle</p>	79.5 x 51.8 x 39.4 cm (31.30" x 20.40" x 15.50")
INTERIOR DIMENSIONS		73.6 x 45.7 x 35 cm (29.00" x 18.00" x 13.80")
LID/BOTTOM DEPTH		5.1 cm/30 cm (2.00"/11.80")
WEIGHT		13.38 kg (29.5 lbs.) WITH FOAM 10.34 kg (22.8 lbs.) NO FOAM
COLOURS		■ ■
AVAILABLE ACCESSORIES		Lid Stay • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organiser*
CERTIFICATES		MIL-STD-810F • FED-STD-101C • ATA 300

N **iM3075 Peli Storm Transport Case**

EXTERIOR DIMENSIONS	 <p>■ Telescoping Handle</p> <p>> Shown with padded divider and Lid Organiser</p>	84.5 x 62 x 49 cm (33.30" x 24.40" x 19.30")
INTERIOR DIMENSIONS		75.7 x 52.8 x 45.2 cm (29.80" x 20.80" x 17.80")
LID/BOTTOM DEPTH		10.2 cm/34.9 cm (4.00"/13.75")
WEIGHT		20.41 kg (45 lbs.) WITH FOAM 14.29 kg (31.5 lbs.) NO FOAM
COLOURS		■ ■
AVAILABLE ACCESSORIES		Lid Stay • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organiser*
CERTIFICATES		MIL-STD-810F • FED-STD-101C • ATA 300

Case contents not included. * Lid Organiser - See Peli Storm Lid Organiser section for available Lid Organiser styles



Similarly sized Peli Case: 1700

N **iM3100 Peli Storm Long Case**

EXTERIOR DIMENSIONS		101.1 x 41.9 x 17 cm (39.80" x 16.50" x 6.70")
INTERIOR DIMENSIONS		92.7 x 35.5 x 15.2 cm (36.50" x 14.00" x 6.00")
LID/BOTTOM DEPTH		5.1 cm/10.2 cm (2.00"/4.00")
WEIGHT		8.98 kg (19.8 lbs.) WITH FOAM 6.89 kg (15.2 lbs.) NO FOAM
COLOURS		■ ■
AVAILABLE ACCESSORIES		Lid Stay • Shoulder Strap
CERTIFICATES		MIL-STD-810F • FED-STD-101C • ATA 300

Similarly sized Peli Case: 1720

N **iM3200 Peli Storm Long Case**

EXTERIOR DIMENSIONS		119.8 x 41.9 x 17 cm (47.20" x 16.50" x 6.70")
INTERIOR DIMENSIONS		111.7 x 35.5 x 15.2 cm (44.00" x 14.00" x 6.00")
LID/BOTTOM DEPTH		5.1 cm/10.2 cm (2.00"/4.00")
WEIGHT		9.57 kg (21.1 lbs.) WITH FOAM 8.03 kg (17.7 lbs.) NO FOAM
COLOURS		■ ■
AVAILABLE ACCESSORIES		Lid Stay • Shoulder Strap
CERTIFICATES		MIL-STD-810F • FED-STD-101C • ATA 300

N **iM3220 Peli Storm Long Case**

EXTERIOR DIMENSIONS		119.8 x 41.9 x 23.4 cm (47.20" x 16.50" x 9.20")
INTERIOR DIMENSIONS		111.7 x 35.5 x 21.6 cm (44.00" x 14.00" x 8.50")
LID/BOTTOM DEPTH		5.1 cm/16.5 cm (2.00"/6.50")
WEIGHT		11.25 kg (24.8 lbs.) WITH FOAM 9.25 kg (20.4 lbs.) NO FOAM
COLOURS		■ ■
AVAILABLE ACCESSORIES		Lid Stay • Shoulder Strap
CERTIFICATES		MIL-STD-810F • FED-STD-101C • ATA 300

Similarly sized Peli Case: 1750

N **iM3300 Peli Storm Long Case**

EXTERIOR DIMENSIONS		136.6 x 41.9 x 17 cm (53.80" x 16.50" x 6.70")
INTERIOR DIMENSIONS		128.2 x 35.5 x 15.2 cm (50.50" x 14.00" x 6.00")
LID/BOTTOM DEPTH		5.1 cm/10.2 cm (2.00"/4.00")
WEIGHT		10.43 kg (23 lbs.) WITH FOAM 8.66 kg (19.1 lbs.) NO FOAM
COLOURS		■ ■
AVAILABLE ACCESSORIES		Lid Stay • Shoulder Strap
CERTIFICATES		MIL-STD-810F • FED-STD-101C • ATA 300

Case contents not included

LONG CASES



iM2400 PELI STORM CASE

- Cat. No. iM2400-X0002
Case with divider set
- Cat. No. M2400-DIV
divider set only



iM3075 PELI STORM CASE

- Cat. No. iM3075-X0002
Case with divider set
- Cat. No. iM3075-DIV
divider set only

PADDED CASE DIVIDER OPTIONS			
CASE	LAYERS	CASE WITH DIVIDERS*	DIVIDER SET ONLY
iM2050	1	iM2050-X0002	iM2050-DIV
iM2075	1	iM2075-X0002	iM2075-DIV
iM2100	1	iM2100-X0002	iM2100-DIV
iM2200	1	iM2200-X0002	iM2200-DIV
iM2300	1	iM2300-X0002	iM2300-DIV
iM2306	1	iM2306-X0002	iM2306-DIV
iM2370	1	iM2370-X0002	iM2370-DIV
iM2400	1	iM2400-X0002	iM2400-DIV
iM2450	1	iM2450-X0002	iM2450-DIV
iM2500	1	iM2500-X0002	iM2500-DIV
iM2600	1	iM2600-X0002	iM2600-DIV
iM2620	1	iM2620-X0002	iM2620-DIV
iM2700	1	iM2700-X0002	iM2700-DIV
iM2720	1	iM2720-X0002	iM2720-DIV
iM2750	2	iM2750-X0002	iM2750-DIV
iM2875	1	iM2875-X0002	iM2875-DIV
iM2950	1	iM2950-X0002	iM2950-DIV
iM2975	2	iM2975-X0002	iM2975-DIV
iM3075	2	iM3075-X0002	iM3075-DIV

*X in part number denotes colour choice

iM2050-20002 = iM2050, Yellow with Padded Dividers

CASE COLOUR KEY		
■ 0-BLACK	■ 2-YELLOW	■ 3-OD GREEN

LID ORGANISERS

Customise your case with a light weight lid organiser, utility organizer or photo pallet kit to keep your gear intact and protected inside. The organisers fit perfectly inside the lid of the case and are covered with a water-resistant, PVC-coated, high denier nylon fabric for strength and protection from the elements. Installs with Velcro® strips (included).

■ **Photographer's Organisers**

present an array of compartments including an assortment of elastic strapping and mesh nylon zipper pockets to house, protect, and organise your gear.

■ **Lid Organisers** are styled with deep expandable folder pockets and sleeves for various office-attaché style components.

■ **Utility Organisers** offer various folder pockets, sleeves, and include a vast array of mesh nylon zipper pockets to house, protect, and organise gear.



CASE	PHOTOGRAPER'S ORGANISER	LID ORGANISER	UTILITY ORGANISER
iM2300	iM2300-PHOTOPALLET	iM2300-LIDORG	
iM2370			iM2370-UTILITYORG
iM2400	iM24XX-PHOTOPALLET	iM24XX-LIDORG	
iM2450	iM24XX-PHOTOPALLET	iM24XX-LIDORG	
iM2500			iM2500-UTILITYORG
iM2600	iM26XX-PHOTOPALLET	iM26XX-LIDORG	iM26XX-UTILITYORG
iM2620	iM26XX-PHOTOPALLET	iM26XX-LIDORG	iM26XX-UTILITYORG
iM2700			iM27XX-UTILITYORG
iM2720			iM27XX-UTILITYORG
iM2750			iM27XX-UTILITYORG
iM2875			iM2875-UTILITYORG
iM2950			iM29XX-UTILITYORG
iM2975			iM29XX-UTILITYORG
iM3075			iM30XX-UTILITYORG

Lid Organisers are installed with Velcro® (included)

CASE	EXTERIOR	INTERIOR	LID DEPTH	CASE DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	COLOURS	BUOYANCY MAXIMUM	TEMPERATURE	CERTIFICATES
iM2050	30 x 24.9 x 11.9 cm (11.80" x 9.80" x 4.70")	24.1 x 19 x 10.8 cm (9.50" x 7.50" x 4.25")	3.8 cm (1.50")	7 cm (2.75")	1.36 kg (3 lbs.)	1.22 kg (2.7 lbs.)	■ ■ ■	7.57 kg (16.68 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2075	30 x 24.9 x 19.6 cm (11.80" x 9.80" x 7.70")	24.1 x 19 x 18.4 cm (9.50" x 7.50" x 7.25")	3.8 cm (1.50")	14.6 cm (5.75")	1.68 kg (3.7 lbs.)	1.5 kg (3.3 lbs.)	■ ■ ■	12.9 kg (28.45 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2100	36.1 x 28.9 x 16.5 cm (14.20" x 11.40" x 6.50")	33 x 23.4 x 15.2 cm (13.00" x 9.20" x 6.00")	5.1 cm (2.00")	10.2 cm (4.00")	2.22 kg (4.9 lbs.)	1.91 kg (4.2 lbs.)	■ ■ ■	15.34 kg (33.82 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2200	41.1 x 32.2 x 16.8 cm (16.20" x 12.70" x 6.60")	38.1 x 26.7 x 15.2 cm (15.00" x 10.50" x 6.00")	5.1 cm (2.00")	10.2 cm (4.00")	2.77 kg (6.1 lbs.)	2.22 kg (4.9 lbs.)	■ ■ ■	20.03 kg (44.16 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2300	46.2 x 34 x 17 cm (18.20" x 13.40" x 6.70")	43.2 x 29.7 x 15.7 cm (17.00" x 11.70" x 6.20")	5.1 cm (2.00")	10.7 cm (4.20")	3.22 kg (7.1 lbs.)	2.68 kg (5.9 lbs.)	■ ■ ■	24.15 kg (53.24 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2306	46.2 x 34 x 17 cm (18.20" x 8.40" x 6.70")	43.2 x 16 x 15.7 cm (17.00" x 6.30" x 6.20")	5.1 cm (2.00")	10.7 cm (4.20")	2.13 kg (4.7 lbs.)	1.95 kg (4.3 lbs.)	■ ■ ■	14.84 kg (32.71 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2370	50.8 x 37.3 x 14.7 cm (20.00" x 14.70" x 5.80")	46.2 x 30.7 x 13.2 cm (18.20" x 12.10" x 5.20")	4.3 cm (1.70")	8.9 cm (3.50")	3.27 kg (7.2 lbs.)	2.59 kg (5.7 lbs.)	■ ■ ■	25.68 kg (56.61 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2400	48.7 x 38.6 x 18.5 cm (19.20" x 15.20" x 7.30")	45.7 x 33 x 17 cm (18.00" x 13.00" x 6.70")	5.1 cm (2.00")	11.9 cm (4.70")	3.54 kg (7.8 lbs.)	2.95 kg (6.5 lbs.)	■ ■ ■	31.96 kg (70.47 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2450	48.7 x 38.6 x 22.9 cm (19.20" x 15.20" x 9.00")	45.7 x 33 x 21 cm (18.00" x 13.00" x 8.30")	5.0 cm (2.00")	16 cm (6.30")	4.04 kg (8.9 lbs.)	3.36 kg (7.4 lbs.)	■ ■ ■	28.86 kg (63.62 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2500	55.1 x 35.8 x 22.6 cm (21.70" x 14.10" x 8.90")	52 x 29.2 x 18.3 cm (20.50" x 11.50" x 7.20")	5.1 cm (2.00")	13.2 cm (5.20")	6.21 kg (13.7 lbs.)	5.03 kg (11.1 lbs.)	■ ■ ■	39.64 kg (87.39 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2600	53.8 x 40.6 x 21.1 cm (21.20" x 16.00" x 8.30")	50.8 x 35.5 x 19.6 cm (20.00" x 14.00" x 7.70")	5.1 cm (2.00")	14.5 cm (5.70")	5.26 kg (11.6 lbs.)	3.86 kg (8.5 lbs.)	■ ■ ■	42.28 kg (93.22 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2620	53.8 x 40.6 x 26.9 cm (21.20" x 16.00" x 10.60")	50.8 x 35.5 x 25.4 cm (20.00" x 14.00" x 10.00")	5.1 cm (2.00")	20.3 cm (8.00")	6.58 kg (14.5 lbs.)	5.67 kg (12.5 lbs.)	■ ■ ■	58.93 kg (129.91 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2700	62.5 x 50 x 21.8 cm (24.60" x 19.70" x 8.60")	55.9 x 43.2 x 20.3 cm (22.00" x 17.00" x 8.00")	5.1 cm (2.00")	15.2 cm (6.00")	6.53 kg (14.4 lbs.)	5.03 kg (11.1 lbs.)	■ ■ ■	63.27 kg (139.48 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2720	62.5 x 50 x 29.7 cm (24.60" x 19.70" x 11.70")	55.9 x 43.2 x 25.4 cm (22.00" x 17.00" x 10.00")	5.1 cm (2.00")	20.3 cm (8.00")	9.98 kg (22 lbs.)	7.62 kg (16.8 lbs.)	■ ■ ■	85.3 kg (188.06 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2750	62.5 x 50 x 36.6 cm (24.60" x 19.70" x 14.40")	55.9 x 43.2 x 32.2 cm (22.00" x 17.00" x 12.70")	5.1 cm (2.00")	27.2 cm (10.70")	10.61 kg (23.4 lbs.)	8.39 kg (18.5 lbs.)	■ ■ ■	105.97 kg (233.63 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2875	63.2 x 60.2 x 33.3 cm (24.90" x 23.70" x 13.10")	57.1 x 53.6 x 28.9 cm (22.50" x 21.10" x 11.40")	5.1 cm (2.00")	23.9 cm (9.40")	11.16 kg (24.6 lbs.)	9.12 kg (20.1 lbs.)	■ ■ ■	117.58 kg (259.21 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2950	79.5 x 51.8 x 31 cm (31.30" x 20.40" x 12.20")	73.6 x 45.7 x 26.7 cm (29.00" x 18.00" x 10.50")	5.1 cm (2.00")	21.6 cm (8.50")	13.02 kg (28.7 lbs.)	9.43 kg (20.8 lbs.)	■ ■ ■	118.23 kg (260.65 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2975	79.5 x 51.8 x 39.4 cm (31.30" x 20.40" x 15.50")	73.6 x 45.7 x 35 cm (29.00" x 18.00" x 13.80")	5.1 cm (2.00")	30 cm (11.80")	13.38 kg (29.5 lbs.)	10.34 kg (22.8 lbs.)	■ ■ ■	150.94 kg (332.77 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3075	84.5 x 62 x 49 cm (33.30" x 24.40" x 19.30")	75.7 x 52.8 x 45.2 cm (29.80" x 20.80" x 17.80")	10.2 cm (4.00")	34.9 cm (13.75")	20.41 kg (45 lbs.)	14.29 kg (31.5 lbs.)	■ ■ ■	240.81 kg (530.89 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3100	101.1 x 41.9 x 17 cm (39.80" x 16.50" x 6.70")	92.7 x 35.5 x 15.2 cm (36.50" x 14.00" x 6.00")	5.1 cm (2.00")	10.2 cm (4.00")	8.98 kg (19.8 lbs.)	6.89 kg (15.2 lbs.)	■ ■ ■	64.67 kg (142.58 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3200	119.8 x 41.9 x 17 cm (47.20" x 16.50" x 6.70")	111.7 x 35.5 x 15.2 cm (44.00" x 14.00" x 6.00")	5.1 cm (2.00")	10.2 cm (4.00")	9.57 kg (21.1 lbs.)	8.03 kg (17.7 lbs.)	■ ■ ■	77.48 kg (170.82 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3220	119.8 x 41.9 x 23.4 cm (47.20" x 16.50" x 9.20")	111.7 x 35.5 x 21.6 cm (44.00" x 14.00" x 8.50")	5.1 cm (2.00")	16.5 cm (6.50")	11.25 kg (24.8 lbs.)	9.25 kg (20.4 lbs.)	■ ■ ■	108.17 kg (238.47 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3300	136.6 x 41.9 x 17 cm (53.80" x 16.50" x 6.70")	128.2 x 35.5 x 15.2 cm (50.50" x 14.00" x 6.00")	5.1 cm (2.00")	10.2 cm (4.00")	10.43 kg (23 lbs.)	8.66 kg (19.1 lbs.)	■ ■ ■	88.85 kg (195.89 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300

PELI STORM CASE ACCESSORIES								
CASE	BASE BEZEL KIT	LID BEZEL KIT	LID STAY	MANUAL PURGE VALVE	PADDLED SHOULDER STRAP	REPLACEMENT FOAM	COMPUTER TRAY	REMOVABLE PADDLED SHOULDER STRAP
iM2050	iM20XX-BEZEL		iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2050-FOAM		
iM2075	iM20XX-BEZEL		iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2075-FOAM		
iM2100	iM2100-BEZEL		iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2100-FOAM		
iM2200	iM2200-BEZEL	iM2200-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2200-FOAM		
iM2300	iM2300-BEZEL	iM2300-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2300-FOAM		
iM2306	iM2306-BEZEL	iM2306-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2306-FOAM		
iM2370			iM-LIDSTAY	iM-VALVE-M-B		iM2370-FOAM	iM2370-COMPTRAY	iM2370-STRAP-S
iM2400	iM24XX-BEZEL	iM24XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2400-FOAM		
iM2450	iM24XX-BEZEL	iM24XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2450-FOAM		
iM2500	iM2500-BEZEL	iM2500-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2500-FOAM		
iM2600	iM26XX-BEZEL	iM26XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2600-FOAM		
iM2620	iM26XX-BEZEL	iM26XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2620-FOAM		
iM2700	iM27XX-BEZEL	iM27XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2700-FOAM		
iM2720	iM27XX-BEZEL	iM27XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B		iM2720-FOAM		
iM2750	iM27XX-BEZEL	iM27XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B		iM2750-FOAM		
iM2875	iM2875-BEZEL	iM2875-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B		iM2875-FOAM		
iM2950	iM29XX-BEZEL	iM29XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B		iM2950-FOAM		
iM2975	iM29XX-BEZEL	iM29XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B		iM2975-FOAM		
iM3075	iM30XX-BEZEL	iM30XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B		iM3075-FOAM		
iM3100			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3100-FOAM		
iM3200			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3200-FOAM		
iM3220			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3220-FOAM		
iM3300			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3300-FOAM		

> ANATOMY OF A PELI™-HARDIGG CASE



MOULDED-IN STACKING RIBS:
Secure, Non-Slip Stacking
10°-15° Angle



COMFORT GRIP HANDLES:
A Peli Patented Feature,
Heavy-Duty, Injection Moulded



PATENTED MOULDED-IN METAL INSERTS
Catch and Hinge Attachment Points,
Designed to Spread Load to Case Walls



REINFORCED CORNERS AND EDGES
15% to 20% Thicker Corners and Edges for Added Impact Protection



GASKET PARTING LINES
■ Tongue-in-Groove Seal
■ Moulded-in Parting Line
■ Remains Sealed After Impact
■ Splash and Rain Resistant
■ Air and Watertight Options

AIR TRANSPORT ASSOCIATION APPROVED
Cases Exceed ATA Spec 300 Category 1

POSITIVE ANTI-SHEAR LOCKS
■ Prevent Lid Separation Upon Impact
■ Minimise Hardware Stress

OPTIONAL FOAM INSERT

RECESSED HARDWARE
Hardware Protected from Impact
Smoother Transportation

PRESSURE CONTROL VALVE
To Maintain Equal Pressure




■ PELI-HARDIGG ROTO-PACK SECTION

BB0030 BLACK BOX™
3U RACK MOUNT CASE



FD3121 SINGLE
FIELD DESK



MC8100
MEDCHEST 8
DRAWER



AL3834 XX-LARGE
SHIPPING CASE



A NEW TOUGH SKIN OPTION: Introducing the Peli™-Hardigg Case



> ROTO MOULDING TECHNOLOGY is a versatile manufacturing process that produces highly durable ruggedized shipping cases. Several moulds are placed on a machine at the same time, plastic resin is loaded into each of the moulds which are then heated and slowly rotated on both the vertical and horizontal axes.

DESIGN ADVANTAGES: Roto Moulding results in seamless parts with more material in the corners and edges for additional impact protection. Since the material is not stressed during production the finished part is stronger.

For information on our extensive custom services and other case size availability, contact us through casecenter.FR@peli.com or casecenter.UK@peli.com or call +33 1 48 13 15 50 / +44 (0) 1233 895895



South Deerfield, MA office and manufacturing plant

SINGLE LID CASES



Transport and protect your equipment in our Single Lid Cases. These cases are light weight, shockproof, watertight, dustproof, heat, and chemical-resistant, which make them extremely tough and offer ultimate protection that will move your equipment from point A to point B without a scratch.

APPLICATION EXAMPLES:

- Trade show support materials (Flat screen monitor)
- Shipping, portable general storage



SPECIALTY PRODUCTS



Our specialty products are well engineered portable workspace solutions. These specialty products range from portable desks that set up in minutes to storage chests with metal drawers and dividers to keep all your supplies safe and organised. For protecting personal gear, our footlockers and trunklockers are light weight and lockable. Whatever your need, whatever the environment, we have a durable solution to keep the job moving along.

APPLICATION EXAMPLES FOR FIELD DESKS:

- Command centres
- Construction sites
- Emergency aid shelters

BLACK BOX™ RACK MOUNT CASES

These light weight, compact, and double ended cases offer light to medium duty protection and boast significantly better light duty shock performance than the competition. The use of recycled materials in the shell and a sturdy steel frame offer great value while upholding Peli's industry-leading standards. When you need to be cost-conscious but can't sacrifice performance, BlackBox is the answer.



APPLICATION EXAMPLES:

- Audio/Video recording and processing systems
- Satellite communication systems
- Radio communication systems
- Seismic data recording instrumentation
- Climate data collection



BLACKBOX™ RACK MOUNT CASES

EXTERIOR DIMENSIONS	97.8 x 62.5 x 33.3 cm (38.50" x 24.60" x 13.10")
LID INNER DIMENSIONS FRONT/BACK	5.6 cm/13.2 cm (2.2"/5.2")
RACK HEIGHT	17.8 cm (7.00")
RACK LENGTH	60.9 cm (24.00")
RACK WIDTH	48.2 cm (19.00")
WEIGHT	21.32 kg (47 lbs.)
COLOURS	■
RACK UNIT QUANTITY	4 Units
SPECIAL FEATURES	2 wheels • Shock mounts provide 5.1cm (2") of sway space to isolate equipment • Automatic pressure relief valve • Airtight and watertight

BB0040 Black Box™ 4U Rack Mount Case



BB0030 Blackbox™ 3U Rack Mount Case

EXTERIOR DIMENSIONS	97.8 x 62.5 x 28.9 cm (38.50" x 24.60" x 11.40")
LID INNER DIMENSIONS FRONT/BACK	5.6 cm/13.2 cm (2.2"/5.2")
RACK HEIGHT	13.3 cm (5.25")
RACK LENGTH	60.9 cm (24.00")
RACK WIDTH	48.2 cm (19.00")
WEIGHT	19.05 kg (42 lbs.)
COLOURS	■
RACK UNIT QUANTITY	3 Units
SPECIAL FEATURES	2 wheels • Shock mounts provide 5.1cm (2") of sway space to isolate equipment • Automatic pressure relief valve • Airtight and watertight



BB0050 Black Box™ 5U Rack Mount Case

EXTERIOR DIMENSIONS	97.8 x 62.5 x 37.8 cm (38.50" x 24.60" x 14.90")
LID INNER DIMENSIONS FRONT/BACK	5.6 cm/13.2 cm (2.2"/5.2")
RACK HEIGHT	22.2 cm (8.75")
RACK LENGTH	60.9 cm (24.00")
RACK WIDTH	48.2 cm (19.00")
WEIGHT	21.77 kg (48 lbs.)
COLOURS	■
RACK UNIT QUANTITY	5 Units
SPECIAL FEATURES	2 wheels • Shock mounts provide 5.1cm (2") of sway space to isolate equipment • Automatic pressure relief valve • Airtight and watertight



N BB0070 Black Box™ 7U Rack Mount Case



97.8 x 62.5 x 46.7 cm (38.50" x 24.60" x 18.40")	EXTERIOR DIMENSIONS
5.6 cm/13.2 cm (2.2"/5.2")	LID INNER DIMENSIONS FRONT/BACK
31.1 cm (12.25")	RACK HEIGHT
60.9 cm (24.00")	RACK LENGTH
48.2 cm (19.00")	RACK WIDTH
23.13 kg (51 lbs.)	WEIGHT
■	COLOURS
7 Units	RACK UNIT QUANTITY
2 wheels • Shock mounts provide 5.1 cm (2") of sway space to isolate equipment • Automatic pressure relief valve • Airtight and watertight	SPECIAL FEATURES

N BB0110 Black Box™ 11U Rack Mount Case



97.8 x 62.5 x 64.5 cm (38.50" x 24.60" x 25.40")	EXTERIOR DIMENSIONS
5.6 cm/13.2 cm (2.2"/5.2")	LID INNER DIMENSIONS FRONT/BACK
48.9 cm (19.25")	RACK HEIGHT
60.9 cm (24.00")	RACK LENGTH
48.2 cm (19.00")	RACK WIDTH
27.22 kg (60 lbs.)	WEIGHT
■	COLOURS
11 Units	RACK UNIT QUANTITY
2 wheels • Shock mounts provide 5.1 cm (2") of sway space to isolate equipment • Automatic pressure relief valve • Airtight and watertight	SPECIAL FEATURES

N BB0090 Black Box™ 9U Rack Mount Case



97.8 x 62.5 x 55.6 cm (38.50" x 24.60" x 21.90")	EXTERIOR DIMENSIONS
5.6 cm/13.2 cm (2.2"/5.2")	LID INNER DIMENSIONS FRONT/BACK
40 cm (15.75")	RACK HEIGHT
60.9 cm (24.00")	RACK LENGTH
48.2 cm (19.00")	RACK WIDTH
25.4 kg (56 lbs.)	WEIGHT
■	COLOURS
9 Units	RACK UNIT QUANTITY
2 wheels • Shock mounts provide 5.1 cm (2") of sway space to isolate Equipment • Automatic pressure relief valve • Airtight and watertight	SPECIAL FEATURES

N BB0140 Black Box™ 14U Rack Mount Case



97.8 x 62.5 x 77.7 cm (38.50" x 24.60" x 30.60")	EXTERIOR DIMENSIONS
5.6 cm/13.2 cm (2.2"/5.2")	LID INNER DIMENSIONS FRONT/BACK
62.2 cm (24.50")	RACK HEIGHT
60.9 cm (24.00")	RACK LENGTH
48.2 cm (19.00")	RACK WIDTH
29.94 kg (66 lbs.)	WEIGHT
■	COLOURS
14 Units	RACK UNIT QUANTITY
2 wheels • Shock mounts provide 5.1 cm (2") of sway space to isolate equipment • Automatic pressure relief valve • Airtight and watertight	SPECIAL FEATURES

All dimensions are approximate

SPECIALTY PRODUCTS




COLLAPSED FORM

EXTENDED FORM

WEIGHT

COLOURS

SPECIAL FEATURES



N FD3121 Single Field Desk

77.9 x 53.3 x 72.4 cm
(30.70" x 21.00" x 28.50")

156 x 72.4 x 72.4 cm
(61.40" x 28.50" x 28.50")

37 kg
(81.3 lbs.)



- 1 Large work surface, chair, and drawers
- 6 Drawers: 2 shallow (padlock for extra security), 2 deep, 2 file sizes
- 1 Chair: load rated to 136 kg (300 lbs.)
- Airtight and watertight

COLLAPSED FORM

EXTENDED FORM

WEIGHT

COLOURS

SPECIAL FEATURES



N FD3429 Double Duty Field Desk


86.4 x 72.4 x 63.2 cm
(34.00" x 28.50" x 24.90")

259.1 x 72.4 x 72.4 cm
(102.00" x 28.50" x 28.50")

45.5 kg
(100 lbs.)



- 2 Large desk surfaces, with rolling casters
- 6 Drawers: 2 shallow (padlock for extra security), 2 deep, 2 file sizes
- 2 Casters
- 2 Chairs: load rated to 136 kg each (300 lbs.)
- Airtight and watertight



N FT3317 Footlocker

EXTERIOR DIMENSIONS	83.8 x 43.2 x 43.2 cm (33.00" x 17.00" x 17.00")
INTERIOR DIMENSIONS	73.6 x 35.5 x 38.1 cm (29.00" x 14.00" x 15.00")
WEIGHT	12.25 kg (27 lbs.)
COLOURS	
FEATURES	<ul style="list-style-type: none"> • 2 wheels • 2 black trays • Spring loaded butterfly latches • Airtight and watertight



N MC4100 Medchest 4 Drawer

83.2 x 53 x 32 cm (32.75" x 20.87" x 12.61")		EXTERIOR DIMENSIONS
Drawer #	Length x Width x Depth	DRAWER DIMENSIONS
1, 2, 3, 4	38.1 x 17.5 x 19.8 cm (15.00" x 6.90" x 7.80")	
29.03 kg (64 lbs.)		WEIGHT
		COLOURS
<ul style="list-style-type: none"> • Four-drawer case with full extension sliding drawers • 2 wheels • Spring loaded butterfly latches • Full-extension ball-bearing slides • Made from fire retardant material, • Airtight and watertight • Customisable divider system 		FEATURES




N MC8100 medchest 8 drawer

83.2 x 53 x 32 cm (32.75" x 20.87" x 12.61")		EXTERIOR DIMENSIONS
Drawer #	Length x Width x Depth	DRAWER DIMENSIONS
1, 2, 3, 4	38.1 x 7.4 x 19.8 cm (15" x 2.9" x 7.8")	
5, 6	38.1 x 9.9 x 19.8 cm (15" x 3.9" x 7.8")	
7, 8	38.1 x 12.4 x 19.8 cm (15" x 4.9" x 7.8")	
29.03 kg (64 lbs.)		WEIGHT
		COLOURS
<ul style="list-style-type: none"> • Eight-drawer case with full extension sliding drawers • 2 wheels • Spring loaded butterfly latches • Full-extension ball-bearing slides • Made from fire retardant material • Airtight and watertight • Customisable divider system • One lockable drawer • Removable stainless-steel work tray • Comfort grip handles 		FEATURES



N TL3619 Trunklocker

92.1 x 47 x 49.7 cm (36.27" x 18.50" x 19.56")	EXTERIOR DIMENSIONS
83.5 x 38.1 x 45.1 cm (32.88" x 15.00" x 17.75")	INTERIOR DIMENSIONS
11.79 kg (26 lbs.)	WEIGHT
	COLOURS
<ul style="list-style-type: none"> • Storage locker • Extra-deep storage cavity • Two Press & Pull Latches, • Injection moulded outer shell • Two organization trays • Moulded-in stacking ribs • Water resistant 	FEATURES



N MC3000 Medchest 3

83.2 x 53 x 32 cm (32.75" x 20.87" x 12.61")	EXTERIOR DIMENSIONS
76.2 x 45.7 x 27.9 cm (30.00" x 18.00" x 11.00")	INTERIOR DIMENSIONS
17.69 kg (39 lbs.)	WEIGHT
	COLOURS
<ul style="list-style-type: none"> • Storage chest • 2 wheels • Made from fire retardant material • Spring loaded butterfly latches • 7.6 x 12.7cm (3x5") Card holder • Airtight and watertight 	FEATURES





SINGLE LID CASES

N AL1616 Large Shipping Case

EXTERIOR DIMENSIONS	47.6 x 47.9 x 31 cm (18.75" x 18.88" x 12.19")
INTERIOR DIMENSIONS	40 x 40.3 x 26.8 cm (15.75" x 15.88" x 10.54")
LID/BOTTOM DEPTH	13 cm/13.8 cm (5.12"/5.42")
WEIGHT*	6.58 kg (14.5 lbs.)
COLOURS	■
SPECIAL FEATURES	<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact



EXTERIOR DIMENSIONS	
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT*	
COLOURS	
SPECIAL FEATURES	

N AL3018 Large Shipping Case

EXTERIOR DIMENSIONS	83.2 x 53 x 55.7 cm (32.75" x 20.87" x 21.93")
INTERIOR DIMENSIONS	75.5 x 45.4 x 51.1 cm (29.75" x 17.87" x 20.12")
LID/BOTTOM DEPTH	14.42 kg (31.8 lbs.)
WEIGHT*	14.42 kg (31.8 lbs.)
COLOURS	■
SPECIAL FEATURES	<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact • 2 wheels



*Weight= Without foam

N AL5415 X-Large Shipping Case

EXTERIOR DIMENSIONS	144.9 x 47.9 x 100.6 cm (57.06" x 18.87" x 39.62")
INTERIOR DIMENSIONS	138.7 x 40.3 x 91.1 cm (54.62" x 15.88" x 35.88")
LID/BOTTOM DEPTH	65.7 cm/25.4 cm (25.88"/10.00")
WEIGHT*	44.54 kg (98.2 lbs.)
COLOURS	■
SPECIAL FEATURES	<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact • For flat screen • 4 wheels



*Weight= Without foam

N AL2624 Large Shipping Case

EXTERIOR DIMENSIONS	73.9 x 68.6 x 67.5 cm (29.10" x 27.00" x 26.60")
INTERIOR DIMENSIONS	67 x 60.9 x 58.1 cm (26.40" x 24.00" x 22.90")
LID/BOTTOM DEPTH	12.9 cm/45.2 cm (5.10"/17.80")
WEIGHT*	17.46 kg (38.5 lbs.)
COLOURS	■
SPECIAL FEATURES	<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact



N AL4024 X-Large Shipping Case

EXTERIOR DIMENSIONS	108.8 x 69.3 x 51.3 cm (42.87" x 27.31" x 20.19")
INTERIOR DIMENSIONS	101.2 x 61.7 x 45.7 cm (39.87" x 24.31" x 18.00")
LID/BOTTOM DEPTH	13.3 cm/32.4 cm (5.25"/12.75")
WEIGHT*	22.77 kg (50.2 lbs.)
COLOURS	■
SPECIAL FEATURES	<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact • 2 wheels



N AL2013 Large Shipping Case

EXTERIOR DIMENSIONS	58.1 x 40.6 x 35.3 cm (22.90" x 16.00" x 13.90")
INTERIOR DIMENSIONS	50.5 x 33 x 31.2 cm (19.90" x 13.00" x 12.30")
LID/BOTTOM DEPTH	7.6 cm/23.6 cm (3.00"/9.30")
WEIGHT*	7.62 kg (16.8 lbs.)
COLOURS	■
SPECIAL FEATURES	<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact



N AL3418 X-Large Shipping Case

EXTERIOR DIMENSIONS	86.8 x 53.3 x 43.9 cm (34.20" x 21.00" x 17.30")
INTERIOR DIMENSIONS	69.1 x 45.7 x 39.1 cm (27.20" x 18.00" x 15.40")
LID/BOTTOM DEPTH	13.5 cm/25.6 cm (5.30"/10.10")
WEIGHT*	13.88 kg (30.6 lbs.)
COLOURS	■
SPECIAL FEATURES	<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact • 2 wheels



N AL3834 XX-Large Shipping Case

EXTERIOR DIMENSIONS	104.4 x 94.2 x 98.6 cm (41.12" x 37.12" x 38.82")
INTERIOR DIMENSIONS	96.8 x 86.6 x 83.8 cm (38.12" x 34.12" x 33.00")
LID/BOTTOM DEPTH	43.8 cm/40 cm (17.25"/15.75")
WEIGHT*	39.19 kg (86.4 lbs.)
COLOURS	■
SPECIAL FEATURES	<ul style="list-style-type: none"> • Forklift skid-runners: One-piece moulded skid-runners provide clearance for forklift tines and pallet jacks



N AL5424 XX-Large Shipping Case

EXTERIOR DIMENSIONS	144.4 x 68.4 x 85.7 cm (56.87" x 26.93" x 33.75")
INTERIOR DIMENSIONS	136.8 x 60.8 x 73.3 cm (53.87" x 23.93" x 28.87")
LID/BOTTOM DEPTH	15.5 cm/57.8 cm (6.12"/22.75")
WEIGHT*	47.31 kg (104.3 lbs.)
COLOURS	■
SPECIAL FEATURES	<ul style="list-style-type: none"> • Forklift skid-runners: One-piece moulded skid-runners provide clearance for forklift tines and pallet jacks



BLACKBOX™ RACK MOUNT CASES

PRODUCT	CATALOGUE NUMBER	RACK* HEIGHT	RACK* LENGTH	RACK* WIDTH	LID I.D. ¹ FRONT/BACK	LENGTH* O.D. ²	WIDTH* O.D.	HEIGHT* O.D. ³	WEIGHT*
BB0030 BLACKBOX™ RACK MOUNT CASE With 3 unit rack mount	BB0030	13.3 cm (5.25")	61.0 cm (24.00")	48.3 cm (19.00")	5.6/13.2 cm (2.20/5.20")	97.8 cm (38.50")	62.5 cm (24.60")	28.9 cm (11.40")	19.05 kg (42 lbs.)
BB0040 BLACKBOX™ RACK MOUNT CASE With 4 unit rack mount	BB0040	17.8 cm (7.00")	61.0 cm (24.00")	48.3 cm (19.00")	5.6/13.2 cm (2.20/5.20")	97.8 cm (38.50")	62.5 cm (24.60")	33.3 cm (13.10")	21.32 kg (47 lbs.)
BB0050 BLACKBOX™ RACK MOUNT CASE With 5 unit rack mount	BB0050	22.2 cm (8.75")	61.0 cm (24.00")	48.3 cm (19.00")	5.6/13.2 cm (2.20/5.20")	97.8 cm (38.50")	62.5 cm (24.60")	37.8 cm (14.90")	21.77 kg (48 lbs.)
BB0070 BLACKBOX™ RACK MOUNT CASE With 7 unit rack mount	BB0070	31.1 cm (12.25")	61.0 cm (24.00")	48.3 cm (19.00")	5.6/13.2 cm (2.20/5.20")	97.8 cm (38.50")	62.5 cm (24.60")	46.7 cm (18.40")	23.13 kg (51 lbs.)
BB0090 BLACKBOX™ RACK MOUNT CASE With 9 unit rack mount	BB0090	40 cm (15.75")	61.0 cm (24.00")	48.3 cm (19.00")	5.6/13.2 cm (2.20/5.20")	97.8 cm (38.50")	62.5 cm (24.60")	55.6 cm (21.90")	25.4 kg (56 lbs.)
BB0110 BLACKBOX™ RACK MOUNT CASE With 11 unit rack mount	BB0110	48.9 cm (19.25")	61.0 cm (24.00")	48.3 cm (19.00")	5.6/13.2 cm (2.20/5.20")	97.8 cm (38.50")	62.5 cm (24.60")	64.5 cm (25.40")	27.22 kg (60 lbs.)
BB0140 BLACKBOX™ RACK MOUNT CASE With 14 unit rack mount	BB0140	62.2 cm (24.50")	61.0 cm (24.00")	48.3 cm (19.00")	5.6/13.2 cm (2.20/5.20")	97.8 cm (38.50")	62.5 cm (24.60")	77.7 cm (30.60")	29.94 kg (66 lbs.)

SPECIALTY PRODUCTS

PRODUCT	CATALOGUE NUMBER	DIMENSIONS* LENGTH x WIDTH x HEIGHT		WEIGHT*	COLOUR
SINGLE FIELD DESK	FD3121-0000-130	• Collapsed Form: 77.9 x 53.3 x 72.4 cm (30.70" x 21.00" x 28.50")	• Extended Form: 156 x 72.4 x 72.4 cm (61.40" x 28.50" x 28.50")	37 kg (81.3 lbs.)	■
DOUBLE DUTY FIELD DESK	FD3429-0000-130	• Collapsed Form: 86.4 x 72.4 x 63.2 cm (34.00" x 28.50" x 24.90")	• Extended Form: 259.1 x 72.4 x 72.4 cm (102.00" x 28.50" x 28.50")	45.5 kg (100 lbs.)	■
TRUNKLOCKER	TL3619-0000-130	• Exterior dimensions: 92.1 x 47 x 49.7 cm (36.27" x 18.50" x 19.56")	• Interior dimensions: 83.5 x 38.1 x 45.1 cm (32.88" x 15.00" x 17.75")	11.79 kg (26 lbs.)	■
FOOTLOCKER	FT3317-0000-130	• Exterior dimensions: 83.8 x 43.2 x 43.2 cm (33.00" x 17.00" x 17.00")	• Interior dimensions: 73.6 x 35.5 x 38.1 cm (29.00" x 14.00" x 15.00")	12.25kg (27 lbs.)	■
MEDCHEST 3	MC3000-3018-130	• Exterior dimensions: 83.2 x 53 x 32 cm (32.75" x 20.87" x 12.61")	• Interior dimension: 76.2 x 45.7 x 27.9 cm (30.00" x 18.00" x 11.00")	17.69 kg (39 lbs.)	■

* All dimensions are approximate. All BlackBox™ Rack Mount Cases are available in black.

1 - Lid Outside Dimension (O.D.) = Lid I.D. plus 3.3 cm (1.3") on 13.2 cm (5.2") lids and plus 2.8 cm (1.1") on 5.6 cm (2.2") / 2 - Length includes stiffening ribs 3 - Height excludes 1.1cm (.4") stacking ribs

PRODUCT	CATALOGUE NUMBER	DIMENSIONS* LENGTH x WIDTH x HEIGHT		WEIGHT*	COLOUR	
MEDCHEST 4 DRAWER	MC4100-0040-130	• Exterior dimensions: 83.2 x 53 x 32 cm (32.75" x 20.87" x 12.61")	DRAWER NUMBER	LENGTH x WIDTH x DEPTH	29.03 kg (64 lbs.)	■
			1, 2, 3, 4	38.1 x 17.5 x 19.8 cm (15.00" x 6.9" x 7.8")		
MEDCHEST 8 DRAWER	MC8100-0080-130	• Exterior dimensions: 83.2 x 53 x 32 cm (32.75" x 20.87" x 12.61")	DRAWER NUMBER	LENGTH x WIDTH x DEPTH	29.03 kg (64 lbs.)	■
			1, 2, 3, 4	38.1 x 7.4 x 19.8 cm (15" x 2.9" x 7.8")		
			5, 6	38.1 x 9.9 x 19.8 cm (15" x 3.9" x 7.8")		
			7, 8	38.1 x 12.4 x 19.8 cm (15" x 4.9" x 7.8")		

SINGLE LID CASES

PRODUCT	CATALOGUE NUMBER	DIMENSIONS* LENGTH x WIDTH x DEPTH (External dimensions)	LENGTH x WIDTH x DEPTH (Internal dimensions)	LID* DEPTH	BOTTOM* DEPTH	WEIGHT*	COLOUR
AL1616 LARGE RUGGEDIZED SHIPPING CASE	AL1616	47.6 x 48 x 31 cm (18.75" x 18.88" x 12.19")	40 x 40.3 x 26.8 cm (15.75" x 15.88" x 10.54")	13 cm (5.12")	13.8 cm (5.42")	6.6 kg (14.5 lbs.)	■
AL2013 LARGE RUGGEDIZED SHIPPING CASE	AL2013	58.1 x 40.6 x 35.3 cm (22.90" x 16.00" x 13.90")	50.5 x 33 x 31.2 cm (19.90" x 13.00" x 12.30")	7.6 cm (3.00")	23.5 cm (9.30")	7.6 kg (16.8 lbs.)	■
AL2624 LARGE RUGGEDIZED SHIPPING CASE	AL2624	73.8 x 68.6 x 67.6 cm (29.10" x 27.00" x 26.60")	67 x 60.9 x 58.1 cm (26.40" x 24.00" x 22.90")	12.9 cm (5.10")	45.2 cm (17.80")	17.5 kg (38.5 lbs.)	■
AL3018 LARGE RUGGEDIZED SHIPPING CASE	AL3018	83.2 x 53 x 55.7 cm (32.75" x 20.87" x 21.93")	75.6 x 45.4 x 51.1 cm (29.75" x 17.87" x 20.12")	13.3 cm (5.25")	37.8 cm (14.87")	14.4 kg (31.8 lbs.)	■
AL3418 X-LARGE RUGGEDIZED SHIPPING CASE	AL3418	86.8 x 45.7 x 39.0 cm (34.20" x 18.00" x 15.40")	69.1 x 53.3 x 43.9 cm (27.20" x 21.00" x 17.30")	13.3 cm (5.30")	25.7 cm (10.10")	13.9 kg (30.6 lbs.)	■
AL4024 X-LARGE RUGGEDIZED SHIPPING CASE	AL4024	108.8 x 69.3 x 51.3 cm (42.87" x 27.31" x 20.19")	101.2 x 61.7 x 45.7 cm (39.87" x 24.31" x 18.00")	13.3 cm (5.25")	32.4 cm (12.75")	22.8 kg (50.2 lbs.)	■
AL5415 X-LARGE RUGGEDIZED SHIPPING CASE	AL5415	144.9 x 47.9 x 100.6 cm (57.06" x 18.87" x 39.62")	138.7 x 40.3 x 91.1 cm (54.62" x 15.88" x 35.88")	65.7 cm (25.88")	25.4 cm (10.00")	44.54 kg (98.2 lbs.)	■
AL3834 XX-LARGE RUGGEDIZED SHIPPING CASE	AL3834	104.4 x 94.3 x 98.6 cm (41.12" x 37.12" x 38.82")	96.8 x 86.6 x 83.8 cm (38.12" x 34.12" x 33.00")	43.8 cm (17.25")	40 cm (15.75")	39.2 kg (86.4 lbs.)	■
AL5424 XX-LARGE RUGGEDIZED SHIPPING CASE	AL5424	144.4 x 68.4 x 85.7 cm (56.87" x 26.93" x 33.75")	136.8 x 60.8 x 73.3 cm (53.87" x 23.93" x 28.87")	15.5 cm (6.12")	57.8 cm (22.75")	47.3 kg (104.3 lbs.)	■
AL6912 XX-LARGE RUGGEDIZED SHIPPING CASE	AL6912	183.8 x 38.1 x 41.4 cm (72.37" x 15.00" x 16.28")	176.1 x 30.5 x 35.8 cm (69.37" x 12.00" x 14.09")	9.1 cm (3.60")	26.6 cm (10.49")	19.1 kg (42 lbs.)	■

* All dimensions and weights are approximate. Single Lid Cases do not come with foam.