



Visit product page



## FOS IQ PAR ZOOM

L006084

Professional Zoom Par, 28 leds x 12watt RGBW, Zoom 12-60 degrees, dual bracket, powercon in/out, IR remote control, 4 pixels, 13/29 Dmx Channels, adjustable color temperature, 4 Button Led display, 2.5kg

### TECHNICAL DETAILS

#### Light source / Optics

Powered by 28x 12 Watt RGBW LEDs.  
Maximum luminosity: 3350 lux at 3 meters.  
Motorized zoom from 12 to 60 degrees.

#### Effects

Red, Green, Blue, White colour mixing.  
Adjustable white colour temperature modes, gradually via a dedicated DMX channel.  
4x section LEDs, independendtly controllable.  
Auto pre-programmed chases, with anjustable speed.

#### Control

Auto, Sound and DMX control modes.  
13 or 29 DMX control channels.

#### Technical Specifications

LED display with 4x button options menu.  
Forced air fan cooling.

Dual bracket.

3 pin in and out XLR for DMX connection.

PowerCON in and out for power connection.

Overheat protection.

Operating temperatures: - 35 °C to 45 °C.

Power supply: 90 / 260 Volt AC, 50 / 60 Hz.

Maximum power consumption: 285 Watt.

Fixture dimensions: 265 x 213 x 117 mm (D x W x H).

Packing dimensions: 325 x 190 x 300 mm (D x W x H).

Net weight: 2,54 Kgs.


Gross weight: 3,42 Kgs.

## PHOTOS



## PRODUCT VIDEO





[www.fos-lighting.eu](http://www.fos-lighting.eu)

