

| Code | Naam | Catalogusprijs | Uw nettoprijs | Eenheid |
|--------------------|--|----------------|---------------|---------|
| | | Inclusief BTW | Inclusief BTW | |
| APA-ACPL | (20) Audio Control Panel with front panel Mic/Line inputs, volume control and po | 89,84 | 89,84 | St |
| APA-ACPR | (20) Audio Control Panel with permanently connected rear connection input and fr | 89,84 | 89,84 | St |
| APA-ALINP | (20) Active Local Input Panel with MIC and Line input with individual volume con | 232,62 | 232,62 | St |
| apa-AMP-D225H | AMP-D225H 2 channel, 25W half-rack amplifier | 634,34 | 634,34 | St |
| APA-BBI1 | Universal BTicino built-in box 3 modules | 7,26 | 7,26 | St |
| APA-BBI2 | Universal BTicino built-in box 2 x 3 modules | 12,10 | 12,10 | St |
| APA-BUZZ19 | Metal adapter for 2 pieces BUZZSTOP-MKIII in 19" rack | 14,52 | 14,52 | St |
| APA-BUZZSTOP-MKIII | (10) BUZZSTOP-MKIII - Universal stereo input adaptor, converts any output to line level. | 87,19998 | 87,19998 | St |
| APA-CE2E2 | (10) (A) Cable 1.5m Euro connector 2P to Euro 2P | 20,87 | 20,87 | St |
| APA-CE3E3 | (B) Cable 1.5m Euro connector 3P to Euro 3P | 36,60 | 36,60 | St |
| APA-CHAMP-4 | (2) High End, very dynamic 4-channel low impedance power amplifier, convection c | 897,89998 | 897,89998 | St |
| APA-CM1008 | (8) 8" two-way ceiling speaker 8 ohms / 100 watts, white, with removable logo an | 89,84 | 89,84 | St |
| APA-CM1008-BL | (8) 8" two-way ceiling speaker 8 ohms / 100 watts, black, with removable logo an | 89,84 | 89,84 | St |
| APA-CM1008D | (last pieces) (8) 8" two-way thin edge grille design ceiling speaker 8 ohms / 100 watts, white | 97,10 | 97,10 | St |
| APA-CM20DT | (12) Apart CM20DT - 6.5" two-way ceiling speaker 100-70 volt / 20 watts, 16 oh | 106,55998 | 106,55998 | St |
| APA-CM20DTS | (4) 4.25? two-way thin edge design ceiling speaker 100-70 volt / 20 watts, 16 oh | 186,64 | 186,64 | St |
| APA-CM20T | (12) 6.5" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 60 watts, | 94,45998 | 94,45998 | St |
| APA-CM20T-BL | (12) 6.5" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 60 watts, | 94,45998 | 94,45998 | St |
| APA-CM30DTD | (4) 4.25? two-way thin edge design ceiling speaker 100-70 volt / 30 watts, 16 oh | 198,74 | 198,74 | St |
| APA-CM3T | (24) apart CM3T - 3" Miniature ceiling speaker 70 - 100 volt white | 43,63998 | 43,63998 | St |
| APA-CM3T-BL | (24) Apart CM3T - 3" Miniature ceiling speaker 70 - 100 volt black | 43,63998 | 43,63998 | St |
| APA-CM4 | (12) 4" ceiling speaker with backcan 16 ohms / 30 watts, spring clips mounting, | 70,48 | 70,48 | St |
| APA-CM4-BL | (12) 4" ceiling speaker with backcan 16 ohms / 30 watts, spring clips mounting, | 70,48 | 70,48 | St |
| APA-CM4T | (16) 4" ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 30 watts, spring clip | 48,47998 | 48,47998 | St |
| APA-CM4T-BL | (16) 4" ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 30 watts, spring clip | 48,47998 | 48,47998 | St |
| APA-CM608 | (12) 6.5" two-way ceiling speaker 8 ohms / 60 watts, white, with removable logo | 68,06 | 68,06 | St |
| APA-CM608-BL | (12) 6.5" two-way ceiling speaker 8 ohms / 60 watts, black, with removable logo | 68,06 | 68,06 | St |
| APA-CM60DTD | (4) 6.5? two-way thin edge design ceiling speaker 100-70 volt / 60 watts, 16 ohm | 244,72 | 244,72 | St |
| APA-CM6E | (12) Apart CM6E - 6.5" dual cone ceiling speaker 100 volt | 48,47998 | 48,47998 | St |
| APA-CM6T | (12) 6.5" two-way ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 60 watts, w | 77,51998 | 77,51998 | St |
| APA-CM6T-BL | (12) 6.5" two-way ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 60 watts, b | 77,44 | 77,44 | St |
| APA-CMAR5T-W | (16) 5.25" two-way built-in marine speaker 8 ohms / 50 watts or 100 volt / 20 wa | 152,53998 | 152,53998 | St |
| APA-CMAR5-W | (16) 5.25" two-way built-in marine speaker 8 ohms / 50 watts, IP65, white | 97,10 | 97,10 | St |
| APA-CMAR6T-W | (12) 6.5" two-way built-in marine speaker 8 ohms / 60 watts or 100 volt / 20 wat | 186,41998 | 186,41998 | St |
| APA-CMAR6-W | (12) 6.5" two-way built-in marine speaker 8 ohms / 60 watts, | 123,72 | 123,72 | St |

| Code | Naam | Catalogusprijs | Uw nettoprijs | Eenheid |
|-------------------|---|----------------|---------------|---------|
| | | Inclusief BTW | Inclusief BTW | |
| APA-CMAR8T-W | IP65, white (12) 8" two-way built-in marine speaker 8 ohms / 100 watts or 100 volt / 20 watt | 232,39998 | 232,39998 | St |
| APA-CMAR8-W | (12) 8" two-way built-in marine speaker 8 ohms / 100 watts, IP65, white | 167,28 | 167,28 | St |
| APA-CMBB | (12) On-wall box for CM6T, CM6E, CM20T, CM608, CM20DT and CM608D loudspeaker ran | 38,79998 | 38,79998 | St |
| APA-CMM108 | (Last pieces)miniatuur inbouwluidspreker 8o10w,wit | 22,30 | 22,30 | St |
| APA-CMSUB8 | (8) 8" dual coil ceiling subwoofer 2 x 8 ohms / 2 x 80 watts, built-in crossover | 186,64 | 186,64 | St |
| APA-CMX20DT | (8) 8" two-way thin edge design ceiling speaker 70 - 100 volt / 20 watts, 16 ohm | 123,49998 | 123,49998 | St |
| APA-CMX20T | (8) 8" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 100 watts, wh | 108,97998 | 108,97998 | St |
| APA-CMX20T-BL | (8) 8" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 100 watts, b | 108,97998 | 108,97998 | St |
| APA-COLS101 | (4) 10 x 2" slim sound column speaker with 1" tweeter 70/100 volt / 40 watts or | 370,33998 | 370,33998 | St |
| APA-COLS41 | (6) 4 x 2" slim sound column speaker with 1" tweeter 70 - 100 volt / 20 watts or | 174,31998 | 174,31998 | St |
| APA-COLS81 | (6) 8 x 2" slim sound column speaker with 1" tweeter 70 - 100 volt / 30 watts or | 300,15998 | 300,15998 | St |
| APA-COLSBRA | (50) Bracket for easy tilting and rotating of COLS sound columns | 38,72 | 38,72 | St |
| APA-COLW101 | (2) 10 x 3.3" sound column speaker with 1" tweeter 70 - 100 volt / 100 watts or | 648,63998 | 648,63998 | St |
| APA-COLW41 | (4) 4 x 3.3" sound column speaker with 1" tweeter 70 - 100 volt / 40 watts or 16 | 343,71998 | 343,71998 | St |
| APA-COLW81 | (4) 8 x 3.3" sound column speaker with 1" tweeter 70 - 100 volt / 80 watts or 8 | 534,89998 | 534,89998 | St |
| APA-COLWBRA | (50) Bracket for easy tilting and rotating of COLW sound columns | 38,72 | 38,72 | St |
| APA-CONCEPT1-RC | Infrared remote control for CONCEPT1 and CONCEPT1T | 32,72 | 32,72 | St |
| APA-CONCEPT1T-KIT | (20) 2 x 100 volt transformers, 60 watts each. Transforms CONCEPT1 into CONCEPT1 | 139,15 | 139,15 | St |
| APA-CSP | (H) Speakon connector Male | 8,47 | 8,47 | St |
| APA-DAB-FM | combiner for DAB compatible tuners | 56,87 | 56,87 | St |
| APA-D-ALINP | (20) Active Local Input Panel decora style with MIC and Line input with individu | 232,62 | 232,62 | St |
| APA-D-DIWAC | (20) Digital decora style wall control with 2 line LCD display. Buttons for sou | 225,06 | 225,06 | St |
| APA-DIWAC | (20) Apart DIWAC Digital wall control with 2 line LCD display. Buttons for source selection | 203,58 | 203,58 | St |
| APA-D-MODON | (48) Built-on box for wall controls Decora style | 19,36 | 19,36 | St |
| APA-D-VOL120 | (24) 70 volt, 120 watts Decora style volume control, white, with 24V priority re | 94,38 | 94,38 | St |
| APA-D-VOL30 | (24) 70 volt, 30 watts Decora style volume control, white, with 24V priority rel | 50,82 | 50,82 | St |
| APA-D-VOL60 | (24) 70 volt,60 watts Decora style volume control, white, with 24V priority rela | 75,02 | 75,02 | St |
| APA-E-MODIN | Built-in box for Euro controls | 9,68 | 9,68 | St |
| APA-E-MODON | (24) Built-on box for wall controls | 19,36 | 19,36 | St |
| APA-EN-CM5T6 | (12) 5.25" built-in ceiling speaker made of powder coated steel (RAL 9010 equiva | 94,45998 | 94,45998 | St |
| APA-EN-CM6T6 | (12) 6.5? built-in ceiling speaker made of powder coated steel (RAL 9010 equival | 94,45998 | 94,45998 | St |
| APA-EN-CMX6T10 | (8) 6.5" built-in 2-way ceiling speaker made of powder coated steel (RAL 9010 eq | 150,11998 | 150,11998 | St |
| APA-EN-H10-G | (8) powerful horn speaker made of UV and impact resistant ABS (RAL 7035 equivale | 162,21998 | 162,21998 | St |
| APA-EN-H15-G | (8) powerful horn speaker made of UV and impact resistant ABS (RAL 7035 equivale | 186,41998 | 186,41998 | St |

| Code | Naam | Catalogusprijs | Uw nettoprijs | Eenheid |
|-------------------|--|----------------|---------------|---------|
| | | Inclusief BTW | Inclusief BTW | |
| APA-EN-MP5T20-W | (8) compact and stylish sound projector with a 5.25" woofer, made of powder coa | 254,17998 | 254,17998 | St |
| APA-EN-MPBD5T10-W | (8) EN-MPBD5T10-W - compact and stylish bi-directional sound projector | 254,17998 | 254,17998 | St |
| APA-EN-SM6T10-W | (12) 6.5" surface mounted round speaker made of powder coated steel (RAL 9010 eq | 121,07998 | 121,07998 | St |
| APA-EN-SMS6MT6-W | (8) 6.5" surface mounted metal square speaker made of powder coated steel (RAL | 150,11998 | 150,11998 | St |
| APA-EN-SMS6T6-W | (8) 6.5" surface mounted speaker made of high density MDF with a steel grille (RA | 116,23998 | 116,23998 | St |
| APA-EN-SPH5T16-W | (6) compact 5.25" sphere loudspeaker with ABS housing (UI94 HB) (RAL 9010 equiva | 208,19998 | 208,19998 | St |
| APA-EN-SPH6T20-W | (4) 6.5" sphere loudspeaker with ABS housing (RAL 9016 equivalent), equipped wit | 346,13998 | 346,13998 | St |
| APA-E-VOL120 | (24) 100 volt, 120 watts Euro volume control, white, with 24V priority relais | 89,54 | 89,54 | St |
| APA-E-VOL20 | (24) 100 volt, 20 watts Euro volume control, white, with 24V priority relais | 31,46 | 31,46 | St |
| APA-E-VOL40 | (24) 100 volt, 40 watts Euro volume control, white, with 24V priority relais | 50,82 | 50,82 | St |
| APA-E-VOL60 | (24) 100 volt, 60 watts Euro volume control, white, with 24V priority relais | 72,60 | 72,60 | St |
| APA-E-VOLST | (24) Stereo, 2 x 40 watts Euro volume control, white | 106,48 | 106,48 | St |
| APA-H10-G | (12) Compact compression horn loudspeaker, 100 volt / 10 watts and 8 ohms / 20 w | 94,45998 | 94,45998 | St |
| APA-H20-G | (12) Powerful compression horn loudspeaker, 100 volt / 20 watts and 8 ohms / 30 | 116,23998 | 116,23998 | St |
| APA-H30LT-G | (6) Long throw compression horn loudspeaker, 100 volt / 30 watts and 8 ohms / 45 | 140,43998 | 140,43998 | St |
| APA-HM25-G | (6) Ultra long throw compression horn loudspeaker 100 volt / 25 watts, aluminium | 174,31998 | 174,31998 | St |
| APA-KUBO3-BL | (8) 3" compact design full range cabinet loudspeaker, 8 ohms / 40 watts, mountin | 116,16 | 116,16 | St |
| APA-KUBO3T-BL | (8) 3" compact design full range cabinet loudspeaker, 70 - 100 volt / 10 watts o | 137,94 | 137,94 | St |
| APA-KUBO3T-W | (8) 3" compact design full range cabinet loudspeaker, 70 - 100 volt / 10 watts o | 137,94 | 137,94 | St |
| APA-KUBO3-W | (8) 3" compact design full range cabinet loudspeaker, 8 ohms / 40 watts, mountin | 116,16 | 116,16 | St |
| APA-KUBO5-BL | (8) 5.25" compact design two-way cabinet loudspeaker, 8 ohms / 80 watts, mountin | 162,44 | 162,44 | St |
| APA-KUBO5T-BL | (8) KUBO5T-BL - 5.25" design two-way cabinet loudspeaker, 70 - 100 volt / 30 watts | 188,76 | 188,76 | St |
| APA-KUBO5T-W | (8) 5.25" compact design two-way cabinet loudspeaker, 70 - 100 volt / 30 watts o | 188,76 | 188,76 | St |
| APA-KUBO5-W | (8) 5.25" compact design two-way cabinet loudspeaker, 8 ohms / 80 watts, mountin | 162,14 | 162,14 | St |
| APA-LRAPRE-BL | Premium light rail adaptor KUBO3/5,SDQ5P,OVO5, pack of 2 | 147,62 | 147,62 | St |
| APA-LRAPRE-W | Premium light rail adaptor KUBO3/5,SDQ5P,OVO5, pack of 2 | 147,62 | 147,62 | St |
| APA-MA120 | Apart Ma120 - 19" End-user and installer mixing amplifier 70 - 100 volt | 648,63998 | 648,63998 | St |
| APA-MA240 | Apart MA240 - 19" mixing amplifier 70 - 100 volt / 240w | 1.043,09998 | 1.043,09998 | St |
| APA-MA247MR | Multizone Mixing amplifier, 6 Zone (1 passive, 5 active) 100 volt / 240 watts, v | 1.936,07998 | 1.936,07998 | St |
| APA-MA30 | 9.5" End-user and installer friendly intuitive mixing amplifier 70 - 100 volt / | 382,43998 | 382,43998 | St |
| APA-MA3060-19 | (10) 19" bracket kit for MA30/MA60 | 41,14 | 41,14 | St |
| APA-MA35-19 | 19" bracket for MA35/MA65 | 19,36 | 19,36 | St |
| APA-MA60 | Apart MA60 - 9.5" End-user and installer friendly intuitive mixing amplifier 70 - 100 volt / | 510,69998 | 510,69998 | St |

| Code | Naam | Catalogusprijs | Uw nettoprijs | Eenheid |
|-----------------|--|----------------|---------------|---------|
| | | Inclusief BTW | Inclusief BTW | |
| APA-MA65 | Compact mixing amplifier 100 volt / 65 watts, 3 mic + 2 line inputs, chime, 2-le | 546,99998 | 546,99998 | St |
| APA-MASK2-BL | (12) 2.5" compact design cabinet loudspeaker, 8 ohms / 50 watts, wall bracket in | 89,84 | 89,84 | St |
| APA-MASK2CMT-BL | (10) Ceiling mounting tool for MASK2-BL. Priced per piece sold in pairs. | 12,10 | 12,10 | St |
| APA-MASK2CMT-W | (10) Ceiling mounting tool for MASK2-W. Priced per piece sold in pairs. | 12,10 | 12,10 | St |
| APA-MASK2-W | (12) 2.5" compact design cabinet loudspeaker, 8 ohms / 50 watts, wall bracket in | 89,84 | 89,84 | St |
| APA-MASK4C-BL | (8) 4.25" small design two-way cabinet loudspeaker, 8 ohms / 70 watts, Black, CL | 150,34 | 150,34 | St |
| APA-MASK4CT-BL | (8) 4.25" small design two-way cabinet loudspeaker, 70 - 100 volt / 20 watts or | 162,21998 | 162,21998 | St |
| APA-MASK4CT-W | (8) 4.25" small design two-way cabinet loudspeaker, 70 - 100 volt / 20 watts or | 162,21998 | 162,21998 | St |
| APA-MASK4C-W | (8) Mask4c-w - 4.25" two-way cabinet loudspeaker, 8 ohms / 70 watts, White | 150,34 | 150,34 | St |
| APA-MASK6C-BL | (4) MASK6C-BL - 6.5" design two-way cabinet loudspeaker, 8 ohms / 200 watts, Black, CLICKMOU | 208,42 | 208,42 | St |
| APA-MASK6CT-BL | (4) Apart Mask6ct-bl - 6.5" design two-way cabinet loudspeaker, 70 - 100 volt / 60 watts | 220,29998 | 220,29998 | St |
| APA-MASK6CT-W | (4) 6.5" design two-way cabinet loudspeaker, 70 - 100 volt / 60 watts or 16 ohms | 220,29998 | 220,29998 | St |
| APA-MASK6C-W | (4) MASK6C-W - 6.5" design two-way cabinet loudspeaker, 8 ohms / 200 watts, White | 208,42 | 208,42 | St |
| APA-MASK8F-BL | (2) Apart MASK8F-BL 8" two-way full range wooden design cabinet loudspeaker, 8 ohms / 300 watts, | 459,87998 | 459,87998 | St |
| APA-MASK8F-W | (2) 8" two-way full range wooden design cabinet loudspeaker, 8 ohms / 300 watts, | 459,87998 | 459,87998 | St |
| APA-MASK8-W | (2) (EOL) 8" high SPL two-way wooden design cabinet loudspeaker, 8 ohms / 300 wa | 329,19998 | 329,19998 | St |
| APA-MASKCL-BL | (10) L-shaped side bracket for MASK4C(T)-BL / MASK6C(T)-BL. Priced per piece sol | 36,30 | 36,30 | St |
| APA-MASKCL-W | (10) L-shaped side bracket for MASK4C(T)-W / MASK6C(T)-W. Priced per piece sold | 36,30 | 36,30 | St |
| APA-MASKCV-BL | (10) V-shaped 2-way cluster bracket for MASK4C(T)-BL/MASK6C(T)-BL | 58,08 | 58,08 | St |
| APA-MASKCV-W | (10) V-shaped 2-way cluster bracket for MASK4C(T)-W/MASK6C(T)-W | 58,08 | 58,08 | St |
| APA-MASKCW-BL | (10) Double V-shaped cluster bracket for MASK4C(T)-BL/MASK6C(T)-B | 94,38 | 94,38 | St |
| APA-MASKCW-W | (10) Double V-shaped cluster bracket for MASK4C(T)-W/MASK6C(T)-W | 94,38 | 94,38 | St |
| APA-MDSCHAIR | (10) Chairman Microphone for Microphone discussion system | 334,03998 | 334,03998 | St |
| APA-MDSDEL | (10) Delegate Microphone for Microphone discussion system | 288,05998 | 288,05998 | St |
| APA-MDSINT | Interface and PSU for Microphone discussion system | 210,61998 | 210,61998 | St |
| APA-MICPAT-2 | (5) 2-Zone paging microphone with gooseneck and push to talk button per zone. | 217,87998 | 217,87998 | St |
| APA-MICPAT-4 | (12) 4-Zone paging microphone with gooseneck | 699,45998 | 699,45998 | St |
| APA-MICPAT-6 | (12) 6-Zone paging microphone with gooseneck | 629,27998 | 629,27998 | St |
| APA-MICPAT-D | (5) All call dynamic paging microphone with gooseneck and priority switch, DIN5 | 152,53998 | 152,53998 | St |
| APA-MP16-G | (6) Compact sound projector, 5.25" coated woofer, 100 volt / 16 watts, all metal | 101,71998 | 101,71998 | St |
| APA-MP26-G | (6) Powerful sound projector, 6.5" coated woofer, 100 volt / 26 watts, all metal | 135,59998 | 135,59998 | St |
| APA-MPBD20-G | (8) Bi-directional and angled sound projector, 2 x 5.25" full range coated woofe | 179,15998 | 179,15998 | St |
| APA-MPH31-G | (6) Horn loaded long throw high volume sound projector, 5.25" coated paper cone | 142,85998 | 142,85998 | St |

| Code | Naam | Catalogusprijs Uw nettoprijs Eenheid | |
|-------------------|--|--------------------------------------|----------------|
| | | Inclusief BTW | Inclusief BTW |
| APA-MPLT32-G | (2) High quality two-way long throw music projector with 6.5" HD woofer + 1" hor | 406,63998 | 406,63998 St |
| APA-MPLT62-G | (2) Apart MPLT62-G - two-way long throw music projector with 6.5" HD woofer + 1" | 462,29998 | 462,29998 St |
| APA-NETKIT-IR | NETKIT-Ethernet to IR convertor | 252,96998 | 252,96998 St |
| APA-N-MODIN | Helia built-in box for wall controls | 7,26 | 7,26 St |
| APA-N-VOL10K-W | 10 K-ohms Niko volume control, white | 121,00 | 121,00 St |
| APA-OVO3-BL | (12) Small design two-way cabinet speaker, 3" coated paper cone woofer + 1" silk | 70,48 | 70,48 St |
| APA-OVO3T-BL | (12) Small design two-way cabinet speaker, 3" coated paper cone woofer + 1" silk | 94,45998 | 94,45998 St |
| APA-OVO3T-W | (12) Apart Ovo3T-w - Small design two-way cabinet speaker, 3" + 1" silk | 94,45998 | 94,45998 St |
| APA-OVO3-W | (12) Small design two-way cabinet speaker, 3" coated paper cone woofer + 1" silk | 70,48 | 70,48 St |
| APA-OVO5-BL | (8) Apart Ovo5-bl - Design two-way cabinet speaker, 5.25" coated paper cone woofer + 1" silk dom | 109,20 | 109,20 St |
| APA-OVO5P-BL | (4) Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 20watts. | 268,92 | 268,92 St |
| APA-OVO5P-W | (4) Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 20watts. | 268,92 | 268,92 St |
| APA-OVO5T-BL | (8) OVO5T-BL - 5.25" coated paper cone woofer + 1" silk dom | 140,43998 | 140,43998 St |
| APA-OVO5T-W | (8) Design two-way cabinet speaker, 5.25" coated paper cone woofer + 1" silk dom | 140,43998 | 140,43998 St |
| APA-OVO5-W | (8) Design two-way cabinet speaker, 5.25" coated paper cone woofer + 1" silk dom | 109,20 | 109,20 St |
| APA-OVO8-BL | (2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome | 199,95 | 199,95 St |
| APA-OVO8P-BL | (2) Design mono active cabinet speaker, 8" coated paper cone woofer + 1" silk do | 343,94 | 343,94 St |
| APA-OVO8P-W | (2) Design mono active cabinet speaker, 8" coated paper cone woofer + 1" silk do | 343,94 | 343,94 St |
| APA-OVO8T-BL | (2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome | 261,43998 | 261,43998 St |
| APA-OVO8T-W | (2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome | 261,43998 | 261,43998 St |
| APA-OVO8-W | (2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome | 232,62 | 232,62 St |
| APA-P30DT-BL | 4.5" two-way, pendant loudspeaker, black | 312,25998 | 312,25998 St |
| APA-P30DT-W | 4.5" two-way, pendant loudspeaker, white | 312,25998 | 312,25998 St |
| APA-P60DT-BL | 6.5" two-way, pendant loudspeaker 70-100 volt / 60 watts, 16 ohms / 120 watts, w | 416,31998 | 416,31998 St |
| APA-P60DT-W | 6.5" two-way, pendant loudspeaker 70-100 volt / 60 watts, 16 ohms / 120 watts, w | 416,31998 | 416,31998 St |
| APA-PA2240BP | Apart PA2240BP - 2-channel 100 volt power amplifier, 2 x 240 watts | 1.459,33998 | 1.459,33998 St |
| APA-PA240P | Power amplifier 240 watts @ 100 volt with program and priority input, 24V priori | 941,45998 | 941,45998 St |
| APA-PC1000RMKII | (4) Media Player, CD/MP3 from Disc, SD-card or USB memory stick, RS232 control, | 382,43998 | 382,43998 St |
| APA-PCD-REM | Optional remote control for DVD control functionality on PC1000RMKII and PCR3000 | 45,98 | 45,98 St |
| APA-PCR3000RMKIII | (4) Apart Pcr3000r mkiii - DAB+ and FM RDS / CD / USB / SD-card /Bluetooth | 735,75998 | 735,75998 St |
| APA-PM1122RL | (12) Optional remote panel for PM1122 with music selection, music volume and mic | 92,26 | 92,26 St |
| apa-PM4100 | PM4100 Half-rack stereo pre-amplifier/mixer with 4 inputs | 634,34 | 634,34 St |
| apa-PMR4000RMKIII | PMR4000RMKIII Multi source music player with Internet/FM radio, USB player (for MP3,WAV, FLAC files), UPNP player connection to ethernet via wired or wireless, 1U, 19" rackmount, black | 532,70 | 532,70 St |

| Code | Naam | Catalogusprijs Uw nettoprijs Eenheid | |
|-------------------|--|--------------------------------------|----------------|
| | | Inclusief BTW | Inclusief BTW |
| APA-PREZONE1 | Stereo pre-amplifier/mixer with 2 mono / stereo volume zones, 4 line inputs, 2 M | 636,53998 | 636,53998 St |
| APA-PREZONE2 | Prezone 2 -Stereo Pre-Amplifier, Ethernet and RS232 controlled, 2 stereo zones | 1.096,33998 | 1.096,33998 St |
| APA-REVAMP1120T | Apart REVAMP1120T - Class D amplifier 1 x 120 Watts (70/100 Volts or RMS @ 4 Ohms) | 711,55998 | 711,55998 St |
| APA-REVAMP1680 | 16 Channel class D amplifier 16 x 80 Watts (RMS @ 4 Ohms), 16 x 100 Watts (Dynam | 2.221,63998 | 2.221,63998 St |
| APA-REVAMP2060T | 2 Channel class D amplifier 2 x 60 Watts (70/100 Volts or RMS @ 4 Ohms) or in br | 711,55998 | 711,55998 St |
| APA-REVAMP2120T | 2 Channel class D amplifier 2 x 120 Watts (70/100 Volts or RMS @ 4 Ohms) or in b | 813,19998 | 813,19998 St |
| APA-REVAMP2150 | 2 Channel class D amplifier 2 x 150 Watts (RMS @ 4 Ohms), 2 x 165 Watts (Dynamic | 663,15998 | 663,15998 St |
| APA-REVAMP2250 | REVAMP2250 - 2 Channel amplifier 2 x 250 Watts (RMS @ 4 Ohms), 2 x 350 Watts | 735,75998 | 735,75998 St |
| APA-REVAMP2600 | 2 Channel class H amplifier 2 x 600 Watts (RMS @ 4 Ohms), 2 x 840 Watts (Dynamic | 977,75998 | 977,75998 St |
| APA-REVAMP4100 | 4 Channel class D amplifier 4 x 100 Watts (RMS @ 4 Ohms), 4 x 110 Watts (Dynamic | 825,29998 | 825,29998 St |
| APA-REVAMP4120T | 4 Channel class D amplifier 4 x 120 Watts (70/100 Volts or RMS @ 4 Ohms) or in b | 1.650,51998 | 1.650,51998 St |
| APA-REVAMP4240T | 4 Channel class D amplifier 4 x 240 Watts (70/100 Volts or RMS @ 4 Ohms) or in b | 2.093,37998 | 2.093,37998 St |
| APA-REVAMP8250 | 8 Channel class D amplifier 8 x 250 Watts (RMS @ 4 Ohms), 8 x 350 Watts (Dynamic | 1.839,27998 | 1.839,27998 St |
| APA-RJ45SPLIT | RJ45 splitter: 1 input, 4 output to connect multiple MICPAT-4 or ZONE4R to ZONE4 | 96,80 | 96,80 St |
| apa-RMS-1 | RMS-1 1RU rack mount shelf | 283,44 | 283,44 St |
| APA-ROCK20 | (2) Rock design outdoor loudspeaker, two-way, 100 volt / 20 watts or 8 ohms / 60 | 237,23998 | 237,23998 St |
| APA-ROCK608 | (2) Rock design outdoor loudspeaker, two-way, 8 ohms / 60 watts | 203,58 | 203,58 St |
| APA-SDQ5P-BL | (4) Apart Audio SDQ5p-bl - Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 30 watts | 242,30 | 242,30 St |
| APA-SDQ5PIR-BL | (4) Stereo loudspeaker set with incl. IR and RS232 remote control. 1 active and | 288,28 | 288,28 St |
| APA-SDQ5PIR-REM | Remote control for SDQ5PIR-W/BL | 26,62 | 26,62 St |
| APA-SDQ5PIR-W | (4) Stereo loudspeaker set with incl. IR and RS232 remote control. 1 active and | 288,28 | 288,28 St |
| APA-SDQ5P-W | (4) Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 30 watts | 244,72 | 244,72 St |
| APA-SM6V-W | (12) On-wall speaker with built-in volume control, 100 volt / 6 watts, white | 87,19998 | 87,19998 St |
| APA-SM6-W | (12) On-wall speaker, 100 volt / 6 watts, white | 43,63998 | 43,63998 St |
| APA-SMB6-G | (12) On-wall speaker with back plate and U-bracket, 100 volt / 6 watts, grey | 50,89998 | 50,89998 St |
| APA-SMB6V-G | (12) On-wall speaker with back plate and U-bracket, built-in volume control, 100 | 96,87998 | 96,87998 St |
| APA-SPA-GSQ100 | SPA-GSQ100 Square grille with integrated safety wire, 12-pack (fits CM60DTD, CM30DTD, CM20DTS, CM1008D, CM608D, CM20DT, CMX20DT) | 559,32 | 559,32 St |
| APA-SPA-GSQ100/1X | SPA-GSQ100 1 PIECE Square grille with integrated safety wire, (fits CM60DTD, CM30DTD, CM20DTS, CM1008D, CM608D, CM20DT, CMX20DT) | 46,89 | 46,89 St |
| APA-SPH16 | (8) Two-way pendant sphere speaker, 100 volt / 16 watts, white | 121,07998 | 121,07998 St |
| APA-SPH20 | (4) Pendant sphere loudspeaker with 360° dispersion cone, 100 volt / 20 watts, w | 142,85998 | 142,85998 St |
| APA-SQGR | (24) Optional square grille with integrated safety wire for CM Design Series Ava | 50,89998 | 50,89998 St |
| APA-SUB2201-BL | Apart Sub2201-BL - Passive 10" subwoofer, 4 ohms / 250 watts | 786,80 | 786,80 St |

| Code | Naam | Catalogusprijs Uw nettoprijs Eenheid | |
|----------------------------|--|--------------------------------------|----------------|
| | | Inclusief BTW | Inclusief BTW |
| APA-SUB2400-BL | Apart Audio sub2400-bl - Passive 2 x 10" subwoofer, 600Watt | 1.016,47998 | 1.016,47998 St |
| APA-SUB2400-W | Passive 2 x 10" subwoofer, 4 ohms or 16 ohms / 600 watts, plywood construction w | 1.016,47998 | 1.016,47998 St |
| APA-SUBLIME-BL | (2) Ultra compact 6.5" dual coil passive subwoofer, 2 x 8 ohms / 2 x 80 watts, f | 535,12 | 535,12 St |
| APA-SUBLIME-W | (2) Ultra compact 6.5" dual coil passive subwoofer, 2 x 8 ohms / 2 x 80 watts, f | 535,12 | 535,12 St |
| APA-T20 | (50) 8 ohms to 100 volt transformer with different power taps: 20 - 10 - 5 - 2.5 | 26,62 | 26,62 St |
| APA-T20IP | (24) 8 ohms to 100 volt transformer with different power taps: 20 - 10 - 5 - 2.5 | 62,92 | 62,92 St |
| APA-T60 | (24) 8 ohms to 100 volt transformer with different power taps: 60 - 30 - 15 - 6 | 48,40 | 48,40 St |
| APA-TLVOL36T | TL-VOL36T Remote Control | 20,00 | 20,00 St |
| APA-USB 200 | USB 200 2x1 USB switch | 319,74 | 319,74 St |
| APA-ZONE4 | (6) Quad zone pre-amplifier: 4 stereo output zones. Inputs: 3 mono mic/line + 4 | 1.326,23998 | 1.326,23998 St |
| APA-ZONE4R | (12) Digital wall control panel for use with ZONE4 for music volume adjustment, | 198,74 | 198,74 St |
| OND-APA-CM1008D/ROUNDGRILL | Round grill for cm 1008d / cmx20dt | 17,24 | 17,24 St |