

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
AUS-HIX50CUK	Austrian Audio - Hi-X50CUK Cushion Replacement Kit	59,50	59,50	St
AUS-OD505WL1	Austrian Audio - OD505 WL1 - Dynamic Wireless Microphone	251,08	251,08	St
BNQ-5JF1T06001	Remote Control RC-A12-EN-10 MSD6A918	76,70	76,70	St
BNQ-5JY1J28E01	Wireless Full HD Kit (WDP02)	538,36	476,24	St
BNQ-ANDROID BOX (DEY21)	Android box X-Sign (DEY21)	422,29	377,18	St
BNQ-CM00G3	Universal ceiling mount (longer length of pipe)	82,28	73,73	St
BNQ-CM00G5	CEILING MOUNT CMG5 PRJ W11000 SILVER	175,45	156,88	St
BNQ-CP6501K	Color: black; Size: 65"; Backlight: LED; Resolution: 3840x2160; Active area: 1428.5mm X 803.5mm; Brightness: 350 nits; Contrast: 1200:1; Response time: 9ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; Touch: P.cap 20 point touch; Pro	5.502,03	4.796,64	St
BNQ-CP8601K	Color: black; Size: 86"; Backlight: LED; Resolution: 3840x2160; Active area: 1895.0mm X 1066.0mm; Brightness: 350 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; Touch: P.cap 20 point touch; Pr	9.566,33	8.339,88	St
BNQ-CS6501	Color: black; Size: 65"; Backlight: LED; Resolution: 3840x2160; Active area: 1428.5mm x 803.5mm; Brightness: 450 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; I/F: D-sub, HDMIx3, RS232 input,	2.121,50	1.958,31	St
BNQ-CS7501	Color: black; Size: 75"; Backlight: LED; Resolution: 3840x2160; Active area: 1649.6mm x 927.936mm; Brightness: 450 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; I/F: D-sub, HDMIx3, RS232 inpu	2.969,86	2.741,41	St
BNQ-CS8601	Color: black; Size: 86"; Backlight: LED; Resolution: 3840x2160; Active area: 1895.04mm x 1065.96 mm; Brightness: 450 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 68%; I/F: D-sub, HDMIx3, RS232 in	4.136,81	3.818,59	St
BNQ-DVY21	Video Conference Webcam (Hubble Room)	106,48	95,33	St
BNQ-DVY23	Video Conference Webcam (Large Meeting Room)	1.435,06	1.281,03	St
BNQ-DVY32	Video Conference Webcam (Middle Meeting Room)	523,93	467,89	St
BNQ-EH600	BenQ EH600 1080p Lamp Projector - 3500 AL - Contrast Ratio: 10 000:1 - White	1.305,59	1.165,48	St
BNQ-EH620	BenQ EH620 1080p Lamp Projector 3400 AL - Contrast Ratio: 10 000:1 - White	1.985,61	1.772,37	St
BNQ-EW600	BenQ EW600 WXGA Lamp Projector - 3600 AL - Contrast ratio: 20 000:1 - White	958,32	855,56	St
BNQ-EW800ST	BenQ EW800 ST WXGA Lamp Projector - 3300 AL - Contrast ratio: 20 000:1 - Short Throw - White	1.248,72	1.114,73	St
BNQ-GW2480L	Benq GW2480L	162,14	162,14	St
bnq-IL4301	IL4301	1.474,99	1.316,67	St
bnq-IL5501	IL5501	1.980,77	1.768,05	St
BNQ-INSTASHOW (WDC10)	BenQ Full HD InstaShow WDC10 Plug & Play draadloos presentatieapparaat (WDC10)	1.027,29	917,11	St
BNQ-INSTASHOW WDC10 BUTTON KIT	BenQ 2 InstaShow HDMI buttons & cradle kit WDC10 BUTTON KIT	613,66	547,98	St
BNQ-INSTASHOW WDC10C BUTTON KIT	BenQ 2 InstaShow Type C buttons & cradle kit WDC10C BUTTON KIT	689,70	615,83	St
BNQ-INSTASHOW (WDC10HC)	BenQ Full HD InstaShow WDC10HC HDMI & USB-C Plug & Play draadloos presentatieapparaat	1.291,89	1.153,28	St
BNQ-INSTASHOW (WDC20)	BenQ InstaShow WDC20 Plug & Play draadloos presentatieapparaat (WDC20)	1.426,59	1.273,47	St
BNQ-INSTASHOW WDC20 BUTTON KIT	BenQ 2 InstaShow HDMI buttons & cradle kit WDC20 BUTTON KIT	750,20	669,82	St
BNQ-INSTASHOW (WDC20C)	BenQ WDC20C InstaShow Plug & Play draadloos presentatieapparaat (WDC20C)	1.518,55	1.355,54	St
bnq-InstaShow WDC20C Button Kit	InstaShow WDC20C Button Kit	847,00	756,21	St
BNQ-LENS LONG	BenQ LS2LT2 Long Zoom 1 Lens	1.610,51	1.437,61	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
ZOOM1 (LS2LT2)				
BNQ-LENS SEMI LONG (LS2LT1)	BenQ LS2LT1 Semi Long Lens	1.050,28	937,63	St
BNQ-LENS STANDARD (LS2SD2)	BenQ LS2SD2 Standard Lens	467,06	417,13	St
BNQ-LENS WIDE FIX (LS2ST3)	BenQ LS2ST3 Wide Fix Lens	1.399,97	1.249,71	St
BNQ-LENS WIDE ZOOM (LS2ST1)	BenQ LS2ST1 Wide Zoom Lens	1.283,81	1.146,05	St
BNQ-LH500	BenQ LH500 1080p LED Projector 2000 AL - Contrast Ratio: 20 000:1 - White	1.248,72	1.114,73	St
BNQ-LH720	BenQ LH720 1080p Laser Projector - 4000 AL - Contrast ratio: 100 000:1 - White	2.429,34	2.242,47	St
BNQ-LH730	DLP; 1080P, 4000AL, LED, TR 1.30~1.56, 2D Keystone, Corner Fit, FW upgrade via LAN, 10W speaker, REC709 98%, Optional BYOD WIFI	1.632,29	1.457,05	St
BNQ-LH820ST	DLP; FHD; Short-throw; Throw Ratio: 0.49; Brightness 3600AL; Super high contrast 3,000,000:1; Laser light source; 20,000 hrs life; Noise level: 29 dB (Eco mode); HDMI x 1; LAN control, IEC62368 Comply	2.870,12	2.561,76	St
BNQ-LH890UST	BenQ LH890UST 1080p Laser Projector - 4000 AL - Contrast ratio: 3 000 000:1 - Ultra Short Throw - White	3.443,66	3.073,62	St
BNQ-LK936ST	BenQ LK936ST 4K Laser Projector - 5100 AL - Contrast ratio: 3 000 000:1 - Short Throw - Black	8.070,49	7.035,81	St
BNQ-LK952	BenQ LK952 4K Laser Projector - 5000 AL - Contrast ratio: 3 000 000:1 - White	5.782,59	5.161,01	St
BNQ-LK953ST	BenQ LK953ST 4K Laser Projector - 5000 AL - Contrast ratio: 3 000 000:1 - Short Throw - Black	7.647,18	7.058,94	St
BNQ-LK954ST	BenQ LK954ST 4K Laser Projector - 5000 AL - Contrast ratio: 3 000 000:1 - Black	7.729,48	6.898,52	St
BNQ-LK990	BenQ LK990 4K Laser Projector - 6000 AL - Contrast ratio: 3 000 000:1 - Black	11.185,24	9.982,63	St
bnq-LS1LT1 - Semi long 1 Lens	LS1LT1 - Semi long 1 Lens	3.033,47	2.707,54	St
bnq-LS1LT2 - Long zoom 1 Lens	LS1LT2 - Long zoom 1 Lens	3.033,47	2.707,54	St
bnq-LS1LT3 - Long zoom 2 Lens	LS1LT3 - Long zoom 2 Lens	3.033,47	2.707,54	St
bnq-LS1SDA - Standard	LS1SDA - Standard	1.399,97	1.249,71	St
bnq-LS1ST1A - Wide Zoom 1	LS1ST1A - Wide Zoom 1	2.216,72	1.978,63	St
bnq-LS1ST2A - Wide Zoom 2	LS1ST2A - Wide Zoom 2	2.216,72	1.978,63	St
bnq-LS1ST3A - Short Throw	LS1ST3A - Short Throw	3.383,16	3.019,62	St
bnq-LSIST4 - Ultra Short Reflection Lens	LSIST4 - Ultra Short Reflection Lens	7.931,55	7.078,86	St
BNQ-LU710	BenQ LU710 WUXGA NO LENS Laser Projector - 4000 AL - Contrast Ratio: 100 000:1 - White	2.151,38	1.920,31	St
BNQ-LU785	BenQ WUXGA LU785 NO LENS Laser Projector - 6000 AL - Contrast ratio: 3 000 000:1 - White	4.660,92	4.159,97	St
BNQ-LU9245	BenQ LU9245 WUXGA Laser Projector - 7000 AL - Contrast ratio: 3 000 000:1	7.887,99	7.039,98	St
BNQ-LU9245W	BenQ LU9245 WUXGA Laser Projector - 7000 AL - Contrast ratio: 3 000 000:1 White	7.887,99	7.039,98	St
BNQ-LU9255	BenQ LU9255 WUXGA Laser Projector - 8500 AL - Contrast ratio: 3 000 000:1 - Black	10.995,27	9.813,09	St
BNQ-LU930	BenQ LU930 WUXGA Laser Projector - 5000 AL - Contrast ratio: 3 000 000:1 - White	3.097,60	2.764,77	St
BNQ-LU935	BenQ LU935 WUXGA Laser Projector - 6000 AL - Contrast ratio: 3 000 000:1 - White	3.735,27	3.333,87	St
BNQ-LU935ST	BenQ LU935ST WUXGA Laser Projector - 5500 AL - Contrast ratio: 3 000	5.234,46	4.671,83	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	000:1 - Black			
BNQ-LU950	BenQ LU950 WUXGA NO LENS Laser Projector - 5000 AL - Contrast ratio: 3 000 000:1 - White	4.058,05	3.745,90	St
BNQ-LU951	BenQ LU951 WUXGA Laser Projector - 5200 AL - Contrast ratio: 3 000 000:1 - Black	4.115,21	3.672,95	St
BNQ-LU951ST	BenQ LU951St WUXGA Laser Projector - 5000AL - Contrast ratio: 3 000 000:1 - Black	6.586,43	6.079,78	St
BNQ-LU960	BenQ LU960 WUXGA Laser Projector - 5500 AL - Contrast ratio: 3 000 000:1 - Black	5.362,72	4.786,29	St
BNQ-LU960ST	BenQ LU960ST WUXGA Laser Projector - 5500 AL - Contrast ratio: 3 000 000:1 - Black	6.852,23	6.115,61	St
BNQ-LU960ST2	DLP; WUXGA UHD; Brightness 5100AL Laser light source; Super high contrast 3,000,000:1 Short-throw (0.5);	7.379,79	7.379,79	St
BNQ-LU960UST	BenQ LU960UST WUXGA Laser Projector - 5000AL - Contrast ratio: 3 000 000:1 - Black	6.809,88	6.077,82	St
BNQ-LU9750	DLP; WUXGA; Brightness 8,500 AL; Laser light source; 8 optional motorized lenses, Super high contrast 3,000,000:1; H/V Lens shift; 20,000 hrs laser life (normal mode), HDBaseT; 360 degree projection; 2D keystone; Corner fit; Surface fit	10.995,27	9.813,09	St
BNQ-LU9800	DLP; WUXGA; Brightness 10,000 AL; Laser light source; 8 optional motorized lenses, Super high contrast 3,000,000:1; H/V Lens shift; 20,000 hrs laser life (normal mode), HDBaseT; 360 degree projection; 2D keystone; Corner fit; Surface fit	14.580,50	13.012,75	St
BNQ-LW500ST	BenQ LW500ST WXGA LED Projector - 2000 AL - Contrast Ratio: 20 000:1 - Short Throw - White	1.224,52	1.093,13	St
BNQ-LW730	DLP; WXGA, 4200AL, LED, TR 1.37~1.64, 2D Keystone, Corner Fit, FW upgrade via LAN, 10W speaker, REC709 98%	1.447,16	1.291,83	St
BNQ-LW820ST	BenQ LW820ST WXGA Laser Projector - 3600 AL - Contrast ratio: 3 000 000:1 - Short Throw - White	2.219,14	1.980,79	St
BNQ-LW890UST	BenQ LW890UST WXGA Laser Projector - 4000 AL - Contrast ratio: 3 000 000:1 - Ultra Short Throw - White	2.871,33	2.562,84	St
BNQ-LX710	BenQ LX710 XGA Laser Projector - 4000 AL - Contrast ratio: 100 000:1 - White	1.621,40	1.447,33	St
bnq-MH733	MH733	899,00	871,20	St
BNQ-MH856UST+	BenQ MH856UST+ 1080p Lamp Projector - 3500 AL - Contrast ratio: 10 000:1 - Ultra Short Throw - White	1.981,98	1.769,13	St
BNQ-MW632ST	BenQ Mw632st - WXGA Short throw projector 0,72 - 0,87	948,64	846,92	St
BNQ-MW809STH	BenQ MW809STN WXGA Lamp Projector - 3600 AL - Contrast ratio: 20 000:1 - Short Throw - White	827,64	738,93	St
BNQ-MW826STH	BenQ MW826STH WXGA Lamp Projector - 3500 AL - Contrast ratio: 20 000:1 - Short Throw - White	914,76	816,69	St
BNQ-MW855UST+	BenQ MW855UST+ WXGA Lamp Projector - 3500 AL - Contrast ratio: 10 000:1 - Ultra Short Throw - White	1.452,00	1.296,15	St
BNQ-MX631ST	BenQ MX631ST XGA Lamp Projector - 3200 AL - Contrast ratio: 13 000:1 - Short Throw	871,20	777,81	St
BNQ-MX825STH	BenQ MX825STH XGA Lamp Projector - 3500 AL - Contrast ratio: 20 000:1 - Short Throw - White	849,42	758,37	St
BNQ-PT12	PontWrite Touch module	396,88	354,50	St
BNQ-PT20	PontWrite Touch module MW855UST+/MH856UST+ & LH890UST/LW890UST	560,23	500,28	St
BNQ-PW01 PEN	PontWrite pen, PW01, PW02, PW01U	117,37	105,05	St
BNQ-PW01U	PontWrite Interactive Kit MX852UST /MW853UST	326,70	291,87	St
BNQ-PW02	PontWrite Interactive Kit MX819ST /MW820ST /MX822ST compatible with PT02/PT12(touch module)	303,71	271,35	St
BNQ-PW21U	PW21U kit for MW883UST/MX882UST/MW864UST/MX863UST fully compatible with PW20U	338,80	302,67	St
BNQ-PW30U	PointWrite PW40U interactive kit MW855UST+/MH856UST+	444,07	396,62	St
BNQ-PW40U	PointWrite PW40U interactive kit LH890UST/LW890UST	490,05	437,65	St
BNQ-RE6501	Color: black; Size: 65"; Backlight: LED; Resolution: 3840x2160; Active area: 1428.5mm x 803.5mm; Brightness: 400 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; Touch: IR 20 points; Protection	1.810,16	1.536,15	St
BNQ-RE6503	BenQ RM6503 65" Interactive Flat Panel	2.084,83	1.769,20	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BNQ-RE7501	Color: black; Size: 75"; Backlight: LED; Resolution: 3840x2160; Active area: 1649.7mm x 927.9mm; Brightness: 550 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 68%; Touch: IR 20 points; Protection	2.622,07	2.225,03	St
BNQ-RE7503	BenQ RE7503 75" Interactive Display	2.686,20	2.279,44	St
BNQ-RE8601	Color: black; Size: 86"; Backlight: LED; Resolution: 3840x2160; Active area: 1895.0mm x 1067.0mm; Brightness: 400 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 68%; Touch: IR 20 points; Protection	3.431,56	2.911,85	St
BNQ-RE8603	BenQ RE8603 86" Interactive Display for Education	3.776,41	3.204,44	St
BNQ-RE9801	Color: black; Size: 98"; Backlight: LED; Resolution: 3840x2160; Active area: 2158.9mm x 1214.4mm; Brightness: 500 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 68%; Touch: IR 20 points; Protection	13.403,17	11.372,38	St
BNQ-RE9803	Color: black; Size: 98"; Backlight: LED; Resolution: 3840x2160; Active area: 2158.9mm x 1214.4mm; Brightness: 500 nits; Contrast: 1200:1; Response time: 8ms (typ.);	13.058,32	11.079,78	St
BNQ-RM6503	Color: black; Size: 65"; Backlight: LED; Resolution: 3840x2160; Active area: 1428.5mm x 803.5mm; Brightness: 400 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; Touch: IR 20 points; Protection	2.387,33	2.025,86	St
BNQ-RM7503	Color: black; Size: 75"; Backlight: LED; Resolution: 3840x2160; Active area: 1649.6mm x 928.0mm; Brightness: 450 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; Touch: IR 20 points; Protection	3.389,21	2.875,92	St
BNQ-RM8602S	Color: black; Size: 86"; Backlight: LED; Resolution: 3840x2160; Active area: 1897.0mm X 1068.0mm; Brightness: 350 nits; Contrast: 1100:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; Touch: IR 20 points; Protection	3.748,65	3.268,05	St
BNQ-RM8603	Color: black; Size: 86"; Backlight: LED; Resolution: 3840x2160; Active area: 1895.0mm x 1066.0mm; Brightness: 450 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; Touch: IR 20 points; Protection	4.516,93	3.832,74	St
BNQ-RP6502	Color: black; Size: 65"; Backlight: LED; Resolution: 3840x2160; Active area: 1432.5mm X 807.5mm; Brightness: 350 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 68%; Touch: IR 20 point touch; Protec	2.691,04	2.283,55	St
BNQ-RP6503	BenQ RP6503 65" Board Pro	2.862,86	2.429,33	St
BNQ-RP7502	Color: black; Size: 75"; Backlight: LED; Resolution: 3840x2160; Active area: 1649.7mm X 927.9mm; Brightness: 450 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; Touch: IR 20 point touch; Protec	3.863,68	3.566,48	St
BNQ-RP7503	BenQ RP7503 75" Board Pro	3.732,85	3.167,48	St
BNQ-RP8602	Color: black; Size: 86"; Backlight: LED; Resolution: 3840x2160; Active area: 1895.0mm X 1066.0mm; Brightness: 400 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 68%; Touch: IR 20 point touch; Prote	4.998,99	4.358,09	St
BNQ-RP8603	BenQ RP8603 86" Board Pro for Education	5.265,92	4.468,23	St
BNQ-SEMI THROW (LS2ST4)	BenQ LS2ST4 Semi Throw	1.318,90	1.177,36	St
BNQ-SH753+	BenQ SH750+ 1080p Lamp Projector - 5000 AL - Contrast ratio: 13 000:1 - White	1.462,89	1.305,87	St
BNQ-SHORT THROW (LS2ST2)	BenQ LS2ST2 Short Throw	1.749,66	1.561,80	St
BNQ-SL4302K	Color: black; Size: 43"; Backlight: LED; Resolution: 3840x2160; Active area: 941.2mm x 529.4mm; Brightness: 500 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; Video I/F: VGA, HDMI inx2, DP; RS	1.473,78	1.315,59	St
BNQ-SL5502K	Color: black; Size: 55"; Backlight: LED; Resolution: 3840x2160; Active area: 1209.6mm x 680.4mm; Brightness: 500 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; Video I/F: VGA, HDMI inx2, DP; RS	1.894,86	1.691,38	St
BNQ-SL6502K	65" Professional Smart Signage - Direct LED Display	2.420,00	2.160,05	St
BNQ-SL7502K	Color: black; Size: 75"; Backlight: LED; Resolution: 3840x2160; Active area:	3.156,89	2.817,69	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
	1649.7mm x 927.9mm; Brightness: 500 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; Video I/F: VGA, HDMI inx2, DP; R		
BNQ-ST4302S	Color: black; Size: 43"; Backlight: LED; Resolution: 3840x2160; Active area: 941.2mm x 529.4mm; Brightness: 450 nits; Contrast: 5000:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; I/F: D-sub, DVI, HDMI inx2, DP, R	821,59	733,54 St
BNQ-ST5502S	Color: black; Size: 55"; Backlight: LED; Resolution: 3840x2160; Active area: 1209.6mm x 680.4mm; Brightness: 450 nits; Contrast: 4500:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; I/F: D-sub, DVI, HDMI inx2, DP,	1.095,05	977,59 St
BNQ-ST6502	Color: black; Size: 65"; Backlight: LED; Resolution: 3840x2160; Active area: 1428.5mm x 803.5mm; Brightness: 450 nits; Contrast: 1200:1; Response time: 8ms (typ.); Viewing angle (H/V CR=10): 178/178; Color gamut: 72%; I/F: D-sub, HDMIx3, DP, RS232, R	1.868,54	1.628,99 St
bnq-ST6502S	ST6502S	1.758,13	1.569,36 St
bnq-ST7502S	ST7502S	2.525,27	2.253,99 St
bnq-ST8602S	ST8602S	3.577,97	3.193,48 St
BNQ-ST860K	Commercial flat panel 218,4 cm (86") Direct LED - Business	4.729,00	4.419,00 St
bnq-TCY31 Cradle	TCY31 Cradle	96,80	86,69 St
bnq-TDY31 Wifi Dongle	TDY31 Wifi Dongle	48,40	43,50 St
BNQ-TEY21 - 256GB (I5)	TEY21 - 256GB SSD (i5)	1.183,38	1.056,42 St
BNQ-TEY21 - 256GB (I7)	TEY21 - 256GB SSD (i7)	1.462,89	1.305,87 St
BNQ-TK800	4K UHD - 3000 Ansi Lumen - Home Entertainment DLP Projector with HDR	1.559,44	999,00 St
BNQ-TPY21	Pen for RP01K / RP02	60,50	54,30 St
BNQ-TPY22	Pen for RM02K / RM02S	24,20	21,90 St
BNQ-TPY23	Pen for RE Series	24,20	21,90 St
bnq-TPY24	TPY24	60,50	54,30 St
bnq-TWY31 InstaShare Button	TWY31 InstaShare Button	363,00	324,26 St
bnq-TZY31 Combo Set	TZY31 Combo Set	798,60	713,02 St
bnq-VC01A	VC01A	1.367,30	1.220,56 St
BNQ-WD02AT	BenQ WD02AT WIFI 6 & BT 5.2 Dongle	96,80	86,69 St
BNQ-WDC10C	WDC10C	1.223,31	1.092,05 St
bnq-WDC30	WDC30	1.749,66	1.561,80 St
BNQ-WM03G2	Wall mount for 0.3 T/R projector	117,37	105,05 St
BNQ-WM04G2	Wall mount for 0.4 T/R projector	152,46	136,37 St
BNQ-WM06G3	Wall mount for 0.6 T/R projector	152,46	136,37 St
BNQ-X-SIGN 1-YR BASIC	X-Sign 1-yr Basic	91,96	82,37 St
BNQ-X-SIGN 1-YR PREMIUM	X-Sign 1-yr Premium	142,78	127,73 St
BNQ-X-SIGN 2-YR BASIC	X-Sign 2-yr Basic	154,88	138,53 St
BNQ-X-SIGN 2-YR PREMIUM	X-Sign 2-yr Premium	271,04	242,19 St
BNQ-X-SIGN 3-YR BASIC	X-Sign 3-yr Basic	215,38	192,52 St
BNQ-X-SIGN 3-YR PREMIUM	X-Sign 3-yr Premium	382,36	341,54 St
BNQ-X-SIGN 4-YR BASIC	X-Sign 4-yr Basic	278,30	248,67 St
BNQ-X-SIGN 4-YR PREMIUM	X-Sign 4-yr Premium	484,00	432,25 St
BNQ-X-SIGN 5-YR BASIC	X-Sign 5-yr Basic	333,96	298,35 St
BNQ-X-SIGN 5-YR PREMIUM	X-Sign 5-yr Premium	575,96	514,32 St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
BNQ-X-SIGN STANDALONE PREMIUM	X-Sign Standalone Premium (for IL models with Interactive function for standalone use)	169,40	151,48 St